



UNFADING BEAUTY

Real beauty isn't here today and gone tomorrow. It's strong, stable and always enduring. You'll discover these qualities in every JELD-WEN Fiberglass, Engineered Composite and Steel exterior door. These doors are built to last. You can count on them to enhance your home for many years. Because at JELD-WEN, we always make beauty reliable.

Introduction.....	3	Smooth-Pro Fiberglass Doors	
Door Overview		Smooth-Pro Fiberglass Door Designs.....	52-55
Architectural Fiberglass Doors.....	4	Smooth-Pro Fiberglass Doors wWith Decorative Glass.....	56-65
Design-Pro Fiberglass Doors.....	4	Cadence (CD).....	56
Smooth-Pro Fiberglass Doors.....	4	Compass (CSP).....	57
Fiberlast® Engineered Composite Doors.....	5	Prairie Bevel (PR).....	58
Steel Doors.....	5	Jacinto (JA).....	59
Choosing Your Door System.....	6	Elegant Star (TX).....	60
Architectural Fiberglass Doors		Heirlooms (HM).....	61
Architectural Fiberglass Door Designs.....	7-13	Bristol (BT).....	62
Craftsman Fiberglass Doors With Decorative Glass.....	9-12	Avant (AV).....	63
Scarlett (SL).....	9	Aragon(AG).....	64
Paris (PS).....	9	Fiberlast® Engineered Composite Doors	
Monterey (MO).....	9	Fiberlast Engineered Composite Door Designs.....	66-71
Oak Park (KP).....	9	Fiberlast Engineered Composite Doors With Decorative Glass.....	72-79
Madison (MI).....	10	Impressions (LI).....	72
Prairie Bevel (PR).....	10	Catalina (CA).....	73
Greenfield (GRF).....	10	Tripoli (TP).....	74
Bellflower (BLF).....	11	Delray (DRY).....	75
Topaz (TPZ).....	11	Entropy (EN).....	76
Clear Glass (CL).....	12	Casablanca (CSB).....	77
Simulated Divided Light (SDL).....	12	Greenfield (GRF).....	78
Rain Glass (RN).....	12	Bellflower (BLF).....	79
Double Glue Chip Glass (DGC).....	12	Steel Doors	
Micro-Granite Glass (MG).....	12	Steel Door Designs.....	80-83
Plank Fiberglass Door Designs.....	13	Steel Doors With Decorative Glass.....	84-90
Architectural Fiberglass Doors With Decorative Glass.....	14-21	Radiant Hues (RA).....	84
Linden (Ld).....	14	Madison (MI).....	85
Aragon (Ag).....	15	Mohave (MOH).....	86
Monticello (Mt).....	16	Monterey (MO).....	87
Providence (PC).....	17	Topaz (TPZ).....	88
Castile (CS).....	18	Majestic (ME).....	89
Bellview (BV).....	19	Cut Crystal (CC).....	90
Alvarado (AL).....	20	Simplicity (SM).....	90
Harrington (HR).....	21	Triple Glazed Blinds (BLD).....	91
Glass Options And Availability.....	22-25	Triple Glazed Blinds With Grilles (CGBGBLD).....	91
Design-Pro Fiberglass Doors		Blinds Between The Glass (RLB).....	91
Design-Pro Fiberglass Door Designs.....	26-31	Vents.....	91
Design-Pro Fiberglass Doors With Decorative Glass.....	32-51	Clear & Privacy Doorglass.....	92
Paris (PS).....	32-33	Colonial Style Grilles Between The Glass.....	93
Veranda (VR).....	34-35	Prairie Style, Top Down—Grilles Between Glass.....	94
Mediterranean (MD).....	36-37	Clear Glass & Grilles Between The Glass Transoms.....	95
Expressions (EX).....	38-39	Impact And Coastal Rated Doors.....	96-99
Legacy Master (LM).....	40-41	Prehung Door Specifications.....	100
Oak Park (KP).....	42-43	Appropriate Protection For Exterior Doors.....	101
Nouveau (MN).....	44-45	Warranty.....	102-103
Carrollton (CRL).....	46-47		
Trace (TRC).....	48-49		
Blinds, Tan (TRLB).....	50		
Clear Simulated Divided Lites (SDL).....	51		

DEFINING CHOICES

JELD-WEN Exterior Doors | Fiberglass | Engineered Composite | Steel

Whatever you need your front door to be, JELD-WEN can fulfill your requirements. We make the greatest range of reliable exterior doors to suit a variety of architectural styles, climates and budgets. JELD-WEN Fiberglass exterior doors are a low-maintenance choice with beautiful details and designs to increase curb appeal. They are designed to meet ENERGY STAR® requirements*; and are reliable and worry-free. We also offer a full breadth of engineered composite and steel door designs.



CT-684MOH

SP-686EN

FK-659LI

DO-949LM

AM-828MT

**Energy performance ratings will vary with glass selection.*

Variances in photography, printing and door sizes may cause the glass and panel appearance and finish color as well as the door layout shown to vary from actual product. Please contact your local dealer for more information.

DOOR OVERVIEW

FIBERGLASS

The look of wood without the upkeep. Provides greater panel detailing.

Architectural

- » It's all about the details – made to be architecturally authentic
- » Mahogany woodgrain designs with raised moulding and improved graining for a genuine wood appearance
- » Energy efficient core
- » Beautiful, unique glass inserts in a wide variety of styles
- » Available in 6'8" and 8'0" heights. Please check for availability



Architectural Mahogany

Design-Pro

- » The look of wood with low-maintenance in mind
- » Energy efficient core
- » Composite capped edges for enhanced protection against harsh weather conditions
- » Wide selection of glass inserts
- » Available in 6'8" and 8'0" heights. Please check for availability



Design-Pro Mahogany



Design-Pro Oak

Smooth-Pro

- » Smooth fiberglass for dent and weather resistant performance
- » Energy efficient core
- » Composite capped stiles and rails for enhanced protection against harsh weather conditions
- » Available in 6'8" and 8'0" heights. Please check for availability



Smooth-Pro

ENGINEERED COMPOSITE

Engineered for durability, sustainability and affordability.

FiberLast® Engineered Composite

- » Dent-resistant engineered composite skin made with commercial-grade resins
- » Remains stable under extreme hot and cold conditions
- » 35% recycled content*
- » Available in 6'8", 7'0" and 8'0" heights. Please check for availability

**Recycled content percentages refer to the door slab and do not include the door frame or components*



Smooth



Oak



Mahogany



Fir

STEEL

An economical, low-maintenance choice that provides strength and style.

Contours™, Gladiator®, FiniShield


- » Designed for strength, durability and protection
- » Galvanized steel with baked on enamel primer for easier finishing
- » Energy efficient core
- » Optional steel edge construction for added durability and fire ratings up to 90-minutes (for true fire protection, doors must be used with a certified door frame, hardware and components)



Contours

CHOOSING YOUR DOOR SYSTEM

Beyond their clean design | JELD-WEN® exterior doors include many qualities that make them a beautiful choice. They're enduring. They're energy efficient. And they're perfectly low-maintenance. Options like decorative glass or blinds between the glass offer everyday beauty and convenience. Add sidelights or a transom to create your unique entry door system. Here are a few standard system configurations to choose from:



1 Choose Door Type

Fiberglass

The look of wood without the upkeep. Provides greater panel detail for an improved appearance and won't warp, dent or rust.



FiberLast® Engineered Composite

Engineered for durability, sustainability and affordability.




Steel Doors

Economical, low-maintenance choice that provides strength and style.



2 Choose Door Panel Style

Personalize your home with a door that suits your home's architecture. Add sidelights or a transom for the entry of your dreams. Here are just a few options.




3 Choose Doorglass

Decorative doorglass will brighten your entryway without compromising privacy. Choose from any of the featured glass designs on the following pages. Please refer to the matrix on pages 24-25 for the complete list of glass options by door type.




Glass privacy ratings help you choose the right level of opacity for your home.



ARCHITECTURAL FIBERGLASS DOOR DESIGNS


These doors feature greater detailing for a more genuine wood appearance, and they're made to be architecturally authentic. | For example, flat-paneled Craftsman designs are ideal for homes with Mission, Prairie, Shaker and Craftsman architecture. Our charming plank door designs complement Old World home styles. And the distinctive look of our Mahogany woodgrain designs with raised moulding will enhance any home. Doors, sidelights and transoms are available with beautiful, unique glass designs to distinguish your home.

Only JELD-WEN® offers so many fiberglass door designs and options.



Model numbers explained | Each model number contains a reference to the door type, glass size and glass design. For example; AC stands for Architectural Craftsman, 816 for the Camber Top size, KP stands for Oak Park. This naming system has been applied to all of our doors and simplifies the order process.

AC Architectural Craftsman **816** Glass size **KP** Glass design



AM = Architectural Mahogany Woodgrain (Raised Moulding)

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

For decorative glass see pages 14-21
Low-E glass available

Architectural Door Construction




- » 1-3/4" door
- » LVL (Laminated Veneer Lumber) top and bottom rails
- » 4" LVL stiles and edge band
- » Energy efficient core
- » 20-minute fire rating construction available*

Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.

* For true fire protection, these doors must be used with certified frames and hardware.



- A. Raised moulding
- B. Energy efficient core
- C. Composite bottom rail
- D. LVL stiles
- E. Edge band



ENERGY STAR®
Qualified designs
available


Scarlett (SL)



Patina

Scarlett

- » Clear Soft Wave Glass
- » Ruby Red Soft Wave Glass
- » Olive Soft Wave Glass
- » Yellow Swirl Glass
- » Micro-Iced Granite Glass




Paris (PS)



Patina

Paris

- » Clear Bevels
- » Arctic Glass
- » Clear Renaissance Glass



Transoms



Rectangular | Patina | 507PS | 521PS
See page 32 for transom sizes

Monterey (MO)




Patina

Monterey

- » Clear Bevels
- » Granite Glass
- » Micro-Granite Glass

Satin Nickel



Transoms



Rectangular | Patina | 507MO
See page 87 for transom sizes


Oak Park (KP)



Patina

Oak Park

- » Clear Bevels
- » Crinkle Glass
- » Thin Reed Glass
- » Seedy Glass



Transoms



Rectangular | Patina | 507KP | 521KP
See page 42 for transom sizes

AC - Architectural Mahogany Craftsman shown with optional shelf.

Madison (MI)



AC-816MI 3'0" x 6'8"
AC-819MI 1'0" x 6'8" 1'2" x 6'8"
AC-814MI 3'0" x 6'8"



Madison
 Nickel Vein Wrought Iron
 » Micro-Cubed Glass
 Privacy Rating | 9

Prairie Bevel (PR)



AC-816PR 3'0" x 6'8"
AC-819PR 1'0" x 6'8" 1'2" x 6'8"
AC-814PR 3'0" x 6'8"




Prairie Bevel
 Patina
 » Clear Bevels
 » Thin Reed Glass
 » Eaton Glass
 » Granite Glass
 Privacy Rating | 6

Bellflower (BLF)



AC-814BLF 3'0" x 6'8"
AC-819BLF 1'0" x 6'8" 1'2" x 6'8"



Bellflower
 Patina
 » Hammered Glass
 » Yellow Swirl Glass
 » Thin Reed Glass
 » Ruby Red & Olive Soft Wave Glass
 » Clear Bevels
 Privacy Rating | 8

Topaz (TPZ)



AC-816TPZ 3'0" x 6'8"
AC-819TPZ 1'0" x 6'8" 1'2" x 6'8"
AC-814TPZ 3'0" x 6'8"



Topaz
 Patina
 » Micro-Granite Glass
 » Bronze Soft Wave Glass
 » Thin Reed Glass
 » Clear Bevels
 Privacy Rating | 9

Greenfield (GRF)



AC-816GRF 3'0" x 6'8"
AC-819GRF 1'0" x 6'8" 1'2" x 6'8"
AC-814GRF 3'0" x 6'8"



Greenfield
 Oil-Rubbed Bronze
 » Thin Reed Glass
 » Small Hammered Glass
 » Pale Amber & Olive Soft Wave Glass
 Privacy Rating | 7

Transoms




Rectangular | Patina | 521GRF
 See page 78 for transom sizes

*Note: Craftsman doors shown with optional shelf.
 AC = Architectural Mahogany Craftsman
 All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.*




Clear Glass



AC-816LE 3'0" x 6'8"
 AC-819LE 1'0" x 6'8" / 1'2" x 6'8"
 AC-814LE 3'0" x 6'8"
 AC-819LE 1'0" x 6'8" / 1'2" x 6'8"


Model 814 and 816 also available in RN, DGC and MG

Simulated Divided Lights




AC-815SDL 3'0" x 6'8"
 AC-817SDL 3'0" x 6'8"
 AC-818SDL 3'0" x 6'8"

Rain Glass




AC-815RN* 3'0" x 6'8"
 AC-819RN 1'0" x 6'8" / 1'2" x 6'8"
 AC-817RN* 3'0" x 6'8"
 AC-818RN* 3'0" x 6'8"

Double Glue Chip Glass



AC-815DGC* 3'0" x 6'8"
 AC-819DGC 1'0" x 6'8" / 1'2" x 6'8"
 AC-817DGC* 3'0" x 6'8"
 AC-818DGC* 3'0" x 6'8"

Micro-Granite Glass



AC-815MG* 3'0" x 6'8"
 AC-819MG 1'0" x 6'8" / 1'2" x 6'8"
 AC-817MG* 3'0" x 6'8"
 AC-818MG* 3'0" x 6'8"



Rain Glass (RN)



Double Glue Chip Glass (DGC)



Micro-Granite Glass (MG)

*Models 815, 817 and 818 are simulated divided lites.



AP-14 3'0" x 6'8"
 AP-24 3'0" x 6'8"



AP8-24 3'0" x 8'0" / 3'6" x 8'0"



Greater detail for the look of real wood



AP = Architectural Mahogany Plank
 AC = Architectural Mahogany Craftsman

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.



Architectural Mahogany



AM-826LD
Full View
3'0" x 6'8"

AM-560LD
Full View SL
1'0" x 6'8"
1'2" x 6'8"

AM-828LD
3/4 View
3'0" x 6'8"
Also available in
3'0" x 8'0"
AM8-826LD

AM-564LD
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"




Satin Nickel

Linden

- » Clear Bevels
- » Red Crystals
- » Gray Soft Wave Glass
- » Micro-Granite Glass

Privacy Rating | 8



Transoms



Segment | Satin Nickel | 532LD
(Fits above 3'-0" door w/ (2) 12" sidelights) —
13-1/2" frame height

Architectural Mahogany



AM-826AG
Full View
3'0" x 6'8"

AM-560AG
Full View SL
1'0" x 6'8"
1'2" x 6'8"

AM-828AG
3/4 View
3'0" x 6'8"
Also available in
3'0" x 8'0"
AM8-826AG

AM-564AG
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"




Oil-Rubbed Bronze

Aragon


- » Granite Glass
- » Micro-Granite Glass
- » Thin Reed Glass
- » Bronze Soft Wave Glass
- » Clear Bevels

Privacy Rating | 7



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.






Nickel Vein
Wrought Iron

Monticello

» Arctic Glass

Privacy Rating | 9



Transoms



Half Round | Wrought Iron | 516MT
(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height




Rectangular | Wrought Iron | 521MT
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Architectural Mahogany



AM-826MT Full View 3'0" x 6'8"	AM-560MT Full View SL 1'0" x 6'8" 1'2" x 6'8"	AM-828MT 3/4 View 3'0" x 6'8"	AM-564MT 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"
---	---	--	--




AM8-826MT 8'0" 3/4 View 3'0" x 8'0"	AM8-562MT 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"
--	---

Architectural Mahogany



AM-826PC Full View 3'0" x 6'8"	AM-560PC Full View SL 1'0" x 6'8" 1'2" x 6'8"	AM-563PC 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"
---	---	--



AM-828PC 3/4 View 3'0" x 6'8"	AM-564PC 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"
--	--



AM8-826PC 8'0" 3/4 View 3'0" x 8'0"	AM8-562PC 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"
--	---




Satin
Nickel

Providence

- » Clear Bevels
- » Clear Jewels
- » Granite Glass
- » Dark Amber Soft Wave Glass
- » Thin Reed Glass

Privacy Rating | 9



Transoms





Rectangular | Satin Nickel | 521PC
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.



- Castile**
- » Clear Bevels
 - » Brown Bevels
 - » Clear Jewels
 - » Iced Granite Glass
 - » Micro-Iced Granite Glass



Transoms



Half Round | Brass | 516CS
(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | Brass | 521CS
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Architectural Mahogany




AM-826CS Full View 3'0" x 6'8"	AM-560CS Full View SL 1'0" x 6'8" 1'2" x 6'8"	AM-828CS 3/4 View 3'0" x 6'8"	AM-564CS 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"	AM-949CS 3-Panel with 3/4 Oval 3'0" x 6'8"	AM-563CS 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"	AM8-826CS 8'0" 3/4 View 3'0" x 8'0"	AM8-562CS 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"
---	---	--	--	---	--	--	---


Architectural Mahogany



AM-826BV Full View 3'0" x 6'8"	AM-560BV Full View SL 1'0" x 6'8" 1'2" x 6'8"	AM-828BV 3/4 View 3'0" x 6'8"	AM-564BV 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"	AM-949BV 3-Panel with 3/4 Oval 3'0" x 6'8"	AM-563BV 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"	AM8-826BV 8'0" 3/4 View 3'0" x 8'0"	AM8-562BV 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"
---	---	--	--	---	--	--	---



- Bellview**
- » Clear Bevels
 - » Granite Glass
 - » Hammered Glass



Transoms



Half Round | Patina | 516BV
(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height




All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.



- Alvarado**
- » Clear Bevels
 - » Clear Jewels
 - » Granite Glass
 - » Chinchilla Glass
 - » Micro-Granite Glass

Black Chrome



Transoms



Segment | Black Chrome | 532AL
(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Rectangular | Black Chrome | 521AL
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Architectural Mahogany



AM-826AL Full View 3'0" x 6'8"
AM-560AL Full View SL 1'0" x 6'8" 1'2" x 6'8"
AM-828AL 3/4 View 3'0" x 6'8"
AM-564AL 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"



AM8-826AL 8'0" 3/4 View 3'0" x 8'0"
AM8-562AL 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Architectural Mahogany




AM-826HR Full View 3'0" x 6'8"
AM-560R-HR Full View SL 1'0" x 6'8" 1'2" x 6'8"
AM-828HR 3/4 View 3'0" x 6'8"
AM-564R-HR 3/4 View SL 1'0" x 6'8" 1'2" x 6'8"
AM-949HR 3-Panel with 3/4 Oval 3'0" x 6'8"
AM-563R-HR 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"
AM8-826HR 8'0" 3/4 View 3'0" x 8'0"
AM8-562R-HR 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"



- Harrington**
- » Clear Bevels
 - » Iced Granite Glass
 - » Frosted Glass

Satin Nickel



Transoms



Half Round | Satin Nickel | 516HR
(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Elliptical | Satin Nickel | 578HR
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



When ordering Harrington sidelights, specify right or left side. The right side is shown above.

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.



GLASS OPTIONS EXPLAINED

Handcrafted decorative doorglass adds beauty and mystique to your door. | Our enduring designs serve as a focal point for your home, a reflection of your personal style, and a bridge between you and the world outside. These beautiful glass designs are sure to meet any architectural or design need.

The glass options shown on pages 32-94 are interchangeable and can be inserted into either **Design-Pro Oak**, **Design-Pro Mahogany**, and **Smooth-Pro** fiberglass doors depending upon the door style selected. The same glass options may also be available with our **FiberLast® Engineered Composite** or our **Steel** doors. Please refer to the availability matrix on pages 24-25.

GLASS OPTIONS EXPLAINED



Model numbers explained | Each model number contains a reference to the door type, glass size and glass design. For example; DO stands for Design-Pro Oak, 684 for the half view size and TPZ stands for Topaz. This naming system has been applied to all of our doors and simplifies the order process.

DO Design-Pro Oak **684** Glass size **TPZ** Glass design

DESIGN-PRO FIBERGLASS DOOR DESIGNS

Each Design-Pro door is created to look like wood and is built with strength, stability and reliability in mind. | In fact, these doors are made to stay attractive longer, with less maintenance in any climate. We've created many versatile designs in Mahogany and Oak woodgrain. Our doors coordinate with a full range of decorative glass types and sidelights. Check with your local dealer for glass, door design and size availability.

Each Design-Pro door is backed by a limited lifetime warranty; review it at www.jeld-wen.com.



DM-20



DO-684TRC



DM-607CRL



DM-100
Flush
3'0" x 6'8"



DM-919
Full Oval
3'0" x 6'8"

DM-686
Full View
3'0" x 6'8"

DM-20
2-Panel
Continental
3'0" x 6'8"



DM-684
1/2 View
3'0" x 6'8"

DM-607
3/4 View
3'0" x 6'8"



DM-690
Full View SL
1'0" x 6'8"
12" x 6'8"

DM-422
3/4 View SL
1'0" x 6'8"
12" x 6'8"

DM-692
1/2 View SL
1'0" x 6'8"
12" x 6'8"

DM8-493
8'0" Full View SL
1'0" x 8'0"
12" x 8'0"



DM8-100
8'0" Flush
3'6" x 8'0"


DM8-20
8'0" 2-Panel Continental
3'0" x 8'0"

DM8-607
8'0" 1/2 View
3'0" x 8'0"

DM8-612
8'0" Full View
3'0" x 8'0"



Design-Pro Door Construction



- A. Energy efficient core
- B. Profiled composite edge
- C. Composite bottom rail
- D. LVL (Laminated Veneer Lumber) stiles



- » 1-3/4" Door
- » LVL stiles and rails
- » All stiles and rails composite capped
- » Energy efficient core
- » Lock block
- » 20-minute fire rating construction available*

Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.* For true fire protection, these doors must be used with certified frames and hardware.

Fire-rated Design Pro doors



DESIGN-PRO FIBERGLASS OAK WOODGRAIN



DO-100
Flush
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DO-919
Full Oval
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DO-686
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DO-30
3-Panel
3'0" x 6'8"

DO-949
3/4 Oval
3'0" x 6'8"

DOA-607
3/4 View
3'0" x 6'8"

Shown with 2-1/2" lock rail and reduced top rail of 4-1/8"



DO-60
6-Panel
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DO-684
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DO-80
8-Panel
3'0" x 6'8"

DO-632
Center Arch Glass
3'0" x 6'8"



DO-40
4-Panel
3'0" x 6'8"

DO-692
Twin 1/2 View
3'0" x 6'8"

DO-40BT
4-Panel Blank Top
3'0" x 6'8"

DO-659
Sunburst
3'0" x 6'8"

DO-648
Camber Top
3'0" x 6'8"

DO-637
1/2 View Round Top
3'0" x 6'8"



DO8-100
8'0" Flush
3'0" x 8'0"

DO8-612
8'0" Full View
3'0" x 8'0"

DO8-60
8'0" 6-Panel
3'0" x 8'0"

DO8-607
8'0" 1/2 View
3'0" x 8'0"

DO-690/694
Full View SL
10" x 6'8"
1'0" x 6'8"
1'2" x 6'8"

DOA-422
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

DO-692
1/2 View SL
10" x 6'8"
1'0" x 6'8"
1'2" x 6'8"

DO8-493
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"



DESIGN-PRO FIBERGLASS *PARIS (PS)*

DESIGN-PRO FIBERGLASS

Design-Pro Mahogany



DM-686PS
Full View
3'0" x 6'8"



DM-690PS
Full View SL
1'0" x 6'8"
1'2" x 6'8"



DM-607PS
3/4 View
3'0" x 6'8"



DM-422PS
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



DM-684PS
1/2 View
3'0" x 6'8"



DM-692PS
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



DM8-612PS
8'0" Full View
3'0" x 8'0"



DM8-493PS
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

Design-Pro Oak



DO-686PS
Full View
3'0" x 6'8"



**DO-690/
694PS**
Full View SL
1'0" x 6'8"
1'2" x 6'8"



DOA-607PS
3/4 View
3'0" x 6'8"



DOA-422PS
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



DO-684PS
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DO-692PS
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



DO8-612PS
8'0" Full View
3'0" x 8'0"



DO8-493PS
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"



Patina

Transoms




Rectangular | Patina | 507PS
(Fits above 3'-0" door w/ (2) 14" sidelights) —
15-1/2" frame height

Rectangular | Patina | 521PS
(Fits above 3'-0" door w/ (2) 12" sidelights) —
13-1/2" frame height

Paris

- » Clear Bevels
- » Arctic Glass
- » Clear Renaissance Glass

Privacy Rating | 4




All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

RELIABILITY for real life®





Easy to open
and clean

DESIGN-PRO FIBERGLASS VERANDA (VR)


DESIGN-PRO FIBERGLASS



Veranda

- » External Wrought Iron Grille
- » Low-E Micro-Granite Glass

Privacy Rating | 9



Rust-resistant Finish



Hidden Latch



Decorative Screw Hole Plugs



Design-Pro Mahogany



DM-686VR
Full View
3'0" x 6'8"

DM-690VR
Full View SL
1'0" x 6'8"
1'2" x 6'8"



DM-607VR
3/4 View
3'0" x 6'8"



DM8-612VR
8'0" Full View
3'0" x 8'0"

DM8-493VR
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

Design-Pro Oak



DO-686VR
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DO-690VR
Full View SL
1'0" x 6'8"
1'2" x 6'8"



DOA-607VR
3/4 View
3'0" x 6'8"



DO8-612VR
8'0" Full View
3'0" x 8'0"

DO8-493VR
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.


Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

RELIABILITY for real life®






DESIGN-PRO FIBERGLASS *MEDITERRANEAN (MD)*



Mediterranean

- » Wrought Iron Between Glass
- » Arctic Glass

Privacy Rating | 9



Design-Pro Mahogany



DM-686MD
Full View
3'0" x 6'8"



DM-690MD
Full View SL
1'0" x 6'8"
1'2" x 6'8"



DM-607MD
3/4 View
3'0" x 6'8"



DM-422MD
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



DM8-612MD
8'0" Full View
3'0" x 8'0"



DM8-493MD
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

Design-Pro Oak



DO-686MD
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DO-690/694MD
Full View SL
1'0" x 6'8"
1'2" x 6'8"



DOA-607MD
3/4 View
3'0" x 6'8"



DOA-422MD
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



DO8-612MD
8'0" Full View
3'0" x 8'0"



DO8-493MD
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

RELIABILITY for real life®






Design-Pro Mahogany



Design-Pro Oak



Transoms



Half Round | Brass or Satin Nickel | 516EX
(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height




Rectangular | Brass or Satin Nickel | 521EX
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Expressions

- » Clear Bevels
- » Granite Glass
- » Gray Renaissance Glass

Privacy Rating | 4



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.



DO8-612EX
8'0" Full View
3'0" x 8'0"

DO8-493EX
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"




Patina

Legacy Master

- » Clear Bevel Clusters
- » Gray & Clear Renaissance Glass

Privacy Rating | 3



Transoms



Rectangular | Patina | 506LM
(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Patina | 507LM
(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Patina | 521LM
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Rectangular | Patina Only | 517LM
(Fits above 3'-0" door) — 13-1/2" frame height

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

Design-Pro Mahogany



DM-686LM
Full View
3'0" x 6'8"



DM-690LM
Full View SL
1'0" x 6'8"
1'2" x 6'8"



DM-607LM
3/4 View
3'0" x 6'8"



DM-422LM
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"




DM-684LM
1/2 View
3'0" x 6'8"



DM-692LM
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



DM8-612LM
8'0" Full View
3'0" x 8'0"



DM8-493LM
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

Design-Pro Oak



DO-686LM
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DO-690/694LM
Full View SL
1'0" x 6'8"
1'2" x 6'8"



DO-949LM
3/4 Oval
3'0" x 6'8"



DOA-607LM
3/4 View
3'0" x 6'8"



DOA-422LM
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



DO-692LM
Twin 1/2 View
3'0" x 6'8"



DO-684LM
Twin 1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DO-692LM
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



DO8-612LM
8'0" Full View
3'0" x 8'0"



DO8-493LM
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"



DESIGN-PRO FIBERGLASS OAK PARK (KP)

DESIGN-PRO FIBERGLASS

Design-Pro Mahogany



DM-686KP
Full View
3'0" x 6'8"

DM-690KP
Full View SL
1'0" x 6'8"
1'2" x 6'8"

DM-607KP
3/4 View
3'0" x 6'8"

DM-422KP
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

DM-684KP
1/2 View
3'0" x 6'8"

DM-692KP
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"

DM8-612KP
8'0" Full View
3'0" x 8'0"

DM8-493KP
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

Design-Pro Oak



DO-607KP
3/4 View
3'0" x 6'8"

DO-422KP
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

DO-686KP
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DO-690/694KP
Full View SL
1'0" x 6'8"
1'2" x 6'8"

DO-684KP
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DO-692KP
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"

DO8-612KP
8'0" Full View
3'0" x 8'0"

DO8-493KP
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"



DO-692KP
Twin 1/2 View
3'0" x 6'8"



Patina

Transoms




Rectangular | Patina | 507KP
(Fits above 3'-0" door w/ (2) 14" sidelights) —
15-1/2" frame height

Rectangular | Patina | 521KP
(Fits above 3'-0" door w/ (2) 12" sidelights) —
13-1/2" frame height

Oak Park

- » Clear Bevels
- » Crinkle Glass
- » Thin Reed Glass
- » Seedy Glass

Privacy Rating | 5



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

RELIABILITY for real life®






- Patina
- Nickel
- Brass

Nouveau

- » Clear Bevel Clusters
- » Glue Chip Glass
- » Clear Bevels

Privacy Rating | 6



Transoms



Rectangular | Nickel, Patina or Brass | 507MN
(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Nickel, Patina or Brass | 521MN
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical | Nickel, Patina or Brass | 578MN
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Design-Pro Mahogany



DM-686MN
Full View
3'0" x 6'8"



DM-690MN
Full View SL
1'0" x 6'8"
1'2" x 6'8"



DM-919MN
Full Oval
3'0" x 6'8"



DM-607MN
3/4 View
3'0" x 6'8"



DM-422MN
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



DM-684MN
1/2 View
3'0" x 6'8"



DM-692MN
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"

Design-Pro Oak



DO-686MN
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



**DO-690/
694MN**
Full View SL
1'0" x 6'8"
1'2" x 6'8"



DOA-607MN
3/4 View
3'0" x 6'8"



DO-422MN
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



DO-684MN
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DO-692MN
Twin 1/2 View
3'0" x 6'8"

DO-672MN
2'6" x 6'8"



DO-659MN
Sunburst
3'0" x 6'8"



DO-648MN
Camber Top
3'0" x 6'8"



DO-637MN
1/2 View Round Top
3'0" x 6'8"



DO-919MN
Full Oval
3'0" x 6'8"



DOA-949MN
3/4 Oval
3'0" x 6'8"

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.




DESIGN-PRO FIBERGLASS CARROLLTON (CRL)

DESIGN-PRO FIBERGLASS

Design-Pro Mahogany



Design-Pro Oak




Patina
NEW

Carrollton

- » Clear Soft Wave Glass
- » Double Glue Chip Glass
- » Clear Bevel Clusters

Privacy Rating | 7



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

RELIABILITY for real life®





DESIGN-PRO FIBERGLASS TRACE (TRC)

DESIGN-PRO FIBERGLASS

Design-Pro Mahogany



DM-686TRC
Full View
3'0" x 6'8"



DM-690TRC
Full View SL
1'0" x 6'8"
1'2" x 6'8"



DM-919TRC
Full Oval
3'0" x 6'8"



DM-684TRC
1/2 View
3'0" x 6'8"



DM-692TRC
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"

Design-Pro Oak



DO-686TRC
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DO-690/694TRC
Full View SL
1'0" x 6'8"
1'2" x 6'8"



DO-919TRC
Full Oval
3'0" x 6'8"



DO-949TRC
3/4 Oval
3'0" x 6'8"



DO-684TRC
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




DO-692TRC
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



Trace

- » Light Gray Silkscreen
- » Clear Glass

Privacy Rating | 8



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.



Design-Pro Mahogany



DM-686TRLB
Full View
3'0" x 6'8"



DM-684TRLB
3/4 View
3'0" x 6'8"

Design-Pro Oak



DO-686TRLB
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DO-684TRLB
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DO-687TRLB
2'6" x 6'8"

Design-Pro Mahogany



DM-679SDL
Full View 8-Lite
3'0" x 6'8"



DM-479SDL
Full View
4-Lite SL
1'0" x 6'8"
1'2" x 6'8"



DM-606SDL
3/4 View 4-Lite
3'0" x 6'8"



DM-406SDL
3/4 View
2-Lite SL
1'0" x 6'8"
1'2" x 6'8"



DM-646SDL
3/4 View 6-Lite
3'0" x 6'8"



DM-446SDL
3/4 View
3-Lite SL
1'0" x 6'8"
1'2" x 6'8"

Design-Pro Oak



DO-679SDL
Full View 8-Lite
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DO-479/490SDL
Full View
4-Lite SL
1'0" x 6'8"
1'2" x 6'8"



DO-606SDL
3/4 View 4-Lite
3'0" x 6'8"



DO-406SDL
3/4 View
2-Lite SL
1'0" x 6'8"
1'2" x 6'8"



DO-646SDL
3/4 View 6-Lite
3'0" x 6'8"




DO-446SDL
3/4 View
3-Lite SL
1'0" x 6'8"
1'2" x 6'8"



Doorglass Blinds

- » Raise, Lower and Tilt
- » No dusting. Blinds are sealed between tempered safety glass.
- » LightTouch® control raises and lowers the blind
- » Fingertip tilt control
- » Blinds available in White or Tan color

Privacy Rating | 1 / 5 / 10




ⓔ = Available in Low-E glass



Simulated Divided Lites

- » Traditional Style 1-1/8" grille
- » Low-E Glass ⓔ

Privacy Rating | 1



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

SMOOTH-PRO FIBERGLASS DOOR DESIGNS

Each Smooth-Pro door is made to be durable, energy efficient and affordable. | The smooth surface can be painted any color, and designs can be enhanced with various glass types. Check with your local dealer for glass, door design and size availability.

Each Smooth-Pro door is backed by a limited lifetime warranty; review it at www.jeld-wen.com.



SP-949BT



SP-686EX



SP-919HM



SMOOTH-PRO FIBERGLASS



SP-100
Flush
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SP-919
Full Oval
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SP-686
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SP-636
Full View Round Top
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SP-607
1-Panel 3/4 View
3'0" x 6'8"

SP-30
3-Panel 3/4 View
3'0" x 6'8"

SP-949
3/4 Oval
3'0" x 6'8"

SP-687
2'6" x 6'8"



SPA-607
2-Panel 3/4 View
3'0" x 6'8"
Shown with 1/2" lock rail and reduced top rail of 4 1/8"

SP-40BT
4-Panel Blank Top
3'0" x 6'8"

SP-659
Sunburst
3'0" x 6'8"

SP-648
Camber Top
3'0" x 6'8"

SP-60
6-Panel
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SP-684
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SP-672
2'6" x 6'8"

SP-40
4-Panel
3'0" x 6'8"



SP-692
Twin 1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SP-80
8-Panel
3'0" x 6'8"

SP-632
Center Arch
3'0" x 6'8"

SP-400
2'6" x 6'8"




SP8-100
8'0" Flush
3'0" x 8'0"

SP8-612
8'0" Full View
3'0" x 8'0"

SP8-60
8'0" 6-Panel
3'0" x 8'0"

SP8-607
8'0" 1/2 View
3'0" x 8'0"

SP8-496
2'6" x 8'0"



SP-690/694
Full View SL
10" x 6'8"
1'0" x 6'8"
1'2" x 6'8"

SP-422
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

SPA-422
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

SP-692
1/2 View SL
10" x 6'8"
1'0" x 6'8"
1'2" x 6'8"

SP8-493
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"


Bottom panel is 10-1/2" tall. Matches SP-607

Bottom panel is 16-1/2" tall. Matches SP-949 SPA-607

*10" sidelights accommodate 7" glass inserts only

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Smooth-Pro Door Construction



- A. Energy efficient core
- B. Composite bottom rail
- C. LVL stiles
- D. Profiled composite edge




- » 1-3/4" Door
- » LVL (Laminated Veneer Lumber) stiles and rails
- » All stiles and rails composite capped
- » Energy efficient core
- » Lock block
- » 20-minute fire rating construction available*

Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.*

*For true fire protection, these doors must be used with certified frames and hardware.

 Fire-rated Smooth Pro doors





SP-686CD
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-690/694CD
Full View SL
1'0" x 6'8"
1'2" x 6'8"



SP-919CD
Full Oval
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-607CD
3/4 View
3'0" x 6'8"
Also available as 2-Panel
SPA-607 door with SPA-422 sidelight



SP-949CD
3/4 Oval
3'0" x 6'8"



SPA-422CD
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



SP8-612CD
8'0" Full View
3'0" x 8'0"



SP8-493CD
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"




Patina

Cadence

- » Clear Bevel Clusters
- » Hammered Glass
- » Ripple Glass

Privacy Rating | 5



Transoms



Half Round | Patina | 516CD
(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



SP-684CPS
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-692CPS
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



SP-686CPS
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-690/694CPS
Full View SL
1'0" x 6'8"
1'2" x 6'8"




Nickel

NEW

Name

- » Alabaster Glass
- » Clear Bevels
- » Hammered Glass
- » Micro-Iced Granite Glass

Privacy Rating | 7



Transoms



Rectangular | Nickel | 521CPS
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.






SP-686PR
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SP-690/694PR
Full View SL
1'0" x 6'8"
1'2" x 6'8"

SP-607PR
3/4 View
3'0" x 6'8"



SP-684PR
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


SP-692PR
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"

SP-692PR
Twin 1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SPA-607PR
2-Panel 3/4 View
3'0" x 6'8"


SPA-422PR
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



Patina

Prairie Bevel

- » Clear Bevels
- » Thin Reed Glass
- » Granite Glass
- » Eaton Glass



SP-686JA
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SP-690/694JA
Full View SL
1'0" x 6'8"
1'2" x 6'8"

SPA-607JA
3/4 View
3'0" x 6'8"

SPA-422JA
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

SP-687JA
2'6" x 6'8"



SP-672JA
1/2 View
2'6" x 6'8"

SP8-612JA
8'0" Full View
3'0" x 8'0"

SP8-493JA
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"




Wrought Iron

Jacinto

- » Arctic Glass
- » Wrought Iron Between the Glass

Privacy Rating | 9



Transoms



Rectangular | Wrought Iron | 507JA
(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height


Rectangular | Wrought Iron | 521JA
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Segment | Wrought Iron | 532JA
(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.


Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.



Patina
Nickel

Elegant Star

- » Glue Chip Glass
- » Granite Glass
- » Clear Bevels



Rectangular | Patina or Nickel or Wrought Iron | 506TX
(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



SP-686TX*
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-690TX*
Full View SL
1'0" x 6'8"
1'2" x 6'8"



SP-607TX*
3/4 View
3'0" x 6'8"
also available in a 2-Panel
SPA-607TX door with
SPA-422TX sidelight



SP-684TX*
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-692TX*
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



SP-949TX
3/4 Oval
3'0" x 6'8"




SPA-422TX*
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

**Also Available with Wrought-Iron between Micro-Granite and Clear Glass*



Wrought Iron

Elegant Star



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.



SP-919HM
Full Oval
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-686HM
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



**SP-690/
694HM**
Full View SL
1'0" x 6'8"
1'2" x 6'8"



SP-636HM
Full View
Round Top
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-659HM
Sunburst
3'0" x 6'8"



SP-949HM
3/4 Oval
3'0" x 6'8"



SPA-422HM
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



SP-692HM
Twin 1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-684HM
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-692HM
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



SP-607HM
3/4 View
3'0" x 6'8"
also available in a 2-Panel
SPA-607HM door with
SPA-422HM sidelight



SP8-612HM
8'0" Full View
3'0" x 8'0"



SP8-493HM
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"




Brass
Satin Nickel

Heirlooms

- » Clear Bevel Clusters
- » Glue Chip Glass
- » Granite Glass

Privacy Rating | 6



Transoms



Rectangular | Brass or Satin Nickel | 506HM
(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular | Brass or Satin Nickel | 507HM
(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Brass or Satin Nickel | 521HM
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical | Brass or Satin Nickel | 503HM
(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height


Elliptical | Brass or Satin Nickel | 578HM
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Segment | Brass or Satin Nickel | 532HM
(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Rectangular | Satin Nickel Only | 517HM
(Fits above 3'-0" Door) — 13-1/2" frame height




Satin Nickel

Bristol

- » Clear Bevels
- » Clear Bevel Clusters
- » Granite Glass
- » Hammered Glass

Privacy Rating | 7



Transoms




Rectangular | Satin Nickel | 506BT
(Fits above 3'-0" door w/ (2) 12" sidelights) —
15-1/2" frame height



SP-686BT
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
SP-687BT
2'6" x 6'8"

SP-690/694BT
Full View SL
1'0" x 6'8"
1'2" x 6'8"



SP-607BT
3/4 View
3'0" x 6'8"
also available in a 2-Panel
SPA-607BT door with
SPA-422BT sidelight



SP-949BT
3/4 Oval
3'0" x 6'8"



SPA-422BT
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



SP-692BT
Twin 1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-684BT
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-692BT
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



SP8-612BT
8'0" Full View
3'0" x 8'0"



SP8-493BT
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"



SP-686AV
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-690/694AV
Full View SL
1'0" x 6'8"
1'2" x 6'8"



SP-607AV
3/4 View
3'0" x 6'8"



SP-684AV
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-692AV
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



SPA-607AV
3/4 View
3'0" x 6'8"




SPA-422AV
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



SP8-612AV
8'0" Full View
3'0" x 8'0"



SP8-493AV
8'0" Full View SL
3'0" x 8'0"




Black Chrome

Avant

- » Clear Bevel Clusters
- » Eaton Glass
- » Granite Glass

Privacy Rating | 6



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

SMOOTH-PRO FIBERGLASS ARAGON (AG)



SP-686AG
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-690/694AG
Full View SL
1'0" x 6'8"
1'2" x 6'8"



SP-607AG
3/4 View
3'0" x 6'8"




SPA-607AG
2-Panel 3/4 View
3'0" x 6'8"



SPA-422AG
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

Shown with 2½" lock rail and reduced top rail of 4½"




Oil-Rubbed Bronze

Aragon

- » Granite Glass
- » Micro-Granite Glass
- » Thin Reed Glass
- » Bronze Soft Wave Glass
- » Clear Bevels

Privacy Rating | 7



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass design also available with FiberLast® Engineered Composite, Design-Pro and Steel Doors. See pages 24-25 for availability.





**Engineered for Durability
Sustainability and
Affordability**

Durable

- » Dent-resistant engineered composite skin made with commercial-grade resins
- » Remains stable under extreme hot and cold conditions
- » Weather-tight edges resist swelling and decay because they're made with AuraLast® Wood. Unlike typical, dip-treated wood, AuraLast Wood components are protected from the surface to the core and aren't compromised by sanding or cutting. Only JELD-WEN has AuraLast Wood.

Sustainable


- » ENERGY STAR® qualified designs
- » 35% recycled content, certified by SCS*
- » 96% fewer VOCs during manufacturing of AuraLast Wood components. AuraLast Wood is protected using a proprietary water-based solution, not harmful solvents.

Affordable

- » More affordable than fiberglass and traditional wood doors

FIBERLAST® ENGINEERED COMPOSITE DOORS

STRENGTH & STABILITY INSIDE AND OUT



* Recycled wood fiber is pre-consumer. Note recycled content percentages refer to the door slab and do not include the door frame and/or frame components.

FIBERLAST® ENGINEERED COMPOSITE

GRAINED FIR (FF)



Shaker
Non-Profile Sticking



FF-30
Craftsman
3-Panel
3'0" x 6'8" ▲

FF-814
Craftsman
3'0" x 6'8" ▲

FF-819
Full View SL
1'0" x 6'8" ▲
1'2" x 6'8" ▲



Optional Craftsman Dentil Shelf



GRAINED MAHOGANY (FM)



Ovolo
Sticking Profile



FM-20
2-Panel
2'8" x 6'8"
3'0" x 6'8"

FM-949
3/4 Oval
2'8" x 6'8"
3'0" x 6'8"

FM-607
3/4 View
2'8" x 6'8"
3'0" x 6'8"

FM-422
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



20 minute Fire door option available in 2'8" & 3'0" widths, (Craftsman—Check with your JELD-WEN sales representative for availability)

▲ = Available in 7'0" heights

FIBERLAST® ENGINEERED COMPOSITE *GRAINED OAK (FK)*



Ovolo Sticking Profile



FK-100
Flush
2'6" x 6'8"
2'8" x 6'8" ▲
2'10" x 6'8"
3'0" x 6'8" ▲

FK-919
Full Oval
2'8" x 6'8" ▲
2'10" x 6'8"
3'0" x 6'8" ▲

FK-686
Full View
2'8" x 6'8" ▲
2'10" x 6'8"
3'0" x 6'8" ▲

FK-687
2'6" x 6'8"

FK-40BT
Blank Top
2'8" x 6'8"
3'0" x 6'8"

FK-659
Sunburst
2'8" x 6'8"
3'0" x 6'8"

FK-648
Camber Top
2'8" x 6'8"
3'0" x 6'8"



FK-637
1/2 View Round Top
2'8" x 6'8"
3'0" x 6'8"

FK-60
6-Panel
2'6" x 6'8"
2'8" x 6'8" ▲
2'10" x 6'8"
3'0" x 6'8" ▲

FK-684
1/2 View
2'8" x 6'8" ▲
2'10" x 6'8"
3'0" x 6'8" ▲

FK-687
2'6" x 6'8"

FK-680
Twin Top Lites
2'8" x 6'8"
3'0" x 6'8"

FK-664
Top Lite
2'8" x 6'8"
3'0" x 6'8"

FK-10
Flush SL
1'0" x 6'8"
1'2" x 6'8" ▲

FK-690/694
Full View SL
1'0" x 6'8"
1'2" x 6'8" ▲

FK-692
1/2 View SL
1'0" x 6'8"
1'2" x 6'8" ▲



FK8-100
8' Flush
2'0" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"

FK8-612
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"

FK8-60
8'0" 6-Panel
2'8" x 8'0"
3'0" x 8'0"

FK8-607
8'0" 1/2 View
2'8" x 8'0"
3'0" x 8'0"

FK8-493
8'0" Full
View SL
1'0" x 8'0"
1'2" x 8'0"

FK8-422
8'0" 1/2
View SL
1'0" x 8'0"
1'2" x 8'0"

20 minute Fire door option available in 2'8" & 3'0" widths, (Craftsman—Check with your JELD-WEN sales representative for availability)

▲ = Available in 7'0" heights

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

FIBERLAST® ENGINEERED COMPOSITE

FIBERLAST ENGINEERED COMPOSITE



Beaded Sticking Profile

SMOOTH—FACTORY PRIMED WHITE (FL)



FL-100 Flush 2'6" x 6'8" 2'8" x 6'8" ▲ 2'10" x 6'8" 3'0" x 6'8" ▲

FL-919 Full Oval 2'8" x 6'8" ▲ 2'10" x 6'8" 3'0" x 6'8" ▲

FL-636 Full View Round Top 2'8" x 6'8" 3'0" x 6'8"

FL-686 Full View 2'8" x 6'8" ▲ 2'10" x 6'8" 3'0" x 6'8" ▲

FL-40BT Blank Top 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FL-659 Sunburst 2'8" x 6'8" 3'0" x 6'8"

FL-648 Camber Top 2'8" x 6'8" 3'0" x 6'8"

FL-687 2'6" x 6'8"



FL8-100 8'0" Flush 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 3'0" x 8'0"

FL8-612 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"

FL8-60 8'0" 6-Panel 2'8" x 8'0" 3'0" x 8'0"

FL8-607 8'0" 1/2 View 2'8" x 8'0" 3'0" x 8'0"

FL-10 Flush SL 10" x 6'8" 1'0" x 6'8" ▲ 1'2" x 6'8" ▲

FL-690/694 Full View SL 10" x 6'8" 1'0" x 6'8" ▲ 1'2" x 6'8" ▲

FL-692 1/2 View SL 1'0" x 6'8" ▲ 1'2" x 6'8" ▲

FL8-493 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

FL8-422 8'0" 1/2 View SL 1'0" x 8'0" 1'2" x 8'0"



FL-637 1/2 View Round Top 2'8" x 6'8" 3'0" x 6'8"

FL-21 2-Panel 2'8" x 6'8" ▲ 3'0" x 6'8" ▲

FLA-684 1/2 View 1-Panel 2'8" x 6'8" ▲ 3'0" x 6'8" ▲

FL-60 6-Panel 2'8" x 6'8" ▲ 2'10" x 6'8" 3'0" x 6'8" ▲

FL-684 1/2 View 2-Panel 2'8" x 6'8" ▲ 2'10" x 6'8" 3'0" x 6'8" ▲

FL-692 Twin 1/2 View 2'8" x 6'8" ▲ 2'10" x 6'8" 3'0" x 6'8" ▲

FL-680 Twin Top Lites 2'8" x 6'8" 3'0" x 6'8"



FL-664 Top Lite 2'8" x 6'8" 3'0" x 6'8"

FL-431 7/8 View Full & Retro Sizes 3'0" x 6'8" 34-9/16" x 76-19/16"

20 minute Fire door option available in 2'8" & 3'0" widths, (Craftsman— Check with your JELD-WEN sales representative for availability)

▲ = Available in 7'0" heights

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.





FL-686LI
FL, FK
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FL-690/694LI
FL, FK
Full View SL
1'0" x 6'8"
1'2" x 6'8"

FK-684LI
FL, FK
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FK-692LI
FL, FK
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



FL-692LI
FL
Twin 1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FK-659LI
FL, FK
Sunburst
2'8" x 6'8"
3'0" x 6'8"

FM-949LI
FM
3/4 Oval
2'8" x 6'8"
3'0" x 6'8"



FLA-684LI
FL
1/2 View 1-Panel
2'8" x 6'8"
3'0" x 6'8"


FL8-612LI
FL, FK
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"

FL8-493LI
FL, FK
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"



Impressions

- » Clear Bevels
- » Iced Granite Glass
- » Streamed Glass
- » Clear Renaissance Glass



Transoms



Rectangular | 507LI
(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height



FL-686CA
FL, FK
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FL-690/694CA
FL, FK
Full View SL
1'0" x 6'8"
1'2" x 6'8"



FL8-612CA
FL, FK
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"


FL8-493CA
FL, FK
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"



Bronze Vein Wrought Iron

Catalina

- » Micro Granite Glass



Transoms



Half Round | Bronze Vein Wrought Iron | 516CA
(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.



FK-686TP
FL, FK
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FK-690/694TP
FL, FK
Full View SL
1'0" x 6'8"
1'2" x 6'8"

FK-684TP
FL, FK
1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FK-692TP
FL, FK
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"

FK-687TP
FL, FK, FW
2'6" x 6'8"



FL-692TP
FL
Twin 1/2 View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


FL-919TP
FL, FK
Full Oval
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FLA-684TP
FL
1/2 View 1-Panel
2'8" x 6'8"
3'0" x 6'8"



FM-607TP
FM
3/4 View
2'8" x 6'8"
3'0" x 6'8"

FM-422TP
FM
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



Patina

Tripoli

- » Glue Chip Cluster Bevels
- » Glue Chip Glass
- » Alabaster Glass

Privacy Rating | 6



Transoms



Rectangular | Patina | 521TP

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical | Patina | 578TP

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



FL-686DRY
FL, FK
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FL-690/694DRY
FL, FK
Full View SL
1'0" x 6'8"
1'2" x 6'8"


FM-607DRY
FM
3/4 View
2'8" x 6'8"
3'0" x 6'8"

FM-422DRY
FM
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



FK8-607DRY
FL, FK
8'0" 1/2 View
2'8" x 8'0"
3'0" x 8'0"

FK8-422DRY
FL, FK
8'0" 1/2 View SL
1'0" x 8'0"
1'2" x 8'0"



Nickel


Patina

NEW

Delray

- » Gray Soft Wave Glass
- » Alabaster Glass
- » Micro-Iced Granite Glass
- » Small Hammered Glass
- » Clear Bevels

Privacy Rating | 7



Transoms



Rectangular | Patina or Nickel | 521DRY

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.



FL-686EN
FL, FK
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
FL-687EN
FL, FK
2'6" x 6'8"

FL-690/694R-EN
FL, FK
Full View SL
1'0" x 6'8"
1'2" x 6'8"



FK-612EN
FL, FK
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"


FK-493R-EN
FL, FK
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"



Black Chrome

Entropy

- » Clear Bevels
- » Granite Glass
- » Clear Seedy Glass
- » Clear Renaissance Glass




FK-684CSB
FL, FK
1/2 View
3'0" x 6'8"

FK-692CSB
FL, FK
1/2 View SL
3'0" x 6'8"

FK-686CSB
FL, FK
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FK-690/694CSB
FL, FK
Full View SL
1'0" x 6'8"
1'2" x 6'8"



FLA-684CSB
FL
1/2 View 1-Panel
2'8" x 6'8"
3'0" x 6'8"


FK-919CSB
FL, FK
Full Oval
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FM-949CSB
FM
3/4 Oval
2'8" x 6'8"
3'0" x 6'8"



Casablanca

- » Dark Gray Silkscreen
- » Light Gray Silkscreen
- » Clear Glass



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

When ordering Entropy sidelights, specify right or left side. The right side is shown above.



FM-607GRF
FM
3/4 View
2'8" x 6'8"
3'0" x 6'8"

FM-422GRF
FM
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

FK-686GRF
FL, FK
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FK-687GRF
FL, FK
2'6" x 6'8"

FK-690/694GRF
FL, FK
Full View SL
1'0" x 6'8"
1'2" x 6'8"



FF-814GRF*
FF
Craftsman
3'0" x 6'8"


FF-819GRF*
FF
Full View SL
1'0" x 6'8"
1'2" x 6'8"

FK-672
FK
1/2 View
2'6" x 6'8"



FK8-612GRF
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"

FK8-493GRF
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"




Oil-Rubbed Bronze

Greenfield

- » Thin Reed Glass
- » Small Hammered Glass
- » Pale Amber & Olive Soft Wave Glass

Privacy Rating | 7



Transoms



Rectangular | Oil-Rubbed Bronze | 521GRF
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Shown with optional shelf



FM-607BLF
FM
3/4 View
2'8" x 6'8"
3'0" x 6'8"

FM-422BLF
FM
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

FK-686BLF
FL, FK
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FK-687BLF
FL, FK
2'6" x 6'8"

FK-690/694BLF
FL, FK
Full View SL
1'0" x 6'8"
1'2" x 6'8"




FF-814BLF*
FF
Craftsman
3'0" x 6'8"

FF-819BLF*
FF
Full View SL
1'0" x 6'8"
1'2" x 6'8"

FL-686BLF
FL, FK
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FL-687BLF
FL, FK
2'6" x 6'8"




Patina

Bellflower

- » Hammered Glass
- » Yellow Swirl Glass
- » Thin Reed Glass
- » Ruby Red & Olive Soft Wave Glass
- » Clear Bevels

Privacy Rating | 8



Transoms



Rectangular | Patina | 521BLF
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Shown with optional shelf

*Model 800 Series doorglass frames have a flat profile that is different than traditional profiles. Please note when matching with sidelights.

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

STEEL DOOR DESIGNS

Every JELD-WEN® Steel exterior door is durable and affordable. | They include wood stiles and rails with mitered top corners to prevent water absorption. Galvanized exterior door facings are factory-primed with neutral, low-sheen, baked-on enamel primer for easy finishing. Our wide range of steel doors include designs with beautiful decorative glass, popular grille patterns, textured glass, or blinds between the glass. Additionally, all standard glass designs fit these doors. Please check with your local dealer for glass, door design and size availability.

Each JELD-WEN Steel door is backed by a 10-year limited warranty; review it at www.jeld-wen.com.

Wood Edge Construction

1. Laminated veneer lumber (LVL) stiles and top rail for sturdy construction that resists warping and buckling
2. Two coats of neutral, low-sheen, baked-on enamel primer enables easier finishing
3. Energy efficient core
4. Galvanized steel skin
5. Epoxy primer on the back of the steel skin prevents corrosion
6. Steel bottom rail for strength



Steel door bottom section with wood edge (standard)

Contours™ Designs (CT, CC & ES Series)

These premium doors feature a tough, galvanized steel skin that features our exclusive high definition beaded sticking and double-hip panel profile. Other panel profiles are available in selected designs. They're available with an optional steel edge that delivers added security and a fire rating of up to 90 minutes.

Steel Door Construction



Contours Beaded Profile (CT)



Contours Ovolo Profile (ES)



- CONTOURS™ PREMIUM STEEL**
- 1-3/4" Door
 - LVL stiles and rails
 - Steel bottom rail
 - Energy efficient core
 - Optional steel edge
 - 12" lock block
 - Bright white color
 - 20-minute fire rating construction available

Gladiator® Designs (GL Series)

Standard utility grade steel doors



Gladiator Ovolo Profile (GL)



- GLADIATOR® STANDARD STEEL**
- 1-3/4" Door
 - LVL stiles and rails
 - Steel bottom rail
 - Energy efficient core
 - 12" lock block

FiniShield® Designs (FS Series)

Durable steel skins covered with a seven-mil layer of oak-textured vinyl.



FiniShield Ovolo Profile (FS)





- FINISHIELD® VINYL COVERED STEEL**
- 1-3/4" Door
 - LVL stiles and rails
 - Steel bottom rail
 - Energy efficient core
 - 12" lock block
 - Steel skin with 7-mil white woodgrain textured vinyl



STEEL

2-Panel Designs - accepts 1/2 View 22 x 36 doorglass



CT-100  CT, FS
Flush
2'0" x 6'8"
CT, FS, GL
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"
CT
3'6" x 6'8"

CT-919 CT, FS, GL
Full Oval
2'8" x 6'8"
3'0" x 6'8"

CT-686 CT, FS, GL
Full View
2'8" x 6'8"
3'0" x 6'8"


CT-30 ★ ▲ CT, FS
3-Panel
2'8" x 6'8"
3'0" x 6'8"

CT-949 ★ ▲ CT, FS
3-Panel with 3/4 Oval
2'8" x 6'8"
3'0" x 6'8"

CTA-607 ★ ▲ CT, FS
3/4 View
2'8" x 6'8"
3'0" x 6'8"

CTA-422 ★ CT
Twin 3/4 View
2'8" x 6'8"
3'0" x 6'8"





CC-30  ■ Craftsman
3-Panel
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"


CC-814 ■ Craftsman
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

CT-11 ★ CT
1-Panel Eyebrow
3'0" x 6'8"

CT-969 ★ CT
Slim Oval
3'0" x 6'8"

CT-21 ●  CT
2-Panel
2'8" x 6'8"
3'0" x 6'8"

CT-20 ●  CT
2-Panel Arch Top
2'8" x 6'8"
3'0" x 6'8"

CT-24 ●  CT
2-Panel V-groove
Arch Top
2'8" x 6'8"
3'0" x 6'8"

Optional Dentil Shelf available



CT-690/694 CT, FS
Full View SL
1'0" x 6'8"
1'2" x 6'8"

CT-422 ★ CT
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"


CT-692 ★ ▲ CT, ES, FS
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"

CT8-493 CT
8'0" 1/2 View SL
1'0" x 8'0"
1'2" x 8'0"

ES8-422 ES
8'0" 1/2 View SL
1'0" x 8'0"
1'2" x 8'0"

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.



ES-40 ▲  ES
4-Panel
2'8" x 6'8"
3'0" x 6'8"

CT-692 ★ ▲ CT, ES, FS, GL
Twin 1/2 View
2'8" x 6'8"
3'0" x 6'8"

CT-40BT ★ ▲ CT, FS, GL
4-Panel Blank Top
2'8" x 6'8"
3'0" x 6'8"


CT-664 ★ ▲ CT, FS, GL
Top Lite
2'8" x 6'8"
3'0" x 6'8"


CT-659 ★ ▲ CT, FS, GL
Sunburst
2'8" x 6'8"
3'0" x 6'8"

CT-648 ★ ▲ CT, FS, GL
Camber Top
2'8" x 6'8"
3'0" x 6'8"

CT-637 ★ ▲ CT, FS, GL
1/2 View Round Top
2'8" x 6'8"
3'0" x 6'8"

CT-400 CT, FS, GL
2'6" x 6'8"




CT-60 ★ ▲  CT, ES, FS, GL
6-Panel
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"
ES
3'6" x 6'8" ▲

CT-680 ★ ▲ CT, ES, FS, GL
Twin Top Lite
2'8" x 6'8"
3'0" x 6'8"

CT-684 ★ ▲ CT, ES, FS, GL
1/2 View
2'8" x 6'8"
3'0" x 6'8"

CT-80 ★ ▲  CT, FS
8-Panel
2'8" x 6'8"
3'0" x 6'8"

CT-632 ★ ▲ CT, FS
8-Panel Center Arch
2'8" x 6'8"
3'0" x 6'8"

CT-90 ★ ▲  CT, FS
9-Panel
2'8" x 6'8"
3'0" x 6'8"


CT-640 ★ ▲ CT, FS
Center Glass
2'8" x 6'8"
3'0" x 6'8"

CT-672 CT, ES, FS, GL
2'6" x 6'8"


*Contours, FiniShield and Gladiator Sunburst and Camber Top designs have different top rail dimensions. See specifications at www.jeld-wen.com

Standard sizes shown. See Dealer for 2'10" widths, 7'0" sizes and other styles



CT8-100  CT
8'0" Flush
2'0" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"

CT8-612 CT
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"

ES8-60 ▲  ES
8'0" 6-Panel
2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"

ES8-607 ▲ ES
8'0" 1/2 View
2'8" x 8'0"
3'0" x 8'0"

CT8-496 CT
2'6" x 8'0"

CT = Contours Beaded
ES = Contours Ovolo
FS = FiniShield Ovolo
GL = Gladiator Ovolo
CC = Craftsman

Steel Door Sticking Profiles



★ Beaded Sticking (CT) ▲ Ovolo Sticking (ES, GL, FS)



● 2-Panel Sticking (CT) ■ Craftsman Sticking (CC)

Fire-Rated Doors

Our fire-rated steel doors are made to meet or exceed local fire rating building codes for both residential and light commercial use. For true fire protection, these doors must be used with certified frames and hardware.

 Fire-rated Contours doors



STEEL RADIANT HUES (RA)

STEEL MADISON (MI)



CT-686RA
CT, FS, GL
Full View
2'8" x 6'8"
3'0" x 6'8"
CT-687RA
2'6" x 6'8"

CT-690/694RA
CT, FS
Full View SL
1'0" x 6'8"
1'2" x 6'8"

CT-949RA
CT, FS
3/4 Oval
2'8" x 6'8"
3'0" x 6'8"

CTA-607RA
CT
3/4 View
2'8" x 6'8"
3'0" x 6'8"

CT-422RA
CT
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



CTA-422RA
CT
Twin 3/4 View
2'8" x 6'8"
3'0" x 6'8"

CT-692RA
CT, ES, FS, GL
Twin 1/2 View
2'8" x 6'8"
3'0" x 6'8"

CT-684RA
CT, ES, FS, GL
1/2 View
2'8" x 6'8"
3'0" x 6'8"

CT-692RA
CT, ES, FS
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"

CT-672RA
CT, ES, FS, GL
2'6" x 6'8"



CT-632RA
CT
Center Arch Glass
2'8" x 6'8"
3'0" x 6'8"

CT8-612RA
CT
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"

CT8-493RA
CT
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"



CT-686MI
CT, FS, GL
Full View
2'8" x 6'8"
3'0" x 6'8"
CT-687MI
2'6" x 6'8"

CT-690/694MI
CT, FS
Full View SL
1'0" x 6'8"
1'2" x 6'8"

CTA-422MI
CT
Twin 3/4 View
2'8" x 6'8"
3'0" x 6'8"



CTA-607MI
CT, FS
3/4 View
2'8" x 6'8"
3'0" x 6'8"

CT-422MI
CT
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

CC-814MI*
CC
Craftsman
2'8" x 6'8"
3'0" x 6'8"

CC-819MI*
CC
Craftsman SL
1'0" x 6'8"
1'2" x 6'8"



CT8-612MI
CT
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"

CT8-493MI
CT
8'0" Full View SL
1'0" x 8'0"
1'2" x 6'8"



*Model 800 Series doorglass frames have a flat profile that is different than a traditional profile.



Madison

- » Micro-Cubed Glass
- » Wrought Iron between Glass

Privacy Rating | 9




Nickel

Radiant Hues

- » Clear Bevels
- » Clear Renaissance Glass
- » Gray Renaissance Glass

Privacy Rating | 3




Transoms



Rectangular | Nickel | 507RA
(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Nickel | 521RA
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Rectangular | Nickel | 517RA
(Fits above 3'-0" door) — 13-1/2" frame height

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

STEEL



CT-684MOH
CT, ES, FS, GL
1/2 View
2'8" x 6'8"
3'0" x 6'8"



CT-692MOH
CT, ES, FS
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



CT-686MOH
CT, FS, GL
Full View
2'8" x 6'8"
3'0" x 6'8"



**CT-690/
694MOH**
CT, FS
Full View SL
1'0" x 6'8"
1'2" x 6'8"



CT-686MO
CT, FS, GL
Full View
2'8" x 6'8"
3'0" x 6'8"



**CT-690/
694MO**
CT, FS
Full View SL
1'0" x 6'8"
1'2" x 6'8"



CTA-607MO
CT, FS
3/4 View
2'8" x 6'8"
3'0" x 6'8"



CT8-612MOH
CT
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"



CT8-493MOH
CT
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"



CTA-422MO
CT
Twin 3/4 View
2'8" x 6'8"
3'0" x 6'8"



CT-422MO
CT
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"



CC-814MO
CC
Craftsman
2'8" x 6'8"
3'0" x 6'8"



CC-819MO*
CC
Craftsman SL
1'0" x 6'8"
1'2" x 6'8"




Oil-Rubbed Bronze

NEW

Mohave

- » Micro-Iced Granite Glass
- » Gray Soft Wave Glass
- » Bronze Soft Wave Glass
- » Pale Amber Soft Wave Glass
- » Clear Bevels
- » Streamed Glass
- » Small Hammered Glass

Privacy Rating | 7




Patina

Satin Nickel

Monterey

- » Clear Bevels
- » Granite Glass
- » Micro-Granite Glass

Privacy Rating | 7



Transoms




Rectangular | Patina or Satin Nickel | 507MO
(Fits above 3'-0" door w/ (2) 14" sidelights) —
15-1/2" frame height

*Model 800 Series doorglass frames have a flat profile that is different than a traditional profile.

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.




CTA-607TPZ
CT, FS
3/4 View
2'8" x 6'8"
3'0" x 6'8"

CT-422TPZ
CT,
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

CT-686TPZ
CT, FS, GL
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

**CT-690TPZ/
694TPZ**
CT, FS
Full View SL
1'0" x 6'8"
1'2" x 6'8"

CT-687TPZ
CT, FS, GL
2'6" x 6'8"



CC-814TPZ
CC
Craftsman
2'8" x 6'8"
3'0" x 6'8"

CC-819TPZ*
CC
Craftsman SL
1'0" x 6'8"
1'2" x 6'8"

CT-684TPZ
CT, ES, FS, GL
1/2 View
2'8" x 8'0"
3'0" x 6'8"

CT-692TPZ
CT, ES, FS,
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"




Patina

Topaz

- » Micro-Granite Glass
- » Bronze Soft Wave Glass
- » Thin Reed Glass
- » Clear Bevels

Privacy Rating 9



Optional Dentil Shelf available



*Model 800 Series doorglass frames have a flat profile that is different than a traditional profile.

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.



CT-686ME
CT, FS, GL
Full View
2'8" x 6'8"
3'0" x 6'8"

**CT-690/
694ME**
CT, FS
Full View SL
1'0" x 6'8"
1'2" x 6'8"

CTA-607ME
CT, FS
3/4 View
2'8" x 6'8"
3'0" x 6'8"

CT-422ME
CT
3/4 View SL
1'0" x 6'8"
1'2" x 6'8"

CTA-422ME
CT
Twin 3/4 View
2'8" x 6'8"
3'0" x 6'8"

Brass & Nickel only

687 not available in patina



CT-692ME
CT, FS, GL
Twin 1/2 View
2'8" x 6'8"
3'0" x 6'8"

CT-637ME
CT, GL, FS
1/2 View Round Top
2'8" x 6'8"
3'0" x 6'8"
Brass & Nickel only

CT-684ME
CT, ES, FS, GL
1/2 View
2'8" x 6'8"
3'0" x 6'8"

CT-692ME
CT, ES FS
1/2 View SL
1'0" x 6'8"
1'2" x 6'8"



CT-640ME
CT, FS
Center Glass
2'8" x 6'8"
3'0" x 6'8"



CT8-612ME
CT
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"



CT8-493ME
CT
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

Brass & Nickel only



Patina


Nickel

Brass

Majestic

- » Glue Chip Bevels
- » Glue Chip Glass
- » Gray Soft Wave Glass

Privacy Rating | 6



Transoms



Rectangular | Nickel or Brass | 507ME

(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Patina, Nickel or Brass | 521ME

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height




Elliptical | Patina, Nickel or Brass | 578ME

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height


STEEL CUT CRYSTAL (CC)



Cut Crystal
 » Grooved Glass
 » Clear Glass



Simplicity
 » Grooved Glass
 » Frosted Glass



CT-686CC CT, FS, GL Full View 2'8" x 6'8" 3'0" x 6'8"	CT-690/694CC CT, FS Full View SL 1'0" x 6'8" 1'2" x 6'8"	CT8-612CC CT 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"	CT-493CC CT 8'0" Full View SL 1'0" x 6'8" 1'2" x 6'8"

STEEL | SIMPLICITY (SM)

CT-686SM CT, FS, GL Full View 2'8" x 6'8" 3'0" x 6'8"	CT-690/694SM CT, FS Full View SL 1'0" x 6'8" 1'2" x 6'8"	CT-692SM CT, ES, FS, GL Twin 1/2 View 2'8" x 6'8" 3'0" x 6'8"	CT-684SM CT, ES, FS, GL 1/2 View 2'8" x 6'8" 3'0" x 6'8"	CT-692SM CT, ES, FS 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

FIBERLAST® ENGINEERED COMPOSITE, DESIGN-PRO, SMOOTH-PRO & STEEL

BLINDS BETWEEN GLASS

Triple Glazed Blinds Between Glass

686BLD Full View 2'8" x 6'8" 3'0" x 6'8"	684BLD 1/2 View 2'8" x 6'8" 3'0" x 6'8"

Triple Glazed Blinds Between Glass with Grilles

686-CGBGBLD 10-Light 2'8" x 6'8" 3'0" x 6'8"	684-CGBGBLD 9-Light 2'8" x 6'8" 3'0" x 6'8"	686-CGBGBLD 15-Light 2'8" x 6'8" 3'0" x 6'8"

White 1/8" Contoured Grille

Blinds Between Glass


686RLB Full View 2'8" x 6'8" 3'0" x 6'8"	690RLB Full View SL 1'0" x 6'8" 1'2" x 6'8"	607RLB 3/4 View 2'8" x 6'8" 3'0" x 6'8" FiberLast E.C. only available in Mahogany	684RLB 1/2 View 2'8" x 6'8" 3'0" x 6'8"	SP-692RLB 1/2 View SL 1'0" x 6'8" 1'2" x 6'8"	SP8-612RLB Full View SL 2'8" x 8'0" 3'0" x 8'0"
687RLB 2'6" x 6'8"			672RLB 2'6" x 6'8"		496RLB 2'6" x 8'0"



Blinds Between Glass

- » Raise, Lower and Tilt Blinds
- » No dusting
- » Available in Low-E glass
- » Triple Glazed design reduces heat transmission by 28%

Privacy Rating | 1 / 5 / 10



VENTING DOOR GLASS - Lets in fresh air

799CL 1/2 View Clear Glass 2'8" x 6'8" 3'0" x 6'8"	799RN 1/2 View Rain Glass 2'8" x 6'8" 3'0" x 6'8"	799GBG 1/2 View Grille Between Glass 2'8" x 6'8" 3'0" x 6'8"	799GBG/RN 1/2 View Grille Between Glass with Rain Glass 2'8" x 6'8" 3'0" x 6'8"


☉ = Low-E
 RN = Rain glass





CLEAR & PRIVACY DOORGLASS

Door designs shown with clear glass inserts. The following glass inserts are available for Design-Pro, Smooth-Pro, FiberLast® Engineered Composite, Contours™, Gladiator®, and FiniShield® doors. See door pages for door style availability.

Clear and Privacy Glass



Glass Options



e = Available with Low-E
 CB = Contoured Bar 11/16"
 SLB = Slim Line Bar 5/16"
 WB = Wide Bar 7/8"
 SB = Standard Bar 5/8"
 MG = Micro-Granite with Low-E
 DGC = Double Glue Chip with Low-E
 RN = Rain Glass with Low-E
 CL = Clear
 FX = Fixed External Grilles



COLONIAL STYLE GRILLES BETWEEN THE GLASS & FIXED GRILLES



Fixed External Grilles & Grilles Between the Glass



Prairie Style Bar 5/8" (PB)



Wide Prairie Style Bar 7/8" (WPB)



Glass Options



- ☉ = Available with Low-E
- CB = Contoured Bar 1 1/16"
- WB = Wide Bar 7/8"
- SB = Standard Bar 5/8"
- WPB = Wide Prairie Style Bar 7/8"
- PB = Prairie Style Bar 5/8"
- MG = Micro-Granite with Low-E
- DGC = Double Glue Chip with Low-E
- RN = Rain Glass with Low-E
- CL = Clear
- FX = Fixed External Grilles
- AC = Top Down Style Grilles

Prairie Style Grilles Between the Glass




686/687 WPB, PB, FX
690/694 WPB, PB, FX
607 WPB, PB
422 WPB, PB
684 WPB, PB
692 WPB, PB

Top Down Style Grilles Between the Glass



684/672 AC2
684/672 AC3
607 AC2
607 AC3
684/672 AC2
686/687 AC3
690/694 AC

Top Down Style Bar 5/8" (AC)



8 Foot Options

Clear, Fixed Grille & Grille Between Glass




612/496 CL, DGC, MG, RN
493 DGC, MG, CL
613/641 12-Lite CB, WB, SB, FX
614/643 18-Lite CB, WB, SB, FX
474 CB, WB, SB, FX

Prairie Style Grille Between Glass



612/496 PB
493 PB

Top Down Style Grille Between Glass



612/496 AC2
612/496 AC3
493 AC



506CL (3'-0" door w/ (2) 12" sidelights)
507CL (3'-0" door w/ (2) 14" sidelights)
521CL (3'-0" door w/ (2) 12" sidelights)
526CL (3'-0" door w/ (2) 12" sidelights)
527CL (3'-0" door w/ (2) 14" sidelights)
551CL (6'-0" double door)



547CL (3'-0" door w/ (1) 12" sidelight)
552CL (3'-0" door w/ (1) 14" sidelight)



505CL (fits above 3'-0" door)
511CL (fits above 2'-8" door)
517CL (fits above 3'-0" door)
524CL (fits above 2'-8" door)
525CL (fits above 3'-0" door)

Contact your JELD-WEN dealer for availability of Low-E glass and grille styles with transoms.



505/517/525-GBG 3-lite



506/507/521/526/527-GBG 5-lite



551GBG 6-lite (fits above a 6'0" double door)



500CL (fits above 3'-0" door)



515CL (3'-0" door w/ (2) 12" sidelights)
516CL (3'-0" door w/ (2) 14" sidelights)



502CL (3'-0" door w/ (2) 12" sidelights)
503CL (3'-0" door w/ (2) 14" sidelights)
512CL (3'-0" door w/ (2) 12" sidelights)
514CL (3'-0" door w/ (2) 14" sidelights)



502/503/512/514-GBG 5-light



IMPACT AND COASTAL RATED DOORS

If you live near the coast or in an area prone to hurricanes, your home is subject to harsh and potentially dangerous conditions. That's why your door choices are crucial to your home's survival.

JELD-WEN offers select door systems with features that allow them to stand up to salt air, coastal moisture, severe winds and the dangerous wind borne debris from hurricanes.

The doorglass used in our door systems is certified for use in various entry systems to meet Florida and Texas code requirements. The glass is also designed to maximize natural light, making it an attractive alternative to hurricane shutters.

Visit www.jeld-wen.com and your JELD-WEN dealer for specific details on door systems requiring coastal certifications.



Impact Rated Opaque Doors








					
CT-100 CT Flush 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	CT-30 CT 3-Panel 2'8" x 6'8" 3'0" x 6'8"	ES-40 ES 4-Panel 2'8" x 6'8" 3'0" x 6'8"	CT-60 CT, ES 6-Panel 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	CT-80 CT 8-Panel 2'8" x 6'8" 3'0" x 6'8"	CT-90 CT 9-Panel 2'8" x 6'8" 3'0" x 6'8"

				
CT-21 CT 2-Panel 2'8" x 6'8" 3'0" x 6'8"	CT-20 CT 2-Panel Arch Top 2'8" x 6'8" 3'0" x 6'8"	CT-24 CT 2-Panel V-groove Arch Top 2'8" x 6'8" 3'0" x 6'8"	CT8-100 CT 8'0" Flush 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 3'0" x 8'0"	ES8-60 ES 8'0" 6-Panel 2'6" x 8'0" 2'8" x 8'0" 3'0" x 8'0"









Raise, Lower and Tilt Blind (RLB)

				
CT-686RLB CT Full View 2'8" x 6'8" 3'0" x 6'8"	CT-690/694RLB CT Full View SL 1'0" x 6'8" 1'2" x 6'8" (SL tilt only)	CT-684RLB 1/2 View CT, ES 2'8" x 6'8" 3'0" x 6'8"	CT8-612RLB CT 8'0" Full View 3'0" x 8'0"	CT8-487RLB CT 8'0" Full View 2'0" x 8'0"

Clear (CL) Glass

						
CT-686CL CT Full View 2'8" x 6'8" 3'0" x 6'8"	CT-694CL CT Full View SL 1'0" x 6'8" 1'2" x 6'8"	CT-684CL CT, ES 1/2 View 2'8" x 6'8" 3'0" x 6'8"	CT-651CL CT 1/4 View 2'8" x 6'8" 3'0" x 6'8"	CT-607CL CT 3/4 View 2'8" x 6'8" 3'0" x 6'8"	CT8-612CL CT 8'0" Full View 3'0" x 8'0"	CT8-493CL CT Full View SL 1'0" x 8'0" 1'2" x 8'0"

Grilles Between Glass (GBG)

							
CT-684GBG5* CT, ES 9-Lite 2'8" x 6'8" 3'0" x 6'8"	CT-607GBG12 CT 12-Lite 2'8" x 6'8" 3'0" x 6'8"	CT-686GBG10 CT 10-Lite 2'8" x 6'8" 3'0" x 6'8"	CT-686GBG15* CT 15-Lite 2'8" x 6'8" 3'0" x 6'8"	CT-694GBG5* CT 5-Lite SL 1'0" x 6'8" 1'2" x 6'8"	CT8-612GBG18* CT 8'0" 18-Lite 2'8" x 8'0" 3'0" x 8'0"	CT8-493GBG6 CT 8'0" 6-Lite SL 1'0" x 8'0" 1'2" x 8'0"	CT8-612GBG12 CT 8'0" 12-Lite 2'8" x 8'0" 3'0" x 8'0"

Cadence (CD) Glass-Patina

					
CT-686CD CT Full View 2'8" x 6'8" 3'0" x 6'8"	CT-694CD CT Full View SL 1'0" x 6'8" 1'2" x 6'8"	CTA-607CD CT 3/4 View 2'8" x 6'8" 3'0" x 6'8"	CT-651CD CT 1/4 View 2'8" x 6'8" 3'0" x 6'8"	CT8-612CD CT 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"	CT8-493CD CT 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

Expressions (EX) Glass-Brass or Satin Nickel

				
CT-686EX CT Full View 2'8" x 6'8" 3'0" x 6'8"	CT-694EX CT Full View SL 1'0" x 6'8" 1'2" x 6'8"	CT-651EX CT 1/4 View 2'8" x 6'8" 3'0" x 6'8"	CT8-612EX CT 8'0" Full View 2'8" x 8'0" 3'0" x 8'0"	CT8-493EX CT 8'0" Full View SL 1'0" x 8'0" 1'2" x 8'0"

*Also available in Prairie Style grille design

CT = Contours

 Available with Low-E

SEVERE WEATHER DOORGLASS

SEVERE WEATHER DOORGLASS

Jacinto (JA) Glass – Wrought Iron




- CT-686JA**
CT
Full View
2'8" x 6'8"
3'0" x 6'8"
- CT-694JA**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"
- CTA-607JA**
CT
3/4 View
2'8" x 6'8"
3'0" x 6'8"
- CT8-612JA**
CT
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"
- CT8-493JA**
CT
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

Impressions (LI) Glass




- CT-686**
CT
Full View
2'8" x 6'8"
3'0" x 6'8"
 - CT-694LI**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"
 - CT-684LI**
CT, ES
1/2 View
2'8" x 6'8"
3'0" x 6'8"
 - CT8-612LI**
CT
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"
 - CT8-493LI**
CT
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"
- CT-687ME**
CT, FL

Topaz (TPZ) Glass Patina




- CT-686TPZ**
CT
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
- CT-694TPZ**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"

Compass (CPS) Glass – Nickel



- CT-686CPS**
CT
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
- CT-694CPS**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"
- CT8-612CPS**
CT
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"
- CT8-493CPS**
CT
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

Carrollton (CRL) Glass Patina



- CT-686CRL**
CT
Full View
2'8" x 6'8"
3'0" x 6'8"
 - CT-694CRL**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"
- CT-687CRL**
CT
2'6" x 6'8"

Greenfield (GRF) Glass Oil Rubbed Bronze




- CT-686GRF**
CT
Full View
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
- CT-694GRF**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"

Heirlooms (HM) Glass – Nickel



- CT686/687HM**
CT
Full View
2'8" x 6'8"
3'0" x 6'8"
- CT-694HM**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"
- CTA-607HM**
CT
3/4 View
2'8" x 6'8"
3'0" x 6'8"
- CT-684HM**
CT, ES
1/2 View
2'8" x 6'8"
3'0" x 6'8"
- CT8-612HM**
CT
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"
- CT8-493HM**
CT
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

Radiant Hues (RA) Glass – Nickel




- CT-686RA**
CT
Full View
2'8" x 6'8"
3'0" x 6'8"
- CT-694RA**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"
- CT-684RA**
CT, ES
1/2 View
2'8" x 6'8"
3'0" x 6'8"
- CT8-612RA**
CT
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"
- CT8-493RA**
CT
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

Elegant Star (TX) Glass – Patina



- CT-686TX**
CT
Full View
2'8" x 6'8"
3'0" x 6'8"
- CT-694TX**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"
- CT-684TX**
CT, ES
1/2 View
2'8" x 6'8"
3'0" x 6'8"

Delray (DRY) Glass – Patina



- CT-686DRY**
CT
Full View
2'8" x 6'8"
3'0" x 6'8"
- CT-694DRY**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"
- CT-684DRY**
CT, ES
1/2 View
2'8" x 6'8"
3'0" x 6'8"
- CT8-612DRY**
CT
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"
- CT8-493DRY**
CT
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"

Majestic (ME) Glass – Nickel



- CT 686ME**
CT
Full View
2'8" x 6'8"
3'0" x 6'8"
 - CT-694ME**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"
 - CT-651ME**
CT
1/4 View
2'8" x 6'8"
3'0" x 6'8"
 - CT-684ME**
CT, ES
1/2 View
2'8" x 6'8"
3'0" x 6'8"
 - CT8-612ME**
CT
8'0" Full View
2'8" x 8'0"
3'0" x 8'0"
 - CT8-493ME**
CT
8'0" Full View SL
1'0" x 8'0"
1'2" x 8'0"
- CT687ME**
CT
2'6" x 6'8"

Paris (PS) Glass – Patina



- CT-686PS**
CT
Full View
2'8" x 6'8"
3'0" x 6'8"
- CT-694PS**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"
- CTA-607PS**
CT
3/4 View
2'8" x 6'8"
3'0" x 6'8"

Double Glue Chip (DGC) Glass



- CT-686DGC**
CT
Full View
2'8" x 6'8"
3'0" x 6'8"
 - CT-694DGC**
CT
Full View SL
1'0" x 6'8"
1'2" x 6'8"
 - CT-684DGC**
CT, ES
1/2 View
2'8" x 6'8"
3'0" x 6'8"
- CT-687DGC**
CT
2'6" x 6'8"

*Also available in Prairie Style grille design
CT = Contours


Available with Low-E

The JELD-WEN Door System

All JELD-WEN doors are available with our prehung option. This comprehensive package ensures the smoothest installation of your JELD-WEN door. Ask your dealer for available prehung options.

- 6'8", 7'0" and 8'0" systems
- Doors available in both inswing and outswing configurations

Multiple frame depths available
4-9/16"; 5-1/4"; 6-9/16"; 7-1/4"



Prefinished doors and sidelites available. Contact your JELD-WEN dealer for details.

Every door type weathers differently. Wood doors, for example, are more susceptible to the elements than steel or fiberglass. The following are some guidelines for designing the best combination of door material, overhang protection, and other factors affecting the long-term performance of the door.

Overhang

An overhang as shown is required for wood doors, and recommended for steel and fiberglass doors. Overhangs protect the door's finish, minimize the need for refinishing and help keep the weather out of the home. An example formula for determining the correct overhang (in many climates) is: $D \text{ (Depth)} = 1/2H \text{ (Height)}$. For example, if the measurement from the base of the door to the bottom of the overhang is 10 feet, then the overhang should extend at least 5 feet. This formula can change based on the climate and the direction the door faces. The following section will explain how to modify the formula based on these factors.



as rapid finish deterioration, color fading, wood splitting, warping, moulding shrinkage, wood joint separation, and water penetration between the mouldings, panels, and glass.

With proper overhangs, doors may face any direction (north, south, east or west). Doors installed in these types of applications still require finish maintenance. Wood doors, for instance, may need to be refinished every two to five years.

Color Choice

No matter what type of exterior door is selected, color choice may effect how quickly the exterior of the door weathers in extreme climates. In general, darker colors absorb more heat than lighter colors. The exterior face of a door exposed to the sun in harsh environments can reach temperatures well in excess of 120 degrees. As a rule of thumb, if you cannot hold your hand on the face of the door for more than 30 seconds, the door is too hot. These extreme temperatures can cause noticeable damage to the door including finish deterioration and accelerated color fading.

In addition, extreme temperature changes can cause warping, sticking and other performance problems. For doors with little protection or doors installed in hot environments, light colors may help reflect the heat and slow down heat build-up. Depending on the exposure and environment, other precautions (such as overhangs) should be taken to protect the door from the effects of the sun.

Storm Doors

Storm doors provide additional protection for exterior doors in many climates. They shelter the door mainly from rain and wind, though a storm door with dual pane Low-E glass will also block UV rays. In hot climates, adding a storm door may not be a good choice. Heat builds up between the two doors and can cause substantial damage like warping, color fading, and wood joint separation on the door. A storm door in front of a dark colored exterior door can accelerate heat build up even more. Storm doors selected for these situations should be vented to relieve excess heat build-up.

Patio Doors

Steel and fiberglass French and Patio doors have the same overhang requirements as the other entry door types. Provide an adequate overhang to protect them from exposure. Some patio doors are specially built to withstand water intrusion and can be safely placed in locations with more exposure. For more information, consult your product's specific certification information or contact us.

JELD-WEN Warranties

This document provides general information about measures that can be taken to better protect exterior doors, but no warranties are provided by this document. For specific product information and available product warranties please refer to www.jeld-wen.com or contact us at 1-800-JELD-WEN (1-800-535-3936).

Climate & Exposure

Also consider the variables specific to your region. The climate and the direction a door faces play a key role in determining a proper overhang. Typically, southern and western exposures are harshest. With southern exposures, the sun beats down on the door from sunrise to sunset. In western exposures, the door receives sunlight in the hottest part of the day.

Please consult the following chart and adjust the depth of the overhang as needed.

Climate	Direction the door faces			
	North	South	East	West
Desert	D = 1/2H	D = 2H	D = 1/2H	D = 2H
Ocean	D = 1/2H	D = H	D = 1/2H	D = H
Wet	D = H	D = H	D = H	D = H
Mild	D = 1/2H	D = H	D = 1/2H	D = H

Without adequate overhangs, doors with a southern, southwestern, southeastern or western exposure will require more frequent maintenance. Doors without appropriate protection may also experience performance problems such

The information contained herein is provided solely for informational and/or educational purposes. JELD-WEN disclaims any and all liability associated with the use and/or provision of this information. Any reliance upon the information or advice is at the risk of the party so relying. The information contained herein may be changed from time to time without notification.



AuraLast® The Worry-Free Wood

Working with AuraLast® Wood is easy. Virtually 100% surface to core protection; nail and screw holes and trimming and sanding will not compromise the Shield of AuraLast protection. Other manufacturers use dip-treated wood which has only surface protection.

Only JELD-WEN makes windows, patio doors, exterior doors, door frames and exterior trim boards with solid pine AuraLast The Worry-Free Wood, which offers superior protection from wood rot, water saturation and termites.

Protects against wood rot

AuraLast Wood windows and patio doors, wood doors, frames and components maintain their structural integrity even in the harshest weather and toughest climates.

Protects against water saturation

AuraLast Wood offers superior resistance to water saturation, which helps protect against swelling and preventing the window or door from sticking.

Protects against termite infestation

Harmful termites will eat through unprotected wood—not so with AuraLast Wood.

To learn more visit www.jeld-wen.com/auralast



We offer the industry's only 20-year warranty against wood decay and termite infestation.

WORRY



WORRY FREE



JELD-WEN® INTERIOR AND EXTERIOR DOOR SLAB AND SYSTEM LIMITED WARRANTY

OUR WARRANTY TO YOU...

JELD-WEN® Products¹ are designed to create lasting value for your home. This warranty is effective for JELD-WEN products manufactured on or after **May 1, 2012** for use in the United States and Canada. Any previous warranties will continue to apply to products manufactured by JELD-WEN prior to this date. For additional information, including care and maintenance information refer to www.jeld-wen.com or www.jeld-wen.ca.

What This Warranty COVERS

We warrant to the original owner² that if your JELD-WEN Product exhibits a defect in material or workmanship within the time periods from the date of purchase as specified below, we will, at our option, repair, replace or refund the purchase price of the Product or component part. Skilled labor³ (where deemed necessary by us) to repair or replace any component is provided for **one (1)** year from the date of purchase.

Owner-Occupied Single-Family Residence Limited Warranty

Door Slabs: Except as set forth below, we warrant our door slabs, including any glass inserts, miscellaneous hardware, and accessories provided and installed by us, as follows:

Door Slab	Coverage
Fiberglass Exterior Doors	As long as you own and occupy your residence
FiberLast® Engineered Composite Exterior Doors	As long as you own and occupy your residence
Steel Exterior Doors	Ten (10) years
Wood Exterior Doors	Five (5) years
Interior Doors	Five (5) years

Factory Prefinish: We warrant the factory-applied prefinish on our doors against peeling, checking, or cracking for periods listed below. Should the factory prefinish be proven defective, we will at our option, replace or refinish the door or pay up to credit per opening to the current owner. (Note: this coverage applies to factory-applied finish coat options only; standard factory-applied primer is not a finish coat.)

Product	Coverage	Refinish Credit
Aurora® Fiberglass Doors	5 years	\$350 per opening
Custom Exterior Wood Doors	1 year	\$250 per opening
Custom Interior Wood Doors	1 year	\$150 per opening
All other Doors	1 year	\$100 per opening

Door Frames: We warrant our door frames for **one (1)** year from the date of purchase.

AuraLast® Protection for Door Slabs and Frames: Our AuraLast pine wood door slabs will be free from wood decay and/or termite damage for **twenty (20)** years from the date of initial purchase. Our AuraLast pine door frame components will be free from wood decay and/or termite damage **for as long as the original consumer owns the home** in which the AuraLast wood frames are originally installed. Warranty coverage outside Canada, the contiguous 48 states and Alaska is contingent upon approval from the JELD-WEN Customer Care Department. Please contact us.

Severe Weather® Glass: We warrant each Severe Weather glass unit for **ten (10)** years.

Retractable Screens: We warrant retractable roll screens for **five (5)** years.

Spontaneous Glass Breakage: We warrant sealed glass units installed in exterior doors (excluding laminated glass, and special glazings) for spontaneous breakage for **one (1)** year (including free replacement glass and skilled labor³ necessary

to replace the glass for one (1) year. Spontaneous breakage occurs when the glass develops a crack without sign of impact.

Commercial Limited Warranty (Other than Owner-Occupied Single-Family Residence)

Fiberglass, FiberLast, Steel, Wood and Interior Door Slabs: We warrant our door slabs for **five (5)** years from the date of initial purchase.

All Other Products, Components, Prefinishes, and Options as Listed Above: Coverage is the same as for Owner-Occupied Single-Family Residences as listed above.

Transferability

This warranty is not transferable.

How to Get Assistance

If you have a problem with your JELD-WEN Door, immediately upon discovery, contact the distributor or dealer from whom you purchased our product or contact us directly:

In the United States:

Mail: JELD-WEN Customer Care
Attn: Door Warranty Claims
P.O. Box 1329, Klamath Falls, OR 97601
Phone: 800-JELD-WEN (800-535-3936)
Fax: 800-436-5954
Email: CustomerServiceAgents@jeld-wen.com
Web: www.jeld-wen.com/contact-us

In Eastern Canada:

Mail: JELD-WEN Service Department
90, rue Industrielle
Saint-Appollinaire, Quebec, Canada GOS 2E0
Phone: 800-463-1930
Fax: 888-998-1599

In Western Canada:

Mail: JELD-WEN Service Department
550 Munroe Avenue
Winnipeg, Manitoba, Canada R2K 4H3
Phone: 888-945-5627
204-668-8230
Fax: 204-663-1072
Email: wpgservice@jeld-wen.com

We can respond quickly and efficiently if you provide the following: a) date and location of purchase, or product identification from the tag on the top edge of the slab, b) how to contact you, c) the address where the product can be inspected, and d) a description of the apparent problem and the product (photographs are helpful).

What We Will Do

Upon receiving your notification, we will send out an acknowledgement within three business days to the contact, which you have provided. We will investigate your claim and will begin to take appropriate action within 30 days after receipt of notification. If your warranty claim is denied, we may charge an inspection fee for an onsite inspection that is required or requested by you.

If your claim is accepted, and we choose to repair or replace the product or a component of the product, the replacement product/component will be provided in the same specification as the original product. Replacement products, components and services are warranted for the balance of the original product or service warranty, or 90 days, whichever is longer.

If the claimed nonconformity is warp of a door slab, we may defer repairing or replacing the door slab for a period up to 12 months from the date of claim. It is not uncommon for a temporary warp condition to occur as the door slab adjusts to local humidity and temperature conditions. This deferral will not be counted against the warranty period.

Continued on next page

What This Warranty Does NOT Cover

JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components (e.g., locksets, handles, etc.) not sold by JELD-WEN to the original owner. See your distributor or dealer regarding the warranty on the entire door system and/or these other components.

We are not liable for:

- Normal wear and tear, including normal wear and tear of weatherstrip; and natural weathering of surfaces or variations in the color or texture of wood or finish; surface cracks that are less than 1/32" in width and/or 2" in length; for knotty alder and juniper: surface checks that are less than 1/8" in width and/or 5" in length, and knot placement, quantity, or size.
- Problems due to misuse or abuse; failure to follow the care and maintenance instructions; or as a result of any cause beyond our reasonable control (e.g. fire, flood, earthquake, other acts of nature, and acts of third parties outside of our control).
- Problems related to: improper field finishing of all surfaces (front and back) and edges (top, bottom, and sides) of the door slab and frame (See our Finishing Instructions at www.jeld-wen.com/resources); variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material.
- Failure to provide an adequate overhang for exterior doors; damage caused by extreme temperature buildup where storm doors are present. For general guidelines, see our "Appropriate Protection for Exterior Doors" in our product literature or at www.jeld-wen.com/resources; for specific information pertaining to your structure, consult your contractor or other building professional.
- Warp for any 3'6" wide by 8' 0" high by 1 3/4", or smaller door slab, which does not exceed 1/4" in the plane of the door slab itself; door slabs wider and/or higher are not guaranteed for warp.
- Bow or misalignment in the frame or jamb in which the door slab is hung (if such is purchased from JELD-WEN unmachined and not prehung).
- Slight expansion or contraction due to varying environmental conditions; slab movement (shrinkage or swelling) of 1/4" or less due to temperature and humidity, consult our Care & Maintenance documents on how to work with this natural movement.
- Wood decay for wood components other than of AuraLast pine; and wood decay for any wood components (including pine) that come in direct contact with soil. Note: superficial mold/mildew does not indicate wood decay.
- Problems related to water and/or air infiltration due to improper assembly; installation errors or flaws in building design and construction; installation must be in strict conformance with the installation instructions provided by the manufacturer of the door entry system.
- Structural integrity issues or other problems caused by improper field fitting of the hardware, improper sizing of the door slab, or other assembly problems.
- Slight imperfections or wavy distortions in the glass that don't impair structural integrity. Note: wavy distortions in the glass (e.g. related to laminate interlayer or heat strengthening of glass) are not considered a defect. Slight color variations in glass are not considered a defect.
- Screen damage due to normal wear and tear, misuse, abuse, or insect or animal activity.
- Condensation or damage as a result of condensation (Note: unless due to insulating glass failure, most condensation problems are related to excessive humidity levels in a structure; contact a heating/air conditioning specialist for help).
- Damage or poor product performance resulting from installation into a condition that exceeds product design standards and/or certified performance specifications and/or does not comply with applicable building codes.
- Hardware, accessories or inserts that are not provided by us.

- Discoloration or rusting of decorative metal accent options, such as grilles, clavos, straps, etc.; discoloration of wood sills provided by us.
- Cost for labor, removal or disposal of defective product(s), installation or finishing of the replacement door or component.
- Incidental or consequential damage. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so this may not apply to you.

Important Legal Information --

Please read this carefully. It affects your rights.

This Limited Warranty document sets forth our maximum liability for our products. We shall not be liable for special, indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. We make no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the Product, except as expressly contained herein. In the event state or provincial law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein. This Limited Warranty document gives you specific legal rights, and you may have other rights that vary from state/province to state/province.

Any dispute, controversy or claim arising out of or relating to this warranty, any alleged breach thereof, or the use or sale of the products to which this warranty applies shall be resolved by mandatory and binding arbitration administered by the American Arbitration Association in accordance with its commercial arbitration rules. Original purchaser agrees that they may assert claims against JELD-WEN in their individual capacity only, and not as a plaintiff or class member in any purported class action proceeding. Rejection of these dispute resolution provisions must be sent to JELD-WEN at the address provided herein within thirty (30) days of original purchaser's receipt of the Products to which this warranty applies.

No distributor, dealer or representative of JELD-WEN has the authority to change, modify or expand this warranty. The original purchaser of this Product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the Product is installed.

¹ "JELD-WEN Products" shall refer to interior and exterior door slabs and systems manufactured in the United States and marketed under the JELD-WEN brand name for use in the United States and Canada. See our separate Export Warranty for applicable coverage on products used outside the United States and Canada.

² This warranty extends to the original owner (original owner means the contractor/dealer/distributor/purchaser and the initial owner of the structure where the product is initially installed) and is not transferable. The original purchaser of this product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the product is installed. Should state or provincial law preclude no transferability, then the warranty period is effective as applicable up to **five (5)** years from the date of initial purchase for door slabs and systems and **one (1)** year from the date of manufacture for the factory pre-finish.

³ "Skilled labor" refers to tasks where specialized technical knowledge, experience, methods or tools are required to properly identify, diagnose and/or correct product-related problems.

© 2010, JELD-WEN, inc. | JELD-WEN, Aurora, FiberLast and AuraLast are trademarks or registered trademarks of JELD-WEN, inc., Oregon, USA. All other marks are the property of their respective owners.

The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at jeld-wen.com today.



Official window and door provider of Major League Soccer



JELD-WEN is proud to support a better way to build



All JELD-WEN® door designs in this brochure feature ODL doorglass

©2012, 2011 JELD-WEN, inc. This publication and its contents are owned by JELD-WEN, inc. and are protected under the U.S. Copyright Act and other intellectual property laws. Unauthorized use or duplication is prohibited. All trademarks, service marks, logos, and the like (whether registered or unregistered) are owned or controlled by JELD-WEN, inc. or others.

JELD-WEN reserves the right to change product specifications without notice. Please check our website, jeld-wen.com, for current information.

10-568 07/12 (CDS 6M)