

---

**TABLE OF CONTENTS**

---

**5 PANEL DOORS**

Elevations: 1/8" Scale

A250

A432


Decorative Hardware

Glass Design Options - A432


Section Details

A250

A432



**A250**



**A432**

### ELEVATION NOTES

Door Size = Book Size Before Prefit  
 Daylight Opening (DLO) = Visible Glass  
 Values in brackets [ ] are millimeter conversions.

**20 Minute Fire Rating:** This all-panel door is available as a certified 20 minute fire rated door, designed to meet or exceed local building codes for both residential and light commercial use. Certified sizes for the 20-minute fire rating range up to 3'0" x 8'0".

### DOOR CROSS-SECTION

Moulding Profile = 112  
 Panel Profile = Double Hip  
 See A250 Cross Section sheet for more detail.

**Door Size**  
 Daylight Opening



**30" [762]**  
 n/a

**36" [914]**  
 n/a


**42" [1067]**  
 n/a

**80" [2032]**  
 n/a


**96" [2438]**  
 n/a



VERTICAL CROSS SECTION



VERTICAL CROSS SECTION



HORIZONTAL CROSS SECTION


### ELEVATION NOTES

Door Size = Book Size Before Prefit  
Daylight Opening (DLO) = Visible Glass  
Values in brackets [ ] are millimeter conversions.


**20 Minute Fire Rating:** This all-panel door is available as a certified 20 minute fire rated door, designed to meet or exceed local building codes for both residential and light commercial use. Certified sizes for the 20-minute fire rating range up to 3'0" x 8'0".

### DOOR CROSS-SECTION


Moulding Profile = 112 / 141 (Sidelight Only)  
Panel Profile = Double Hip  
See A432 Cross Section sheet for more detail.



**Door Size** 36" [914]  
**Daylight Opening** n/a




**Door Size** 42" [1067]  
**Daylight Opening** n/a




### 1-LITE SIDELIGHT

Sidelight Size	12" [305]	13" [330]	14" [356]	15" [381]	16" [406]	17" [432]	18" [457]
Daylight Opening	6" [152]	6" [152]	6" [152]	6" [152]	8" [203]	8" [203]	8" [203]



### 4-LITE SIDELIGHT

Sidelight Size	12" [305]	13" [330]	14" [356]	15" [381]	16" [406]	17" [432]	18" [457]
Daylight Opening	8 1/8" [206]	8 1/8" [206]	8 1/8" [206]	8 1/8" [206]	10 1/8" [257]	10 1/8" [257]	10 1/8" [257]






**ROUND CLAVOS**

Size Options: 1" diameter, 1.75" diameter  
Finish Options: Dark Patina, Rust Patina  
Material: Composite



**DIAMOND CLAVOS**

Size Options: 1", 1.75"  
Finish Options: Dark Patina, Rust Patina  
Material: Composite




**RAIL STRAP**

Finish Options: Dark Patina, Rust Patina  
Material: Composite




**CORNER STRAP**

Finish Options: Dark Patina, Rust Patina  
Material: Composite




**RADIUS STRAP**

Finish Options: Dark Patina, Rust Patina  
Material: Composite  
Adjustable for Segment/Radius Shapes



**EXTENDED STRAP**

Size: 25" x 3 1/4"  
Finish Options: Dark Patina, Rust Patina  
Material: Composite



**COLONIAL DOOR KNOCKER**

Base: 2" Wide x 5 5/8" Tall, Handle: 4" Wide  
Finish Options: Dark Patina, Rust Patina  
Material: Composite




**FLEUR de LIS DOOR KNOCKER**

Base + Handle: 3 3/4" Wide x 4 7/8" Tall  
Finish Options: Dark Patina, Rust Patina  
Material: Composite


**SPEAKEASY/DOOR LIGHT**

Glass Options: Clear IG, Clear SG, Bevel IG, Bevel SG, Glue Chip IG,  
Low E IG, Rain IG, Reed IG, Frosted IG, Open for Glass  
Handing: Will be Handed to Match the Door unless Otherwise Specified  
Frame Size: 12" x 15", Daylight Opening: 8" x 11", Actual Glass Size: 8 7/8" x 11 7/8"




**BORDEAUX SPEAKEASY**

Hardware Finish Options: Dark Patina, Rust Patina  
Material: Composite (Aluminum Hardware)




**RUSTIC SPEAKEASY**

Hardware Finish Options: Dark Patina, Rust Patina  
Material: Composite (Aluminum Hardware)




**SEVILLE SPEAKEASY**

Hardware Finish Options: Dark Patina, Rust Patina  
Material: Composite (Aluminum Hardware)



**SPEAKEASY (NO GRILLE)**

Hardware Finish Options: Dark Patina, Rust Patina  
Material: Composite (Aluminum Hardware)



**RECTANGLE DOOR LIGHT**

Hardware Finish Options: n/a  
Material: Composite  
Available with All Speakeasy Grilles

INSULATED GLASS


- Clear Safety
- Clear Beveled
- Glue Chip
- Low-E
- Rain
- Reed
- Frosted

TRIPLE GLAZED

D - J - Q - R - T

"D" GLASS

Door Size  
Glass Size



LEGEND  
CB-Clear Bevel  
GC-Glue Chip  
GV-Glue Chip Bevel  
RI-Ripple

12"-15"  
7 1/8"



80" Door  
46 5/8" Glass




96" Door  
62 5/8" Glass

16"-18"  
9 1/8"



"J" GLASS

Door Size  
Glass Size



LEGEND  
CB-Clear Bevel  
GC-Glue Chip  
J-Jewel

12"-15"  
7 1/8"



80" Door  
46 5/8" Glass




96" Door  
62 5/8" Glass

16"-18"  
9 1/8"



"Q" GLASS

Door Size  
Glass Size



LEGEND  
CB-Clear Bevel  
CO-Cotswald  
RD-Reed

12"-15"  
7 1/8"



80" Door  
46 5/8" Glass




96" Door  
62 5/8" Glass

16"-18"  
9 1/8"



"R" GLASS

Door Size  
Glass Size



LEGEND  
CB-Clear Bevel  
GC-Glue Chip  
BQ-Clear Baroque

12"-15"  
7 1/8"



80" Door  
46 5/8" Glass




96" Door  
62 5/8" Glass

16"-18"  
9 1/8"



"T" GLASS

Door Size  
Glass Size



LEGEND  
CB-Clear Bevel  
GC-Glue Chip  
GA-Clear Gotta

12"-15"  
7 1/8"



80" Door  
46 5/8" Glass



96" Door  
62 5/8" Glass



16"-18"  
9 1/8"




**ELEVATION NOTES**

Door Size = Book Size Before Prefit  
 Daylight Opening (DLO) = Visible Glass  
 Values in brackets [ ] are millimeter conversions.


**20 Minute Fire Rating:** This all-panel door is available as a certified 20 minute fire rated door, designed to meet or exceed local building codes for both residential and light commercial use. Certified sizes for the 20-minute fire rating range up to 3'0" x 8'0".




VERTICAL PANEL CROSS SECTION



HORIZONTAL GLAZED CROSS SECTION  
Triple Glazed



HORIZONTAL GLAZED CROSS SECTION  
Insulated Glass



VERTICAL PANEL CROSS SECTION

# JELD-WEN. WINDOWS & DOORS





## A432 CROSS SECTIONS

Scale: 3" = 1'-0"

### ELEVATION NOTES

Door Size = Book Size Before Prefit  
Daylight Opening (DLO) = Visible Glass  
Values in brackets [ ] are millimeter conversions.

**20 Minute Fire Rating:** This all-panel door is available as a certified 20 minute fire rated door, designed to meet or exceed local building codes for both residential and light commercial use. Certified sizes for the 20-minute fire rating range up to 3'0" x 8'0".



VERTICAL GLAZED CROSS SECTION  
1-LITE SIDELIGHT ONLY  
Triple Glazed

VERTICAL DOOR CROSS SECTION

VERTICAL SIDELIGHT CROSS SECTION  
4-LITE SIDELIGHT ONLY  
Insulated Glass

