
TABLE OF CONTENTS

Specifications	1-2
Quick Spec Guide	1-3
Elevations:/Sizes 1/4" Scale	
Double-Hung	1-4
2-Wide Double-Hung	1-11
3-Wide Double-Hung with Center Picture and 24" Flankers	1-16
3-Wide Double-Hung with Center Picture and 30" Flankers	1-18
3-Wide Double-Hung with Center Picture and 36" Flankers	1-19
Double-Hung with Half Round	1-20
2-Wide Double-Hung with Half Round	1-30
Grille Patterns	1-43
Section Details: 6" Scale	1-44

PRODUCT SPECIFICATIONS

MATERIALS

The extruded vinyl profiles comply with the performance requirements of AAMA 303-97. The colors extend through the profile of the extrusion with White, Almond and Desert Sand colors available. The product is not available in the Western United States markets.

FRAME

All frames and sash are assembled using fusion-welding technology for added strength and durability. The frame jamb width is 3-1/4" (90.49 mm), and the nominal extrusion exterior wall thickness is 0.060". The wall depth of the double-hung product is 1-13/16". The frame incorporates an integral nailing fin which can be easily removed to allow the unit to be used in a replacement window application. The Builders Double-Hung window is also available as a true pocket replacement window with a 3-1/4" jamb depth. The pocket replacement product includes a head expander and a sloped sill adapter which can be modified to accommodate various slope sills and does not have a nailing fin. Additionally, the Builders Double-Hung window is designed with a sloped sill to maximize water runoff. Weep holes are included on the frame to ensure standing water is directed to the exterior plane of the unit. An interior and exterior accessory groove is standard to accommodate various frame accessory and assembly options on the product.

SASH

The tilt sash is a 1-3/8" (35mm) nominal thickness, and is assembled using fusion-welding technology for added strength and durability. The sash also uses a steel reinforcement bar in the horizontal working rail of each operating sash for additional strength.

GLAZING

3/4" (19mm) insulated glass consist of two lites of glass sealed around a spacer. The glass is mounted into the sash using a silicone-glazing compound. The insulating glass units comply with the performance requirements of the IGCC in accordance with either ASTM E774 or E2190. All units are exterior glazed.

GLAZING OPTIONS

3/4" (19mm) insulated glass is available in clear, Low-E or Low-E 366, tinted, obscure or other specialty insulating glass as specified. Many glass options are available in tempered glazing.

WEATHER-STRIPPING

A fin-pile weather-strip is applied along dual full perimeters of the operating sash. A high performance foam filled weather-strip is used at the meeting rail. In addition, an engineered TPE weather-strip is utilized on the bottom rail to provide maximum performance.

HARDWARE

A single action cam style lock is available on all windows. Block and tackle balance systems are utilized to support the vertical operation of the sash. Low profile thumb latches (sash retainers) and pivot pins are equipped for utilization of the "tilt" function.

INSECT SCREENS

The optional, overlay, full view fiberglass charcoal color insect screen is set in an aluminum frame to match the color of the unit. The screen is secured to the window using a pin and spring-loaded plunger system. Insect screens are intended to allow air and light in and to keep insects out. They are not intended to keep anyone or anything from falling through an open door or window. For safety screens or other security devices contact your local building supply retailer.

GRILLES

GBG (Grilles between the Glass) - 5/8" (16mm) and 7/8" (22.2mm) flat or 1" (26mm) contour grilles mounted between the glass panes suspended within the air cavity and color matched to the extrusion color.

EXTENSION JAMBS

Extension jambs are regionally available for JELD-WEN vinyl products. The 9/16" extension jambs are available in pine clear vinyl wrapped, primed wood, red oak and maple finishes and can be specified on three or four sides of the product.

ADDITIONAL ACCESSORIES

Additional accessories are available for JELD-WEN Vinyl products. Please contact your local building supply retailer for a complete listing of the additional accessories.

INSTALLATION

Installation per JELD-WEN Installation Method for Vinyl Windows JII001, JII010 or JII011. See www.jeld-wen.com/resources for instructions.

PERFORMANCE

NFRC Certified - (rated and labeled in accordance with NFRC)

AAMA/NWDMA I.S.2-97

































































R20-DP rated

Optional DP-50 Ratings are available.

QUICK SPEC GUIDE

SPECIFICATION	STANDARD FEATURES	OPTIONAL FEATURES <i>Some options may require additional lead times. Consult your JELD-WEN Sales Representative.</i>
COLOR	<ul style="list-style-type: none"> White 	<ul style="list-style-type: none"> Almond Desert Sand <p><i>not available in all regions</i></p>
SIZE	<ul style="list-style-type: none"> Width: 18" to 48" Height: 24" to 96" 	
FRAME	<ul style="list-style-type: none"> Integral Nail Fin 	<ul style="list-style-type: none"> Pocket/Block Frame
GLAZING	<ul style="list-style-type: none"> Insulating Low-E 	<ul style="list-style-type: none"> Clear Low-E 366 Low-E Keep Clean Obscure Bronze Gray All glass available tempered <p><i>regional glass availabilities may differ</i></p>
HARDWARE	<ul style="list-style-type: none"> Block and Tackle Balance System Cam Lock Thumb Latches 	
HARDWARE COLOR	<ul style="list-style-type: none"> Color matched to extrusion 	
SCREENS	<ul style="list-style-type: none"> Fiberglass 	
SCREEN FRAME COLOR	<ul style="list-style-type: none"> Color matched to extrusion 	
GRILLES		<ul style="list-style-type: none"> 5/8", 1" Contour GBG (grilles between the glass) 5/8", 7/8" Flat GBG (grilles between the glass)
JAMB DEPTH	<ul style="list-style-type: none"> 3-1/4" 	<ul style="list-style-type: none"> 4-9/16" Extension Jambs Applied 6-9/16" Extension Jambs Applied
ACCESSORIES		<ul style="list-style-type: none"> Extension Jamb Retainer Drip Cap Drywall Retainer 14 Degree Sloped Sill Adapter (factory applied available) Head and Sill Expander

DOUBLE-HUNG

UNIT SIZE	19 3/4"	21 3/4"	23 3/4"	25 3/4"	27 3/4"	29 3/4"	31 3/4"	33 3/4"
ROUGH OPENING	18"	20"	22"	24"	26"	28"	30"	32"
FRAME SIZE	17 1/2"	19 1/2"	21 1/2"	23 1/2"	25 1/2"	27 1/2"	29 1/2"	31 1/2"
DAYLIGHT OPENING	11"	13"	15"	17"	19"	21"	23"	25"
31 3/4" 30" 29 1/2" 10 5/16" - 11 3/16"	 MDH1830	 MDH2030	 MDH2230	 MDH2430	 MDH2630	 MDH2830	 MDH3030	 MDH3230
37 3/4" 36" 35 1/2" 13 5/16" - 14 3/16"	 MDH1836	 MDH2036	 MDH2236	 MDH2436	 MDH2636	 MDH2836	 MDH3036	 MDH3236
38 3/4" 37" 36 1/2" 13 13/16" - 14 11/16"	 MDH1837	 MDH2037	 MDH2237	 MDH2437	 MDH2637	 MDH2837	 MDH3037	 MDH3237
39 3/4" 38" 37 1/2" 14 5/16" - 15 3/16"	 MDH1838	 MDH2038	 MDH2238	 MDH2438	 MDH2638	 MDH2838	 MDH3038	 MDH3238
42 3/4" 41" 40 1/2" 15 13/16" - 16 11/16"	 MDH1841	 MDH2041	 MDH2241	 MDH2441	 MDH2641	 MDH2841	 MDH3041	 MDH3241
43 3/4" 42" 41 1/2" 16 5/16" - 17 3/16"	 MDH1842	 MDH2042	 MDH2242	 MDH2442	 MDH2642	 MDH2842	 MDH3042	 MDH3242
49 3/4" 48" 47 1/2" 19 5/16" - 20 3/16"	 MDH1848	 MDH2048	 MDH2248	 MDH2448	 MDH2648	 MDH2848	 MDH3048	 MDH3248
50 3/4" 49" 48 1/2" 19 13/16" - 20 11/16"	 MDH1849	 MDH2049	 MDH2249	 MDH2449	 MDH2649	 MDH2849	 MDH3049	 MDH3249

ELEVATION SYMBOL LEGEND:
 ### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.
 ###* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

DOUBLE-HUNG

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

	19 3/4" 18" 17 1/2" 11"	21 3/4" 20" 19 1/2" 13"	23 3/4" 22" 21 1/2" 15"	25 3/4" 24" 23 1/2" 17"	27 3/4" 26" 25 1/2" 19"	29 3/4" 28" 27 1/2" 21"	31 3/4" 30" 29 1/2" 23"	33 3/4" 32" 31 1/2" 25"
54 3/4" 53" 52 1/2" 21 13/16" - 22 11/16"								
55 3/4" 54" 53 1/2" 22 5/16" - 23 3/16"								
58 3/4" 57" 56 1/2" 23 13/16" - 24 11/16"								
61 3/4" 60" 59 1/2" 25 5/16" - 26 3/16"								
63 3/4" 62" 61 1/2" 26 5/16" - 27 3/16"								
66 3/4" 65" 64 1/2" 27 13/16" - 28 11/16"								

ELEVATION SYMBOL LEGEND:

NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.
###* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

DOUBLE-HUNG

















































UNIT SIZE	19 3/4"	21 3/4"	23 3/4"	25 3/4"	27 3/4"	29 3/4"	31 3/4"	33 3/4"
ROUGH OPENING	18"	20"	22"	24"	26"	28"	30"	32"
FRAME SIZE	17 1/2"	19 1/2"	21 1/2"	23 1/2"	25 1/2"	27 1/2"	29 1/2"	31 1/2"
DAYLIGHT OPENING	11"	13"	15"	17"	19"	21"	23"	25"
67 3/4" 68" 65 1/2" 28 5/16" - 29 3/16"								
70 3/4" 68 1/2" 68 1/2" 29 13/16" - 30 11/16"								
73 3/4" 72" 71 1/2" 31 5/16" - 32 3/16"								
75 3/4" 74" 73 1/2" 32 5/16" - 33 3/16"								
78 3/4" 77" 76 1/2" 33 13/16" - 34 11/16"								

ELEVATION SYMBOL LEGEND:
NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.
NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.
E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/4" = 1'

DOUBLE-HUNG

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

	35 3/4" 34" 33 1/2" 27"	37 3/4" 36" 35 1/2" 29"	39 3/4" 38" 37 1/2" 31"	41 3/4" 40" 39 1/2" 33"	43 3/4" 42" 41 1/2" 35"	47 3/4" 46" 45 1/2" 39"
31 3/4" 30" 29 1/2" 10 5/16" 11 3/16"	 20* 50** MDH3430	 20* 50** MDH3630	 20* 50** MDH3830	 20* 50** MDH4030	 20* 50** MDH4230	 20* 50** MDH4630
37 3/4" 36" 35 1/2" 13 5/16" 14 3/16"	 20* 50** MDH3436	 20* 50** MDH3636	 20* 50** MDH3836	 20* 50** MDH4036	 20* 50** MDH4236	 20* 50** MDH4636
38 3/4" 37" 36 1/2" 13 13/16" 14 11/16"	 20* 50** MDH3437	 20* 50** MDH3637	 20* 50** MDH3837	 20* 50** MDH4037	 20* 50** MDH4237	 20* 50** MDH4637
39 3/4" 38" 37 1/2" 14 5/16" 15 3/16"	 20* 50** MDH3438	 20* 50** MDH3638	 20* 50** MDH3838	 20* 50** MDH4038	 20* 50** MDH4238	 20* 50** MDH4638
42 3/4" 41" 40 1/2" 15 13/16" 16 11/16"	 20* 50** MDH3441	 20* 50** MDH3641	 20* 50** MDH3841	 20* 50** MDH4041	 20* 50** MDH4241	 20* 50** MDH4641
43 3/4" 42" 41 1/2" 16 5/16" 17 3/16"	 20* 50** MDH3442	 20* 50** MDH3642	 20* 50** MDH3842	 20* 50** MDH4042	 20* 50** MDH4242	 20* 50** MDH4642
49 3/4" 48" 47 1/2" 19 5/16" 20 3/16"	 20* 50** MDH3448	 20* 50** MDH3648	 20* 50** MDH3848	 20* 50** MDH4048	 20* 50** MDH4248	 20* 50** MDH4648
50 3/4" 49" 48 1/2" 19 13/16" 20 11/16"	 20* 50** MDH3449	 20* 50** MDH3649	 20* 50** MDH3849	 20* 50** MDH4049	 20* 50** MDH4249	 20* 50** MDH4649





































ELEVATION SYMBOL LEGEND:

##* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.
##** NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

DOUBLE-HUNG

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

	35 3/4" 34" 33 1/2" 27"	37 3/4" 36" 35 1/2" 29"	39 3/4" 38" 37 1/2" 31"	41 3/4" 40" 39 1/2" 33"	43 3/4" 42" 41 1/2" 35"	47 3/4" 46" 45 1/2" 39"
54 3/4" 53" 52 1/2" 21 13/16" - 22 11/16"	 MDH3453	 MDH3653	 MDH3853	 MDH4053	 MDH4253	 MDH4653
56 3/4" 54" 53 1/2" 22 5/16" - 23 3/16"	 MDH3454	 MDH3654	 MDH3854	 MDH4054	 MDH4254	 MDH4654
58 3/4" 57" 56 1/2" 23 13/16" - 24 11/16"	 MDH3457	 MDH3657	 MDH3857	 MDH4057	 MDH4257	 MDH4657
61 3/4" 60" 59 1/2" 25 5/16" - 26 3/16"	 MDH3460	 MDH3660	 MDH3860	 MDH4060	 MDH4260	 MDH4660
63 3/4" 62" 61 1/2" 26 5/16" - 27 3/16"	 MDH3462	 MDH3662	 MDH3862	 MDH4062	 MDH4262	 MDH4662
66 3/4" 65" 64 1/2" 27 13/16" - 28 11/16"	 MDH3465	 MDH3665	 MDH3865	 MDH4065	 MDH4265	 MDH4665

ELEVATION SYMBOL LEGEND:

NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.

NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS.

CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/4" = 1'

DOUBLE-HUNG

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

	35 3/4"	37 3/4"	39 3/4"	41 3/4"	43 3/4"	47 3/4"
	34"	36"	38"	40"	42"	46"
	33 1/2"	35 1/2"	37 1/2"	39 1/2"	41 1/2"	45 1/2"
	27"	29"	31"	33"	35"	39"
67 3/4" 66" 65 1/2" 28 5/16" - 29 3/16"						
	MDH3466	MDH3666	MDH3866	MDH4066	MDH4266	MDH4666
70 3/4" 69" 68 1/2" 29 13/16" - 30 11/16"						
	MDH3469	MDH3669	MDH3869	MDH4069	MDH4269	MDH4669
73 3/4" 72" 71 1/2" 31 5/16" - 32 3/16"						
	MDH3472	MDH3672	MDH3872	MDH4072	MDH4272	MDH4672
75 3/4" 74" 73 1/2" 32 5/16" - 33 3/16"						
	MDH3474	MDH3674	MDH3874	MDH4074	MDH4274	MDH4674
78 3/4" 77" 76 1/2" 33 13/16" - 34 11/16"						
	MDH3477	MDH3677	MDH3877	MDH4077	MDH4277	MDH4677


ELEVATION SYMBOL LEGEND:

- ### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.
- #### NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.
- E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.


SCALE: 1/4" = 1'

DOUBLE-HUNG


UNIT SIZE 49 3/4"
ROUGH OPENING 48"
FRAME SIZE 47 1/2"
DAYLIGHT OPENING 41"




MDH4830




MDH4836




MDH4837




MDH4838




MDH4841



MDH4842




MDH4848




MDH4849


UNIT SIZE 49 3/4"
ROUGH OPENING 48"
FRAME SIZE 47 1/2"
DAYLIGHT OPENING 41"




MDH4853




MDH4854




MDH4857



MDH4860




MDH4862




MDH4865


UNIT SIZE 49 3/4"
ROUGH OPENING 48"
FRAME SIZE 47 1/2"
DAYLIGHT OPENING 41"



MDH4866



MDH4869



MDH4872

ELEVATION SYMBOL LEGEND:

NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.

###* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/4" = 1'

2-WIDE DOUBLE-HUNG

UNIT SIZE	37 3/4"	41 3/4"	45 3/4"	49 3/4"	53 3/4"	57 3/4"	61 3/4"	65 3/4"
ROUGH OPENING	36"	40"	44"	48"	52"	56"	60"	64"
FRAME SIZE	35 1/2"	39 1/2"	43 1/2"	47 1/2"	51 1/2"	55 1/2"	59 1/2"	63 1/2"
DAYLIGHT OPENING	11" [2]	13" [2]	15" [2]	17" [2]	19" [2]	21" [2]	23" [2]	25" [2]
31 3/4" 30" 29 1/2" 10 5/16" 11 3/16"								
37 3/4" 36" 35 1/2" 13 5/16" 14 3/16"								
38 3/4" 37 1/2" 36 1/2" 13 13/16" 14 11/16"								
39 3/4" 38 1/2" 37 1/2" 14 5/16" 15 3/16"								
42 3/4" 41" 40 1/2" 15 13/16" 16 11/16"								
43 3/4" 42" 41 1/2" 16 5/16" 17 3/16"								
49 3/4" 48" 47 1/2" 19 5/16" 20 3/16"								
50 3/4" 49 1/2" 48 1/2" 19 13/16" 20 11/16"								
54 3/4" 53" 52 1/2" 21 13/16" 22 11/16"								
55 3/4" 54 1/2" 53 1/2" 22 5/16" 23 3/16"								
58 3/4" 57" 55 1/2" 23 13/16" 24 11/16"								
61 3/4" 60" 59 1/2" 25 5/16" 26 3/16"								

ELEVATION SYMBOL LEGEND:
VALUES IN [] ARE NUMBER OF DAYLIGHT OPENINGS PER UNIT

SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG

UNIT SIZE	37 3/4"	41 3/4"	45 3/4"	49 3/4"	53 3/4"	57 3/4"	61 3/4"	65 3/4"
ROUGH OPENING	36"	40"	44"	48"	52"	56"	60"	64"
FRAME SIZE	35 1/2"	39 1/2"	43 1/2"	47 1/2"	51 1/2"	55 1/2"	59 1/2"	63 1/2"
DAYLIGHT OPENING	11"[2]	13"[2]	15"[2]	17"[2]	19"[2]	21"[2]	23"[2]	25"[2]
63 3/4" 62" 61 1/2" 26 5/16" - 27 3/16"								
66 3/4" 65" 64 1/2" 27 13/16" - 28 11/16"								
67 3/4" 66" 65 1/2" 28 5/16" - 29 3/16"								
70 3/4" 69" 68 1/2" 29 13/16" - 30 11/16"								
73 3/4" 72" 71 1/2" 31 5/16" - 32 3/16"								
75 3/4" 74" 73 1/2" 32 5/16" - 33 3/16"								
78 3/4" 77" 76 1/2" 33 13/16" - 34 11/16"								

ELEVATION SYMBOL LEGEND:

VALUES IN [] ARE NUMBER OF DAYLIGHT OPENINGS PER UNIT

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

69 3/4"
68"
67 1/2"
27" [2]

73 3/4"
72"
71 1/2"
29" [2]

77 3/4"
76"
75 1/2"
31" [2]

81 3/4"
80"
79 1/2"
33" [2]

85 3/4"
84"
83 1/2"
35" [2]

91 3/4"
90"
89 1/2"
38" [2]

31 3/4"
30"
29 1/2"
10 5/16" 11 3/16"



MDH6830-2



MDH7230-2



MDH7630-2



MDH8030-2



MDH8430-2



MDH9030-2

37 3/4"
36"
35 1/2"
13 5/16" 14 3/16"



MDH6836-2



MDH7236-2



MDH7636-2



MDH8036-2



MDH8436-2



MDH9036-2

38 3/4"
37"
36 1/2"
13 13/16" 14 11/16"



MDH6837-2



MDH7237-2



MDH7637-2



MDH8037-2



MDH8437-2



MDH9037-2

39 3/4"
38"
37 1/2"
14 5/16" 15 3/16"



MDH6838-2



MDH7238-2



MDH7638-2



MDH8038-2



MDH8438-2



MDH9038-2

42 3/4"
41"
40 1/2"
15 13/16" 16 11/16"



MDH6841-2



MDH7241-2



MDH7641-2



MDH8041-2



MDH8441-2



MDH9041-2

43 3/4"
42"
41 1/2"
16 5/16" 17 3/16"



MDH6842-2



MDH7242-2



MDH7642-2



MDH8042-2



MDH8442-2



MDH9042-2

49 3/4"
48"
47 1/2"
19 5/16" 20 3/16"



MDH6848-2



MDH7248-2



MDH7648-2



MDH8048-2



MDH8448-2



MDH9048-2

50 3/4"
49"
48 1/2"
19 13/16" 20 11/16"



MDH6849-2



MDH7249-2



MDH7649-2



MDH8049-2



MDH8449-2



MDH9049-2

54 3/4"
53"
52 1/2"
21 13/16" 22 11/16"



MDH6853-2



MDH7253-2



MDH7653-2



MDH8053-2



MDH8453-2



MDH9053-2

55 3/4"
54"
53 1/2"
22 5/16" 23 3/16"



MDH6854-2



MDH7254-2



MDH7654-2



MDH8054-2



MDH8454-2



MDH9054-2

58 3/4"
57"
56 1/2"
23 13/16" 24 11/16"



MDH6857-2



MDH7257-2



MDH7657-2



MDH8057-2



MDH8457-2



MDH9057-2

61 3/4"
60"
59 1/2"
25 5/16" 26 3/16"



MDH6860-2



MDH7260-2



MDH7660-2



MDH8060-2



MDH8460-2



MDH9060-2

ELEVATION SYMBOL LEGEND:

VALUES IN [] ARE NUMBER OF DAYLIGHT OPENINGS PER UNIT

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG

UNIT SIZE	69 3/4"	73 3/4"	77 3/4"	81 3/4"	85 3/4"	91 3/4"
ROUGH OPENING	68"	72"	76"	80"	84"	90"
FRAME SIZE	67 1/2"	71 1/2"	75 1/2"	79 1/2"	83 1/2"	89 1/2"
DAYLIGHT OPENING	27"[2]	29"[2]	31"[2]	33"[2]	35"[2]	38"[2]
63 3/4" 63" 61 1/2" 26 5/16" x 27 3/16"						
66 3/4" 65" 64 1/2" 27 13/16" x 28 11/16"						
67 3/4" 66" 65 1/2" 28 5/16" x 29 3/16"						
70 3/4" 69" 68 1/2" 29 13/16" x 30 11/16"						
73 3/4" 72" 71 1/2" 31 5/16" x 32 3/16"						
75 3/4" 74" 73 1/2" 32 5/16" x 33 3/16"						
78 3/4" 76 1/2" 77" 33 13/16" x 34 11/16"						

ELEVATION SYMBOL LEGEND:

VALUES IN [] ARE NUMBER OF DAYLIGHT OPENINGS PER UNIT

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

97 3/4"
96"
95 1/2"
41" [2]

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

97 3/4"
96"
95 1/2"
41" [2]



MDH9630-2



MDH9636-2



MDH9637-2



MDH9638-2



MDH9641-2



MDH9642-2



MDH9648-2



MDH9649-2



MDH9653-2



MDH9654-2




MDH9657-2



MDH9660-2



MDH9662-2



MDH9665-2



MDH9666-2



MDH9669-2



MDH9672-2



MDH9674-2



MDH9677-2



ELEVATION SYMBOL LEGEND:

VALUES IN [] ARE NUMBER OF DAYLIGHT OPENINGS PER UNIT

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/8" = 1'

**3-WIDE DOUBLE-HUNG WITH CENTER PICTURE
WITH 24" FLANKER**

UNIT SIZE	85 3/4"	97 3/4"	109 3/4"	121 3/4"
ROUGH OPENING	84"	96"	108"	120"
FRAME SIZE	83 1/2"	95 1/2"	107 1/2"	119 1/2"
DAYLIGHT OPENING	17"[2] 31 7/8"	17"[2] 43 7/8"	17"[2] 55 7/8"	17"[2] 67 7/8"
31 3/4" 30" 29 1/2" 10 3/4" - 10 25/32" 25 7/8"				
37 3/4" 36" 35 1/2" 13 3/4" - 13 25/32" 31 7/8"				
43 3/4" 42" 41 1/2" 16 3/4" - 16 25/32" 37 7/8"				
49 3/4" 48" 47 1/2" 19 3/4" - 19 25/32" 43 7/8"				
55 3/4" 54" 53 1/2" 22 3/4" - 22 25/32" 49 7/8"				
61 3/4" 60" 59 1/2" 25 3/4" - 25 25/32" 55 7/8"				
67 3/4" 66" 65 1/2" 28 3/4" - 28 25/32" 61 7/8"				
73 3/4" 72" 71 1/2" 31 3/4" - 31 25/32" 67 7/8"				

ELEVATION SYMBOL LEGEND:
VALUES IN [] ARE NUMBER OF DAYLIGHT OPENINGS PER UNIT

SCALE: 1/8" = 1'

**3-WIDE DOUBLE-HUNG WITH CENTER PICTURE
WITH 24" FLANKER**

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

145 3/4"
144"
143 1/2"
17" [2] 91 7/8"

31 3/4"
30"
29 1/2"
10 3/4" 10 25/32"
25 7/8"



MDH249630-3P

37 3/4"
36"
35 1/2"
13 3/4" 13 25/32"
31 7/8"



MDH249636-3P

43 3/4"
42"
41 1/2"
16 3/4" 16 25/32"
37 7/8"



MDH249642-3P

49 3/4"
48"
47 1/2"
19 3/4" 19 25/32"
43 7/8"



MDH249648-3P

55 3/4"
54"
53 1/2"
22 3/4" 22 25/32"
49 7/8"



MDH249654-3P

61 3/4"
60"
59 1/2"
25 3/4" 25 25/32"
55 7/8"




MDH249660-3P

67 3/4"
66"
65 1/2"
28 3/4" 28 25/32"
61 7/8"



MDH249666-3P

73 3/4"
72"
71 1/2"
31 3/4" 31 25/32"
67 7/8"



MDH249672-3P

ELEVATION SYMBOL LEGEND:

VALUES IN [] ARE NUMBER OF DAYLIGHT OPENINGS PER UNIT

SCALE: 1/8" = 1'

**3-WIDE DOUBLE-HUNG WITH CENTER PICTURE
WITH 30" FLANKER**

UNIT SIZE	97 3/4"	109 3/4"	121 3/4"	133 3/4"
ROUGH OPENING	96"	108"	120"	132"
FRAME SIZE	95 1/2"	107 1/2"	119 1/2"	131 1/2"
DAYLIGHT OPENING	23" [2] 31 7/8"	23" [2] 43 7/8"	23" [2] 55 7/8"	23" [2] 67 7/8"
31 3/4" 30" 29 1/2" 10 3/4" 10.25/32" 25 7/8"				
MDH303630-3P	MDH304830-3P	MDH306030-3P	MDH307230-3P	
37 3/4" 36" 35 1/2" 13 3/4" 13.25/32" 31 7/8"				
MDH303636-3P	MDH304836-3P	MDH306036-3P	MDH307236-3P	
43 3/4" 42" 41 1/2" 16 3/4" 16.25/32" 37 7/8"				
MDH303642-3P	MDH304842-3P	MDH306042-3P	MDH307242-3P	
49 3/4" 48" 47 1/2" 19 3/4" 19.25/32" 43 7/8"				
MDH303648-3P	MDH304848-3P	MDH306048-3P	MDH307248-3P	
55 3/4" 54" 53 1/2" 22 3/4" 22.25/32" 49 7/8"				
MDH303654-3P	MDH304854-3P	MDH306054-3P	MDH307254-3P	
61 3/4" 60" 59 1/2" 25 3/4" 25.25/32" 55 7/8"				
MDH303660-3P	MDH304860-3P	MDH306060-3P	MDH307260-3P	
67 3/4" 66" 65 1/2" 28 3/4" 28.25/32" 61 7/8"				
MDH303666-3P	MDH304866-3P	MDH306066-3P	MDH307266-3P	
73 3/4" 72" 71 1/2" 31 3/4" 31.25/32" 67 7/8"				
MDH303672-3P	MDH304872-3P	MDH306072-3P	MDH307272-3P	

ELEVATION SYMBOL LEGEND:
VALUES IN [] ARE NUMBER OF DAYLIGHT OPENINGS PER UNIT

SCALE: 1/8" = 1'

**3-WIDE DOUBLE-HUNG WITH CENTER PICTURE
WITH 36" FLANKER**

UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	109 3/4" 108" 107 1/2" 29"[2] 31 7/8"	121 3/4" 120" 119 1/2" 29"[2] 43 7/8"	145 3/4" 144" 143 1/2" 29"[2] 67 7/8"
31 3/4" 30" 29 1/2" 10 3/4" 10 25/32" 25 7/8"			
37 3/4" 36" 35 1/2" 13 3/4" 13 25/32" 31 7/8"			
43 3/4" 42" 41 1/2" 16 3/4" 16 25/32" 37 7/8"			
49 3/4" 48" 47 1/2" 19 3/4" 19 25/32" 43 7/8"			
55 3/4" 54" 53 1/2" 22 3/4" 22 25/32" 49 7/8"			
61 3/4" 60" 59 1/2" 25 3/4" 25 25/32" 55 7/8"			
67 3/4" 66" 65 1/2" 28 3/4" 28 25/32" 61 7/8"			
73 3/4" 72" 71 1/2" 31 3/4" 31 25/32" 67 7/8"			

ELEVATION SYMBOL LEGEND:

VALUES IN [] ARE NUMBER OF DAYLIGHT OPENINGS PER UNIT


E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/8" = 1'

DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


52 3/4"
 51"
 50 1/2"
 13 5/16" 14 3/16"
 10 7/8"



MDH3036-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


53 3/4"
 52"
 51 1/2"
 13 13/16" 14 11/16"
 10 7/8"



MDH3037-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


56 3/4"
 56"
 55 1/2"
 15 13/16" 16 11/16"
 10 7/8"



MDH3041-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


58 3/4"
 57"
 56 1/2"
 16 5/16" 17 3/16"
 10 7/8"



MDH3042-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


64 3/4"
 63"
 62 1/2"
 19 5/16" 20 3/16"
 10 7/8"



MDH3048-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


65 3/4"
 64"
 63 1/2"
 19 13/16" 20 11/16"
 10 7/8"



MDH3049-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"

69 3/4"
 68"
 67 1/2"
 21 13/16" 22 11/16"
 10 7/8"



MDH3053-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


70 3/4"
 69"
 68 1/2"
 22 5/16" 23 3/16"
 10 7/8"



MDH3054-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


73 3/4"
 72"
 71 1/2"
 23 13/16" 24 11/16"
 10 7/8"



MDH3057-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


76 3/4"
 75"
 74 1/2"
 25 5/16" 26 3/16"
 10 7/8"



MDH3060-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"

81 3/4"
 80"
 79 1/2"
 27 13/16" 28 11/16"
 10 7/8"



MDH3065-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


82 3/4"
 81"
 80 1/2"
 28 5/16" 29 3/16"
 10 7/8"



MDH3066-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


85 3/4"
 84"
 83 1/2"
 29 13/16" 30 11/16"
 10 7/8"



MDH3069-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


88 3/4"
 87"
 86 1/2"
 31 5/16" 32 3/16"
 10 7/8"



MDH3072-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"


90 3/4"
 89"
 88 1/2"
 32 5/16" 33 3/16"
 10 7/8"



MDH3074-R

UNIT SIZE 31 3/4"
 ROUGH OPENING 30"
 FRAME SIZE 29 1/2"
 DAYLIGHT OPENING 22 31/32" 23 27/32"
 25 7/8"

93 3/4"
 92"
 91 1/2"
 33 13/16" 34 11/16"
 10 7/8"



MDH3077-R

ELEVATION SYMBOL LEGEND:


E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/4" = 1'

DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


53 3/4"
54 1/2"
51 1/2"
13 5/16" 14 3/16"
11 7/8"



MDH3236-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


65 3/4"
64 1/2"
63 1/2"
19 5/16" 20 3/16"
11 7/8"



MDH3248-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


77 3/4"
76 1/2"
75 1/2"
25 5/16" 26 3/16"
11 7/8"



MDH3260-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"

89 3/4"
88"
87 1/2"
31 5/16" 32 3/16"
11 7/8"




MDH3272-R

ELEVATION SYMBOL LEGEND:

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


54 3/4"
53"
52 1/2"
13 13/16" 14 11/16"
11 7/8"



MDH3237-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


66 3/4"
65"
64 1/2"
19 13/16" 20 11/16"
11 7/8"



MDH3249-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


79 3/4"
78"
77 1/2"
26 5/16" 27 3/16"
11 7/8"



MDH3262-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


91 3/4"
90"
89 1/2"
32 5/16" 31 3/16"
11 7/8"



MDH3274-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


55 3/4"
54 1/2"
53 1/2"
14 5/16" 15 3/16"
11 7/8"



MDH3238-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


70 3/4"
69 1/2"
69"
21 13/16" 22 11/16"
11 7/8"



MDH3253-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


82 3/4"
81"
80 1/2"
27 13/16" 28 11/16"
11 7/8"



MDH3265-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


94 3/4"
93"
92 1/2"
33 13/16" 34 11/16"
11 7/8"



MDH3277-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


58 3/4"
57"
56 1/2"
15 13/16" 16 11/16"
11 7/8"



MDH3241-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


71 3/4"
70"
69 1/2"
22 5/16" 23 3/16"
11 7/8"



MDH3254-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"

83 3/4"
82"
81 1/2"
28 5/16" 29 3/16"
11 7/8"



MDH3266-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"

86 3/4"
85"
84 1/2"
29 13/16" 30 11/16"
11 7/8"



MDH3269-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"


59 3/4"
58"
57 1/2"
16 5/16" 17 3/16"
11 7/8"



MDH3242-R

UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"

74 3/4"
73"
72 1/2"
23 13/16" 24 11/16"
11 7/8"



MDH3257-R


UNIT SIZE 33 3/4"
ROUGH OPENING 32"
FRAME SIZE 31 1/2"
DAYLIGHT OPENING 24 31/32" 25 27/32"
27 7/8"

SCALE: 1/4" = 1'

DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


54 3/4"
53"
52 1/2"
13 5/16" 14 3/16"
12 7/8"



MDH3436-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


66 3/4"
65"
64 1/2"
19 5/16" 20 3/16"
12 7/8"



MDH3448-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


78 3/4"
77"
76 1/2"
25 5/16" 26 3/16"
12 7/8"



MDH3460-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"

90 3/4"
89"
88 1/2"
31 5/16" 32 3/16"
12 7/8"




MDH3472-R

ELEVATION SYMBOL LEGEND:
E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


55 3/4"
54"
53 1/2"
13 13/16" 14 11/16"
12 7/8"



MDH3437-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


67 3/4"
66"
65 1/2"
19 13/16" 20 11/16"
12 7/8"



MDH3449-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


80 3/4"
79"
78 1/2"
26 5/16" 27 3/16"
12 7/8"



MDH3462-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


92 3/4"
91"
90 1/2"
32 5/16" 33 3/16"
12 7/8"



MDH3474-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


56 3/4"
55"
54 1/2"
14 5/16" 15 3/16"
12 7/8"



MDH3438-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


71 3/4"
70"
69 1/2"
21 13/16" 22 11/16"
12 7/8"



MDH3453-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


83 3/4"
82"
81 1/2"
27 13/16" 28 11/16"
12 7/8"



MDH3465-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


95 3/4"
94"
93 1/2"
33 13/16" 34 11/16"
12 7/8"



MDH3477-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


59 3/4"
58"
57 1/2"
15 13/16" 16 11/16"
12 7/8"



MDH3441-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


72 3/4"
71"
70 1/2"
22 5/16" 23 3/16"
12 7/8"



MDH3454-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


84 3/4"
83"
82 1/2"
28 5/16" 29 3/16"
12 7/8"



MDH3466-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


86"
85 1/2"
85 1/2"
29 13/16" 30 11/16"
12 7/8"



MDH3469-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"


60 3/4"
59"
58 1/2"
16 5/16" 17 3/16"
12 7/8"



MDH3442-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"

75 3/4"
74"
73 1/2"
23 13/16" 24 11/16"
12 7/8"




MDH3457-R

UNIT SIZE 35 3/4"
ROUGH OPENING 34"
FRAME SIZE 33 1/2"
DAYLIGHT OPENING 26 31/32" 27 27/32"
29 7/8"

SCALE: 1/4" = 1"


DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3636-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3648-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3660-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3672-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3637-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3649-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3662-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3674-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3638-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3653-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3665-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3677-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3641-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"



MDH3654-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3666-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3669-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"




MDH3642-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"



MDH3657-R

UNIT SIZE 37 3/4"
ROUGH OPENING 36"
FRAME SIZE 35 1/2"
DAYLIGHT OPENING 28 31/32" 29 27/32"
31 7/8"



MDH3669-R


ELEVATION SYMBOL LEGEND:

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/4" = 1'


DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3836-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3837-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3838-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3841-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3842-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3848-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3849-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3853-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3854-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3857-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3860-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3862-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3865-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3866-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3869-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"




MDH3872-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"



MDH3874-R

UNIT SIZE 39 3/4"
ROUGH OPENING 38"
FRAME SIZE 37 1/2"
DAYLIGHT OPENING 30 31/32" 31 27/32"
33 7/8"



MDH3877-R


ELEVATION SYMBOL LEGEND:

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/4" = 1'


DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4036-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4037-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4038-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4041-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4042-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4048-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4049-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4053-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4054-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4057-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4060-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4062-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4065-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4066-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4069-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4072-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"



MDH4074-R

UNIT SIZE 41 3/4"
ROUGH OPENING 40"
FRAME SIZE 39 1/2"
DAYLIGHT OPENING 32 31/32" 33 27/32"
35 7/8"




MDH4077-R

ELEVATION SYMBOL LEGEND:
E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/4" = 1'


DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4236-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4248-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4260-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4272-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4237-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4249-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4262-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4274-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4238-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4253-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4265-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4277-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4241-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4254-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4266-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"




MDH4269-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"



MDH4242-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"



MDH4257-R

UNIT SIZE 43 3/4"
ROUGH OPENING 42"
FRAME SIZE 41 1/2"
DAYLIGHT OPENING 34 31/32" 35 27/32"
37 7/8"


ELEVATION SYMBOL LEGEND:

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/4" = 1'


DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4636-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4637-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4638-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4641-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4642-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4648-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4649-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4653-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4654-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4657-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"



MDH4660-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"



MDH4662-R


ELEVATION SYMBOL LEGEND:

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/4" = 1'


DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4665-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4666-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4669-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"




MDH4672-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"



MDH4674-R

UNIT SIZE 47 3/4"
ROUGH OPENING 46"
FRAME SIZE 45 1/2"
DAYLIGHT OPENING 38 31/32" 39 27/32"
41 7/8"



MDH4677-R

ELEVATION SYMBOL LEGEND:


E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/4" = 1'

DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING


49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"



MDH4836-R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING


49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"



MDH4848-R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING


49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"



MDH4857-R


UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"




MDH4869-R

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"




MDH4837-R

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"




MDH4849-R

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"




MDH4860-R

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"




MDH4872-R

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"




MDH4841-R

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"




MDH4853-R

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"




MDH4865-R

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"




MDH4874-R

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"




MDH4842-R

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"




MDH4854-R

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"



MDH4866-R

49 3/4"
48"
47 1/2"
40 31/32" 41 27/32"
43 7/8"



















MDH4877-R

ELEVATION SYMBOL LEGEND:

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.



















SCALE: 1/4" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND

	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>			
<p>55 3/4" 54" 53 1/2" 13 5/16" 14 3/16" 13 7/8"</p>	 <p>MDH3636-2R</p>	<p>56 3/4" 55" 54 1/2" 13 13/16" 14 11/16" 13 7/8"</p>	 <p>MDH3637-2R</p>	<p>60 3/4" 59" 58 1/2" 15 13/16" 16 11/16" 13 7/8"</p>	 <p>MDH3641-2R</p>	<p>61 3/4" 60" 59 1/2" 16 5/16" 17 3/16" 13 7/8"</p>	 <p>MDH3642-2R</p>
	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>			
<p>67 3/4" 66" 65 1/2" 19 5/16" 20 3/16" 13 7/8"</p>	 <p>MDH3648-2R</p>	<p>68 3/4" 67" 66 1/2" 19 13/16" 20 11/16" 13 7/8"</p>	 <p>MDH3649-2R</p>	<p>72 3/4" 71" 70 1/2" 21 13/16" 22 11/16" 13 7/8"</p>	 <p>MDH3653-2R</p>	<p>73 3/4" 72" 71 1/2" 22 5/16" 23 3/16" 13 7/8"</p>	 <p>MDH3654-2R</p>
	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>			
<p>76 3/4" 75" 74 1/2" 23 13/16" 24 11/16" 13 7/8"</p>	 <p>MDH3657-2R</p>	<p>79 3/4" 78" 77 1/2" 25 5/16" 26 3/16" 13 7/8"</p>	 <p>MDH3660-2R</p>	<p>84 3/4" 83" 82 1/2" 27 13/16" 28 11/16" 13 7/8"</p>	 <p>MDH3665-2R</p>	<p>85 3/4" 84" 83 1/2" 28 5/16" 29 3/16" 13 7/8"</p>	 <p>MDH3666-2R</p>
	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>	<p>UNIT SIZE 37 3/4" ROUGH OPENING 36" FRAME SIZE 35 1/2" DAYLIGHT OPENING 10 31/32" 11 53/64" 31 7/8"</p>			
<p>88 3/4" 87" 86 1/2" 29 13/16" 30 11/16" 13 7/8"</p>	 <p>MDH3669-2R</p>	<p>91 3/4" 90" 89 1/2" 31 5/16" 32 3/16" 13 7/8"</p>	 <p>MDH3672-2R</p>	<p>93 3/4" 92" 91 1/2" 32 5/16" 33 3/16" 13 7/8"</p>	 <p>MDH3674-2R</p>	<p>96 3/4" 95" 94 1/2" 33 13/16" 34 11/16" 13 7/8"</p>	 <p>MDH3677-2R</p>

















SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"				
57 3/4" 56" 55 1/2" 13 5/16" 26 3/16" 15 7/8"	 MDH4036-2R	58 3/4" 57" 56 1/2" 13 13/16" 14 11/16" 15 7/8"	 MDH4037-2R	59 3/4" 58" 57 1/2" 14 5/16" 15 3/16" 15 7/8"	 MDH4038-2R	62 3/4" 61" 60 1/2" 15 13/16" 16 11/16" 15 7/8"	 MDH4041-2R	63 3/4" 62" 61 1/2" 16 5/16" 17 3/16" 15 7/8"	 MDH4042-2R
UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"				
69 3/4" 68" 67 1/2" 19 5/16" 20 3/16" 15 7/8"	 MDH4048-2R	70 3/4" 69" 68 1/2" 19 13/16" 20 11/16" 15 7/8"	 MDH4049-2R	74 3/4" 73" 72 1/2" 21 13/16" 22 11/16" 15 7/8"	 MDH4053-2R	75 3/4" 74" 73 1/2" 22 5/16" 23 3/16" 15 7/8"	 MDH4054-2R	78 3/4" 77" 76 1/2" 23 13/16" 24 11/16" 15 7/8"	 MDH4057-2R
UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"				
81 3/4" 80" 79 1/2" 25 5/16" 26 3/16" 15 7/8"	 MDH4060-2R	83 3/4" 82" 81 1/2" 26 5/16" 27 3/16" 15 7/8"	 MDH4062-2R	86 3/4" 85" 84 1/2" 27 13/16" 28 11/16" 15 7/8"	 MDH4065-2R	87 3/4" 86" 85 1/2" 28 5/16" 29 3/16" 15 7/8"	 MDH4066-2R	90 3/4" 89" 88 1/2" 29 13/16" 30 11/16" 15 7/8"	 MDH4069-2R
UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"	41 3/4" 40" 39 1/2" 12 31/32" 13 53/64" 35 7/8"				
93 3/4" 92" 91 1/2" 31 5/16" 32 3/16" 15 7/8"	 MDH4072-2R	95 3/4" 94" 93 1/2" 32 5/16" 33 3/16" 15 7/8"	 MDH4074-2R	98 3/4" 97" 96 1/2" 33 13/16" 34 11/16" 15 7/8"	 MDH4077-2R				



















SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4436-2R	UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4437-2R	UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4441-2R	UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4442-2R
59 3/4" 58" 57 1/2" 13 5/16" 13 3/16" 17 7/8"		60 3/4" 59" 58 1/2" 13 13/16" 14 1/16" 17 7/8"		64 3/4" 63" 62 1/2" 15 13/16" 16 11/16" 17 7/8"		65 3/4" 64" 63 1/2" 16 5/16" 17 3/16" 17 7/8"	
UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4448-2R	UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4449-2R	UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4453-2R	UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4454-2R
71 3/4" 70" 69 1/2" 19 5/16" 20 3/16" 17 7/8"		72 3/4" 71" 70 1/2" 19 13/16" 20 11/16" 17 7/8"		76 3/4" 75" 74 1/2" 21 13/16" 22 11/16" 17 7/8"		77 3/4" 76" 75 1/2" 22 5/16" 23 3/16" 17 7/8"	
UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4457-2R	UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4460-2R	UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4465-2R	UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4466-2R
80 3/4" 79" 78 1/2" 23 13/16" 24 11/16" 17 7/8"		83 3/4" 82" 81 1/2" 25 5/16" 26 3/16" 17 7/8"		88 3/4" 87" 86 1/2" 27 13/16" 28 11/16" 17 7/8"		89 3/4" 88" 87 1/2" 28 5/16" 29 3/16" 17 7/8"	
UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4469-2R	UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4472-2R	UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4474-2R	UNIT SIZE 45 3/4" ROUGH OPENING 44" FRAME SIZE 43 1/2" DAYLIGHT OPENING 14 31/32" 15 53/64" 39 7/8"	 MDH4477-2R
92 3/4" 91" 90 1/2" 29 13/16" 30 11/16" 17 7/8"		95 3/4" 94" 93 1/2" 31 5/16" 32 3/16" 17 7/8"		97 3/4" 96" 95 1/2" 32 5/16" 33 3/16" 17 7/8"		100 3/4" 99" 98 1/2" 33 13/16" 34 11/16" 17 7/8"	

















SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND

<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>61 3/4"</p> <p>60"</p> <p>59 1/2"</p> <p>13 5/16" 14 3/16"</p> <p>19 7/8"</p>  <p>MDH4836-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>62 3/4"</p> <p>61"</p> <p>60 1/2"</p> <p>13 13/16" 14 11/16"</p> <p>19 7/8"</p>  <p>MDH4837-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>63 3/4"</p> <p>62"</p> <p>61 1/2"</p> <p>14 5/16" 15 3/16"</p> <p>19 7/8"</p>  <p>MDH4838-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>66 3/4"</p> <p>65"</p> <p>64 1/2"</p> <p>15 13/16" 16 11/16"</p> <p>19 7/8"</p>  <p>MDH4841-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>67 3/4"</p> <p>66"</p> <p>65 1/2"</p> <p>16 5/16" 17 3/16"</p> <p>19 7/8"</p>  <p>MDH4842-2R</p>
<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>73 3/4"</p> <p>72"</p> <p>71 1/2"</p> <p>19 5/16" 20 3/16"</p> <p>19 7/8"</p>  <p>MDH4848-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>74 3/4"</p> <p>73"</p> <p>72 1/2"</p> <p>19 13/16" 20 11/16"</p> <p>19 7/8"</p>  <p>MDH4849-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>78 3/4"</p> <p>77"</p> <p>76 1/2"</p> <p>21 13/16" 22 11/16"</p> <p>19 7/8"</p>  <p>MDH4853-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>79 3/4"</p> <p>78"</p> <p>77 1/2"</p> <p>22 5/16" 23 3/16"</p> <p>19 7/8"</p>  <p>MDH4854-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>82 3/4"</p> <p>81"</p> <p>80 1/2"</p> <p>23 13/16" 24 11/16"</p> <p>19 7/8"</p>  <p>MDH4857-2R</p>
<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>85 3/4"</p> <p>84"</p> <p>83 1/2"</p> <p>25 5/16" 26 3/16"</p> <p>19 7/8"</p>  <p>MDH4860-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>87 3/4"</p> <p>86"</p> <p>85 1/2"</p> <p>26 5/16" 27 3/16"</p> <p>19 7/8"</p>  <p>MDH4862-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>90 3/4"</p> <p>89"</p> <p>88 1/2"</p> <p>27 13/16" 28 11/16"</p> <p>19 7/8"</p>  <p>MDH4865-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>91 3/4"</p> <p>90"</p> <p>89 1/2"</p> <p>28 5/16" 29 3/16"</p> <p>19 7/8"</p>  <p>MDH4866-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>94 3/4"</p> <p>93"</p> <p>92 1/2"</p> <p>29 13/16" 30 11/16"</p> <p>19 7/8"</p>  <p>MDH4869-2R</p>
<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>97 3/4"</p> <p>96"</p> <p>95 1/2"</p> <p>31 5/16" 32 3/16"</p> <p>19 7/8"</p>  <p>MDH4872-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>99 3/4"</p> <p>98"</p> <p>97 1/2"</p> <p>32 5/16" 33 3/16"</p> <p>19 7/8"</p>  <p>MDH4874-2R</p>	<p>UNIT SIZE 49 3/4"</p> <p>ROUGH OPENING 48"</p> <p>FRAME SIZE 47 1/2"</p> <p>DAYLIGHT OPENING 16 31/32" 17 53/64"</p>	<p>102 3/4"</p> <p>101"</p> <p>100 1/2"</p> <p>33 13/16" 34 11/16"</p> <p>19 7/8"</p>  <p>MDH4877-2R</p>				

SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE 53 3/4" ROUGH OPENING 52" FRAME SIZE 51 1/2" DAYLIGHT OPENING 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"		
63 3/4" 62" 61 1/2" 13 5/16" 14 3/16" 21 7/8"	 MDH5236-2R	64 3/4" 63" 62 1/2" 13 13/16" 14 11/16" 21 7/8"	 MDH5237-2R	68 3/4" 67" 66 1/2" 15 13/16" 16 11/16" 21 7/8"	 MDH5241-2R	69 3/4" 68" 67 1/2" 16 5/16" 17 3/16" 21 7/8"	 MDH5242-2R
UNIT SIZE 53 3/4" ROUGH OPENING 52" FRAME SIZE 51 1/2" DAYLIGHT OPENING 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"		
75 3/4" 74" 73 1/2" 19 5/16" 20 3/16" 21 7/8"	 MDH5248-2R	76 3/4" 75" 74 1/2" 19 13/16" 20 11/16" 21 7/8"	 MDH5249-2R	80 3/4" 79" 78 1/2" 21 13/16" 22 11/16" 21 7/8"	 MDH5253-2R	81 3/4" 80" 79 1/2" 22 5/16" 23 3/16" 21 7/8"	 MDH5254-2R
UNIT SIZE 53 3/4" ROUGH OPENING 52" FRAME SIZE 51 1/2" DAYLIGHT OPENING 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"		
84 3/4" 83" 82 1/2" 23 13/16" 24 11/16" 21 7/8"	 MDH5257-2R	87 3/4" 86" 85 1/2" 25 5/16" 26 3/16" 21 7/8"	 MDH5260-2R	92 3/4" 91" 90 1/2" 27 13/16" 28 11/16" 21 7/8"	 MDH5265-2R	93 3/4" 92" 91 1/2" 28 5/16" 29 3/16" 21 7/8"	 MDH5266-2R
UNIT SIZE 53 3/4" ROUGH OPENING 52" FRAME SIZE 51 1/2" DAYLIGHT OPENING 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"	53 3/4" 52" 51 1/2" 18 31/32" 19 53/64" 47 7/8"		
96 3/4" 95" 94 1/2" 29 13/16" 30 11/16" 21 7/8"	 MDH5269-2R	99 3/4" 98" 97 1/2" 31 5/16" 32 3/16" 21 7/8"	 MDH5272-2R	101 3/4" 100" 99 1/2" 32 5/16" 33 3/16" 21 7/8"	 MDH5274-2R	104 3/4" 103" 102 1/2" 33 13/16" 34 11/16" 21 7/8"	 MDH5277-2R

SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

65 3/4"
64"
63 1/2"
13 5/16" x 14 3/16"
23 7/8"



MDH5636-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

66 3/4"
65"
64 1/2"
13 13/16" x 14 11/16"
23 7/8"



MDH5637-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

67 3/4"
66"
65 1/2"
14 5/16" x 15 3/16"
23 7/8"



MDH5638-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

70 3/4"
69"
68 1/2"
15 13/16" x 16 11/16"
23 7/8"



MDH5641-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

71 3/4"
70"
69 1/2"
16 5/16" x 17 3/16"
23 7/8"




MDH5642-2R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

77 3/4"
76 1/2"
75 1/2"
19 5/16" x 20 3/16"
23 7/8"



MDH5648-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

78 3/4"
77"
76 1/2"
19 13/16" x 20 11/16"
23 7/8"



MDH5649-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

82 3/4"
81"
80 1/2"
21 13/16" x 22 11/16"
23 7/8"



MDH5653-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

83 3/4"
82"
81 1/2"
22 5/16" x 23 3/16"
23 7/8"



MDH5654-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

86 3/4"
85"
84 1/2"
23 13/16" x 24 11/16"
23 7/8"



MDH5657-2R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

89 3/4"
88"
87 1/2"
25 5/16" x 26 3/16"
23 7/8"



MDH5660-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

91 3/4"
90"
89 1/2"
26 5/16" x 27 3/16"
23 7/8"



MDH5662-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"


94 3/4"
93"
92 1/2"
27 13/16" x 28 11/16"
23 7/8"



MDH5665-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

95 3/4"
94"
93 1/2"
28 5/16" x 29 3/16"
23 7/8"



MDH5666-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

98 3/4"
97"
96 1/2"
29 13/16" x 30 11/16"
23 7/8"



MDH5669-2R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

101 3/4"
100"
99 1/2"
31 5/16" x 32 3/16"
23 7/8"



MDH5672-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

103 3/4"
102"
101 1/2"
32 5/16" x 33 3/16"
23 7/8"



MDH5674-2R

57 3/4"
56"
55 1/2"
20 31/32" x 21 53/64"
51 7/8"

106 3/4"
105"
104 1/2"
33 13/16" x 34 11/16"
23 7/8"




MDH5677-2R

SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"

67 3/4"
66"
65 1/2"
13 5/16" 14 3/16"
25 7/8"



MDH6036-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"


68 3/4"
67"
66 1/2"
13 13/16" 14 11/16"
25 7/8"



MDH6037-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"

72 3/4"
71"
70 1/2"
15 13/16" 16 11/16"
25 7/8"



MDH6041-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"

73 3/4"
72"
71 1/2"
16 5/16" 17 3/16"
25 7/8"



MDH6042-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"


79 3/4"
78"
77 1/2"
19 5/16" 20 3/16"
25 7/8"



MDH6048-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"

80 3/4"
79"
78 1/2"
19 13/16" 20 11/16"
25 7/8"



MDH6049-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"

84 3/4"
83"
82 1/2"
21 13/16" 22 11/16"
25 7/8"



MDH6053-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"


85 3/4"
84"
83 1/2"
22 5/16" 23 3/16"
25 7/8"



MDH6054-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"

88 3/4"
87"
86 1/2"
23 13/16" 24 11/16"
25 7/8"



MDH6057-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"

91 3/4"
90"
89 1/2"
25 5/16" 26 3/16"
25 7/8"



MDH6060-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"


96 3/4"
95"
94 1/2"
27 13/16" 28 11/16"
25 7/8"



MDH6065-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"

97 3/4"
96"
95 1/2"
28 5/16" 29 3/16"
25 7/8"



MDH6066-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"

100 3/4"
99"
98 1/2"
29 13/16" 30 11/16"
25 7/8"



MDH6069-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"

103 3/4"
102"
101 1/2"
31 5/16" 32 3/16"
25 7/8"



MDH6072-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"


105 3/4"
104"
103 1/2"
32 5/16" 33 3/16"
25 7/8"



MDH6074-2R

UNIT SIZE 61 3/4"
ROUGH OPENING 60"
FRAME SIZE 59 1/2"
DAYLIGHT OPENING 22 31/32" 23 53/64"
55 7/8"

108 3/4"
107"
106 1/2"
33 13/16" 34 11/16"
25 7/8"



MDH6077-2R

ELEVATION SYMBOL LEGEND:

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.


SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"


69 3/4"
68"
67 1/2"
13 5/16" 14 3/16"
27 7/8"



MDH6436-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"


70 3/4"
69"
68 1/2"
13 13/16" 14 11/16"
27 7/8"



MDH6437-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"

71 3/4"
70"
69 1/2"
14 5/16" 15 3/16"
27 7/8"



MDH6438-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"


74 3/4"
73"
72 1/2"
15 13/16" 16 11/16"
27 7/8"



MDH6441-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"

75 3/4"
74"
73 1/2"
16 5/16" 17 3/16"
27 7/8"




MDH6442-2R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"


81 3/4"
80"
79 1/2"
19 5/16" 20 3/16"
27 7/8"



MDH6448-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"

82 3/4"
81"
80 1/2"
19 13/16" 20 11/16"
27 7/8"



MDH6449-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"

86 3/4"
85"
84 1/2"
21 13/16" 22 11/16"
27 7/8"



MDH6453-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"


87 3/4"
86"
85 1/2"
22 5/16" 23 3/16"
27 7/8"



MDH6454-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"

90 3/4"
89"
88 1/2"
23 13/16" 24 11/16"
27 7/8"




MDH6457-2R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"


93 3/4"
92"
91 1/2"
25 5/16" 26 3/16"
27 7/8"



MDH6460-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"

95 3/4"
94"
93 1/2"
26 5/16" 27 3/16"
27 7/8"



MDH6462-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"

98 3/4"
97"
96 1/2"
27 13/16" 28 11/16"
27 7/8"



MDH6465-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"


99 3/4"
98"
97 1/2"
28 5/16" 29 3/16"
27 7/8"



MDH6466-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"

102 3/4"
101"
100 1/2"
29 13/16" 30 11/16"
27 7/8"




MDH6469-2R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"


105 3/4"
104"
103 1/2"
31 5/16" 33 3/16"
27 7/8"



MDH6472-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"


107 3/4"
106"
105 1/2"
32 5/16" 33 3/16"
27 7/8"



MDH6474-2R

65 3/4"
64"
63 1/2"
24 31/32" 25 53/64"
59 7/8"

110 3/4"
109"
108 1/2"
32 5/16" 33 3/16"
27 7/8"





















MDH6477-2R

ELEVATION SYMBOL LEGEND:

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND



















UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"				
71 3/4" 70" 69 1/2" 13 5/16" 14 3/16" 29 7/8"		72 3/4" 71" 70 1/2" 13 13/16" 14 11/16" 29 7/8"		73 3/4" 72" 71 1/2" 14 5/16" 15 3/16" 29 7/8"		76 3/4" 75" 74 1/2" 15 13/16" 16 11/16" 29 7/8"		77 3/4" 76" 75 1/2" 16 5/16" 17 3/16" 29 7/8"	
UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"				
83 3/4" 82" 81 1/2" 19 5/16" 20 3/16" 29 7/8"		84 3/4" 83" 82 1/2" 19 13/16" 20 11/16" 29 7/8"		88 3/4" 87" 86 1/2" 23 13/16" 24 11/16" 29 7/8"		89 3/4" 88" 87 1/2" 22 5/16" 23 3/16" 29 7/8"		92 3/4" 91" 90 1/2" 23 13/16" 24 11/16" 29 7/8"	
UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"				
95 3/4" 94" 93 1/2" 25 5/16" 26 3/16" 29 7/8"		97 3/4" 96" 95 1/2" 26 5/16" 27 3/16" 29 7/8"		100 3/4" 99" 98 1/2" 27 13/16" 28 11/16" 29 7/8"		101 3/4" 100" 99 1/2" 28 5/16" 29 3/16" 29 7/8"		104 3/4" 103" 102 1/2" 29 13/16" 30 11/16" 29 7/8"	
UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"	69 3/4" 68" 67 1/2" 26 31/32" 27 53/64" 63 7/8"				
107 3/4" 106" 105 1/2" 31 5/16" 32 3/16" 29 7/8"		109 3/4" 108" 107 1/2" 32 5/16" 31 3/16" 29 7/8"		112 3/4" 111" 110 1/2" 33 13/16" 34 11/16" 29 7/8"					

ELEVATION SYMBOL LEGEND:

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND

<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7236-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7237-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7238-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7241-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7242-2R</p>
<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7248-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7249-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7253-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7254-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7257-2R</p>
<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7260-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7262-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7265-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7266-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7269-2R</p>
<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7272-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7274-2R</p>	<p>UNIT SIZE 73 3/4"</p> <p>ROUGH OPENING 72"</p> <p>FRAME SIZE 71 1/2"</p> <p>DAYLIGHT OPENING 28 31/32" 29 53/64" 67 7/8"</p>	 <p>MDH7277-2R</p>				

ELEVATION SYMBOL LEGEND:

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"
	75 3/4" 74" 73 1/2" 13 5/16" 14 3/16" 33 7/8"	76 3/4" 75" 74 1/2" 13 13/16" 14 11/16" 33 7/8"	77 3/4" 76" 75 1/2" 14 5/16" 15 3/16" 33 7/8"	80 3/4" 79" 78 1/2" 15 13/16" 16 11/16" 33 7/8"	81 3/4" 80" 79 1/2" 16 5/16" 17 3/16" 33 7/8"
	MDH7636-2R	MDH7637-2R	MDH7638-2R	MDH7641-2R	MDH7642-2R
UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"
	87 3/4" 86" 85 1/2" 19 5/16" 20 3/16" 33 7/8"	88 3/4" 87" 86 1/2" 19 13/16" 20 11/16" 33 7/8"	92 3/4" 91" 90 1/2" 23 13/16" 22 11/16" 33 7/8"	93 3/4" 92" 91 1/2" 22 5/16" 23 3/16" 33 7/8"	96 3/4" 95" 94 1/2" 23 13/16" 24 11/16" 33 7/8"
	MDH7648-2R	MDH7649-2R	MDH7653-2R	MDH7654-2R	MDH7657-2R
UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"
	99 3/4" 98" 97 1/2" 25 5/16" 26 3/16" 33 7/8"	100 3/4" 100" 99 1/2" 26 5/16" 27 3/16" 33 7/8"	104 3/4" 103" 102 1/2" 27 13/16" 28 11/16" 33 7/8"	105 3/4" 104" 103 1/2" 28 5/16" 29 3/16" 33 7/8"	108 3/4" 107" 106 1/2" 29 13/16" 30 11/16" 33 7/8"
	MDH7660-2R	MDH7662-2R	MDH7665-2R	MDH7666-2R	MDH7669-2R
UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"	77 3/4" 76" 75 1/2" 30 31/32" 31 53/64" 71 7/8"		
	111 3/4" 110" 109 1/2" 31 5/16" 32 3/16" 33 7/8"	113 3/4" 112" 111 1/2" 32 5/16" 33 3/16" 33 7/8"	116 3/4" 115" 114 1/2" 33 13/16" 34 11/16" 33 7/8"		
	MDH7672-2R	MDH7674-2R	MDH7677-2R		

ELEVATION SYMBOL LEGEND:

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.


SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


79 3/4"
78"
77 1/2"
13 5/16" 14 3/16"
37 7/8"



MDH8436-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


80 3/4"
79"
78 1/2"
13 13/16" 14 11/16"
37 7/8"



MDH8437-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


81 3/4"
80"
79 1/2"
14 5/16" 15 3/16"
37 7/8"



MDH8438-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"

84 3/4"
83"
82 1/2"
15 13/16" 16 11/16"
37 7/8"




MDH8441-2R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


85 3/4"
84"
83 1/2"
16 5/16" 17 3/16"
37 7/8"



MDH8442-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


91 3/4"
90"
89 1/2"
19 5/16" 20 3/16"
37 7/8"



MDH8448-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


92 3/4"
91"
90 1/2"
19 13/16" 20 11/16"
37 7/8"



MDH8449-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"

96 3/4"
95"
94 1/2"
21 13/16" 22 11/16"
37 7/8"




MDH8453-2R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


97 3/4"
96"
95 1/2"
22 5/16" 23 3/16"
37 7/8"



MDH8454-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


100 3/4"
99"
98 1/2"
23 13/16" 24 11/16"
37 7/8"



MDH8457-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


103 3/4"
102"
101 1/2"
25 5/16" 26 3/16"
37 7/8"



MDH8460-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"

105 3/4"
104"
103 1/2"
26 5/16" 27 3/16"
37 7/8"




MDH8462-2R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


108 3/4"
107"
106 1/2"
27 13/16" 28 11/16"
37 7/8"



MDH8465-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


109 3/4"
108"
107 1/2"
28 5/16" 29 3/16"
37 7/8"



MDH8466-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


112 3/4"
111"
110 1/2"
29 13/16" 30 11/16"
37 7/8"



MDH8469-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"

115 3/4"
114"
113 1/2"
31 5/16" 32 3/16"
37 7/8"




MDH8472-2R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"


117 3/4"
116"
115 1/2"
32 5/16" 33 3/16"
37 7/8"



MDH8474-2R

85 3/4"
84"
83 1/2"
34 31/32" 35 53/64"
79 7/8"

120 3/4"
119"
118 1/2"
33 13/16" 34 11/16"
37 7/8"



MDH8477-2R

ELEVATION SYMBOL LEGEND:

E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.


SCALE: 1/8" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

97 3/4"
96"
95 1/2"
40 31/32" 41 53/64"
91 7/8"


85 3/4"
84"
83 1/2" 14 3/16"
13 5/16" 43 7/8"



MDH9636-2R

97 3/4"
96"
95 1/2"
40 31/32" 41 53/64"
91 7/8"


91 3/4"
90"
89 1/2"
16 5/16" 17 3/16"
43 7/8"



MDH9642-2R

97 3/4"
96"
95 1/2"
40 31/32" 41 53/64"
91 7/8"


97 3/4"
96"
95 1/2"
19 5/16" 20 3/16"
43 7/8"



MDH9648-2R

97 3/4"
96"
95 1/2"
40 31/32" 41 53/64"
91 7/8"

103 3/4"
102"
101 1/2"
22 5/16" 23 3/16"
43 7/8"




MDH9654-2R

UNIT SIZE
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

97 3/4"
96"
95 1/2"
40 31/32" 41 53/64"
91 7/8"


109 3/4"
108"
107 1/2" 26 3/16"
25 5/16" 43 7/8"



MDH9660-2R

97 3/4"
96"
95 1/2"
40 31/32" 41 53/64"
91 7/8"


115 3/4"
114"
113 1/2" 29 3/16"
28 5/16" 43 7/8"



MDH9666-2R

97 3/4"
96"
95 1/2"
40 31/32" 41 53/64"
91 7/8"

121 3/4"
120"
119 1/2" 32 3/16"
31 5/16" 43 7/8"




MDH9672-2R

ELEVATION SYMBOL LEGEND:


E UNIT MEETS EGRESS REQUIREMENTS FOR IRC CODE. STATE AND LOCAL EGRESS CODES MAY DIFFER. ALWAYS REFER TO LOCAL BUILDING CODES FOR COMPLETE REQUIREMENTS. CHECK WITH LOCAL OFFICIALS TO ENSURE COMPLIANCE BEFORE INSTALLING THE UNIT.

SCALE: 1/8" = 1'


GRILLE PATTERNS




STANDARD




PRAIRIE



PRAIRIE SASH




COLONIAL TOP SASH
1/2 LITE



COLONIAL TOP SASH


DOUBLE-HUNG



VERTICAL SECTION

SCALE: 6" = 1'


DOUBLE-HUNG



HORIZONTAL SECTION

SCALE: 6" = 1'


2-WIDE DOUBLE-HUNG



VERTICAL SECTION

SCALE: 6" = 1'


2-WIDE DOUBLE-HUNG



HORIZONTAL SECTION

SCALE: 6" = 1'


3-WIDE DOUBLE-HUNG



VERTICAL SECTION

SCALE: 6" = 1'


3-WIDE DOUBLE-HUNG



HORIZONTAL SECTION

SCALE: 6" = 1'


DOUBLE-HUNG WITH HALF ROUND



VERTICAL SECTION

SCALE: 6" = 1'


DOUBLE-HUNG WITH HALF ROUND



HORIZONTAL SECTION


SCALE: 6" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND



SCALE: 6" = 1'

2-WIDE DOUBLE-HUNG WITH HALF ROUND



HORIZONTAL SECTION

SCALE: 6" = 1'