

---

**TABLE OF CONTENTS**

---

Specifications .....	2-2
Quick Spec Guide .....	2-3
Elevations/Sizes: 1/4" Scale	
Picture Units .....	2-4
Quarter Round .....	2-33
Half Round .....	2-35
Full Round .....	2-36
Quarter Circle Segment .....	2-37
Circle Segment .....	2-38
Oval .....	2-39
Extended Quarter Round .....	2-40
Extended Half Round .....	2-41
Extended Quarter Segment .....	2-42
Extended Circle Segment .....	2-46
Trapezoid .....	2-50
Triangle .....	2-54
Clipped Corner .....	2-58
Pentagon .....	2-62
Grille Patterns .....	2-66
Section Details: 6" Scale .....	2-69

---

**PRODUCT SPECIFICATIONS**

---

**MATERIALS**

The extruded vinyl profiles comply with the performance requirements of AAMA 303-97. The colors extend through the profile of the extrusion with White, Almond and Desert Sand colors available. The product is not available in the Western United States markets.

**FRAME**

All frames and sash are assembled using fusion-welding technology for added strength and durability. The frame jamb width is 3-1/4" (90.49mm), and the nominal extrusion exterior wall thickness is 0.060". The wall depth of the double hung product is 1-13/16". The frame incorporates an integral nailing fin which can be easily removed to allow the unit to be used in a replacement window application. Weep holes are included on the frame to ensure standing water is directed to the exterior plane of the unit. An interior and exterior accessory groove is standard to accommodate various frame accessory and assembly options on the product. Optional brickmould and snap in flat casing profiles are also available.

**GLAZING**

3/4" (19mm) insulated glass consist of two lites of glass sealed around a spacer. The glass is mounted into the sash using a silicone-glazing compound. The insulating glass units comply with the performance requirements of the IGCC in accordance with either ASTM E774 or E2190. All units are exterior glazed.

**GLAZING OPTIONS**

3/4" (19mm) insulated glass is available in clear, Low-E or Low-E 366, tinted, obscure or other specialty insulating glass as specified. Many glass options are available in tempered glazings.

**GRILLES**

**GBG** (Grilles between the Glass) - 5/8" (16mm) and 7/8" (22.2mm) flat or 1" (26mm) contour grilles mounted between the glass panes suspended within the air cavity and color matched to the extrusion color.

**EXTENSION JAMBS**

Extension jambs are regionally available for JELD-WEN vinyl products. The 9/16" extension jambs are available in pine clear vinyl wrapped, primed wood, red oak and maple finishes and can be specified on three or four sides of the product.

**ADDITIONAL ACCESSORIES**

Additional accessories are available for JELD-WEN Vinyl products. Please contact your local building supply retailer for a complete listing of the additional accessories.

**INSTALLATION**

Installation per JELD-WEN Installation Method for Vinyl Windows JII001, JII010 or JII011. See [www.jeld-wen.com/resources](http://www.jeld-wen.com/resources) for instructions.

**PERFORMANCE**



























































































**NFRC Certified** - (rated and labeled in accordance with NFRC)

**AAMA/NWDMA I.S.2-97**  
C35-DP rated

## QUICK SPEC GUIDE

SPECIFICATION	STANDARD FEATURES	OPTIONAL FEATURES <i>Some options may require additional lead times. Consult your JELD-WEN Sales Representative.</i>
<b>COLOR</b>	<ul style="list-style-type: none"> <li>White</li> </ul>	<ul style="list-style-type: none"> <li>Almond</li> <li>Desert Sand</li> </ul> <i>not available in all regions</i>
<b>SIZE</b>	<ul style="list-style-type: none"> <li>Width: 18" to 48"</li> <li>Height: 24" to 77"</li> </ul>	
<b>FRAME</b>	<ul style="list-style-type: none"> <li>Integral Nail Fin</li> </ul>	<ul style="list-style-type: none"> <li>Pocket/Block Frame</li> <li>Integral Dual Wall Flush Fin (West)</li> <li>Integral Stucco Fin w/stucco key (West)</li> </ul>
<b>GLAZING</b>	<ul style="list-style-type: none"> <li>Insulating Low-E</li> </ul>	<ul style="list-style-type: none"> <li>Clear</li> <li>Low-E 366</li> <li>Low-E Keep Clean</li> <li>Obscure</li> <li>Bronze</li> <li>Gray</li> <li>Gluechip</li> <li>Rain</li> <li>Azurlite</li> <li>Laminated</li> <li>All glass available tempered</li> </ul> <i>regional glass availabilities may differ</i>
<b>HARDWARE</b>	<ul style="list-style-type: none"> <li>Block and Tackle Balance System</li> <li>WEN-Lock™</li> <li>Side Removable Take out Clips</li> </ul>	<ul style="list-style-type: none"> <li>Cam Lock</li> </ul>
<b>HARDWARE COLOR</b>	<ul style="list-style-type: none"> <li>Color matched to extrusion</li> </ul>	
<b>SCREENS</b>	<ul style="list-style-type: none"> <li>Fiberglass</li> </ul>	
<b>SCREEN FRAME COLOR</b>	<ul style="list-style-type: none"> <li>Color matched to extrusion</li> </ul>	
<b>GRILLES</b>		<ul style="list-style-type: none"> <li>1" Contour GBG (grilles between the glass)</li> <li>5/8" Flat GBG (grilles between the glass)</li> <li>5/8" Contour GBG (grilles between the glass) (East)</li> <li>7/8" Flat GBG (grilles between the glass) (East)</li> </ul>
<b>JAMB DEPTH</b>	<ul style="list-style-type: none"> <li>2-29/32"</li> </ul>	<ul style="list-style-type: none"> <li>Integral J-channel (East) - 2-29/32"</li> <li>Integral Dual Wall Flush Fin (West) - 2-29/32"</li> <li>Integral Stucco Fin w/stucco key (West) - 2-29/32"</li> <li>4-9/16" Extension Jambs Applied (East only)</li> <li>6-9/16" Extension Jambs Applied (East only)</li> </ul>
<b>ACCESSORIES</b>		<ul style="list-style-type: none"> <li>Extension Jamb Retainer</li> <li>Drip Cap</li> <li>Drywall Retainer</li> <li>14 Degree Sloped Sill Adapter (factory applied available)</li> <li>Head and Sill Expander</li> </ul>

### PICTURE UNITS
































































UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	13 3/4" 12" 11 1/2" 7 7/8"	19 3/4" 18" 17 1/2" 13 7/8"	21 3/4" 20" 19 1/2" 15 7/8"	23 3/4" 22" 21 1/2" 17 7/8"	25 3/4" 24" 23 1/2" 19 7/8"	27 3/4" 26" 25 1/2" 21 7/8"	29 3/4" 28" 27 1/2" 23 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	33 3/4" 32" 31 1/2" 27 7/8"
13 3/4" 12" 11 1/2" 7 7/8"	 MPC1212	 MPC1812	 MPC2012	 MPC2212	 MPC2412	 MPC2612	 MPC2812	 MPC3012	 MPC3212
19 3/4" 18" 17 1/2" 13 7/8"	 MPC1218	 MPC1818	 MPC2018	 MPC2218	 MPC2418	 MPC2618	 MPC2818	 MPC3018	 MPC3218
23 3/4" 22" 21 1/2" 17 7/8"	 MPC1222	 MPC1822	 MPC2022	 MPC2222	 MPC2422	 MPC2622	 MPC2822	 MPC3022	 MPC3222
25 3/4" 24" 23 1/2" 19 7/8"	 MPC1224	 MPC1824	 MPC2024	 MPC2224	 MPC2424	 MPC2624	 MPC2824	 MPC3024	 MPC3224
27 3/4" 26" 25 1/2" 21 7/8"	 MPC1226	 MPC1826	 MPC2026	 MPC2226	 MPC2426	 MPC2626	 MPC2826	 MPC3026	 MPC3226
31 3/4" 30" 29 1/2" 25 7/8"	 MPC1230	 MPC1830	 MPC2030	 MPC2230	 MPC2430	 MPC2630	 MPC2830	 MPC3030	 MPC3230
33 3/4" 32" 31 1/2" 27 7/8"	 MPC1232	 MPC1832	 MPC2032	 MPC2232	 MPC2432	 MPC2632	 MPC2832	 MPC3032	 MPC3232
35 3/4" 34" 33 1/2" 29 7/8"	 MPC1234	 MPC1834	 MPC2034	 MPC2234	 MPC2434	 MPC2634	 MPC2834	 MPC3034	 MPC3234
37 3/4" 36" 35 1/2" 31 7/8"	 MPC1236	 MPC1836	 MPC2036	 MPC2236	 MPC2436	 MPC2636	 MPC2836	 MPC3036	 MPC3236
38 3/4" 37" 36 1/2" 32 7/8"	 MPC1237	 MPC1837	 MPC2037	 MPC2237	 MPC2437	 MPC2637	 MPC2837	 MPC3037	 MPC3237

#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS














































UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	13 3/4" 12" 11 1/2" 7 7/8"	19 3/4" 18" 17 1/2" 13 7/8"	21 3/4" 20" 19 1/2" 15 7/8"	23 3/4" 22" 21 1/2" 17 7/8"	25 3/4" 24" 23 1/2" 19 7/8"	27 3/4" 26" 25 1/2" 21 7/8"	29 3/4" 28" 27 1/2" 23 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	33 3/4" 32" 31 1/2" 27 7/8"
39 3/4" 38" 37 1/2" 33 7/8"	 MPC1238	 MPC1838	 MPC2038	 MPC2238	 MPC2438	 MPC2638	 MPC2838	 MPC3038	 MPC3238
42 3/4" 41" 40 1/2" 36 7/8"	 MPC1241	 MPC1841	 MPC2041	 MPC2241	 MPC2441	 MPC2641	 MPC2841	 MPC3041	 MPC3241
43 3/4" 42" 41 1/2" 37 7/8"	 MPC1242	 MPC1842	 MPC2042	 MPC2242	 MPC2442	 MPC2642	 MPC2842	 MPC3042	 MPC3242
49 3/4" 48" 47 1/2" 43 7/8"	 MPC1248	 MPC1848	 MPC2048	 MPC2248	 MPC2448	 MPC2648	 MPC2848	 MPC3048	 MPC3248
50 3/4" 49" 48 1/2" 44 7/8"	 MPC1249	 MPC1849	 MPC2049	 MPC2249	 MPC2449	 MPC2649	 MPC2849	 MPC3049	 MPC3249
54 3/4" 53" 52 1/2" 48 7/8"	 MPC1253	 MPC1853	 MPC2053	 MPC2253	 MPC2453	 MPC2653	 MPC2853	 MPC3053	 MPC3253
55 3/4" 54" 53 1/2" 49 7/8"	 MPC1254	 MPC1854	 MPC2054	 MPC2254	 MPC2454	 MPC2654	 MPC2854	 MPC3054	 MPC3254

#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 ##\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS














































UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	13 3/4" 12" 11 1/2" 7 7/8"	19 3/4" 18" 17 1/2" 13 7/8"	21 3/4" 20" 19 1/2" 15 7/8"	23 3/4" 22" 21 1/2" 17 7/8"	25 3/4" 24" 23 1/2" 19 7/8"	27 3/4" 26" 25 1/2" 21 7/8"	29 3/4" 28" 27 1/2" 23 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	33 3/4" 32" 31 1/2" 27 7/8"
58 3/4" 57" 56 1/2" 52 7/8"									
61 3/4" 60" 59 1/2" 55 7/8"									
63 3/4" 62" 61 1/2" 57 7/8"									
66 3/4" 65" 64 1/2" 60 7/8"									
67 3/4" 66" 65 1/2" 61 7/8"									

#### ELEVATION SYMBOL LEGEND:

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 \*\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS





































UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	13 3/4" 12" 11 1/2" 7 7/8"	19 3/4" 18" 17 1/2" 13 7/8"	21 3/4" 20" 19 1/2" 15 7/8"	23 3/4" 22" 21 1/2" 17 7/8"	25 3/4" 24" 23 1/2" 19 7/8"	27 3/4" 26" 25 1/2" 21 7/8"	29 3/4" 28" 27 1/2" 23 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	33 3/4" 32" 31 1/2" 27 7/8"
70 3/4" 69" 68 1/2" 64 7/8"	 20* 50** MPC1269	 20* 50** MPC1869	 20* 50** MPC2069	 20* 50** MPC2269	 20* 50** MPC2469	 20* 50** MPC2669	 20* 50** MPC2869	 20* 50** MPC3069	 20* 50** MPC3269
73 3/4" 72" 71 1/2" 67 7/8"	 20* 50** MPC1272	 20* 50** MPC1872	 20* 50** MPC2072	 20* 50** MPC2272	 20* 50** MPC2472	 20* 50** MPC2672	 20* 50** MPC2872	 20* 50** MPC3072	 20* 50** MPC3272
75 3/4" 74" 73 1/2" 69 7/8"	 20* 50** MPC1274	 20* 50** MPC1874	 20* 50** MPC2074	 20* 50** MPC2274	 20* 50** MPC2474	 20* 50** MPC2674	 20* 50** MPC2874	 20* 50** MPC3074	 20* 50** MPC3274
78 3/4" 77" 76 1/2" 72 7/8"	 20* 50** MPC1277	 20* 50** MPC1877	 20* 50** MPC2077	 20* 50** MPC2277	 20* 50** MPC2477	 20* 50** MPC2677	 20* 50** MPC2877	 20* 50** MPC3077	 20* 50** MPC3277
79 3/4" 78" 77 1/2" 73 7/8"	 20* 50** MPC1278	 20* 50** MPC1878	 20* 50** MPC2078	 20* 50** MPC2278	 20* 50** MPC2478	 20* 50** MPC2678	 20* 50** MPC2878	 20* 50** MPC3078	 20* 50** MPC3278

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 ###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

#### PICTURE UNITS

UNIT SIZE	13 3/4"	19 3/4"	21 3/4"	23 3/4"	25 3/4"	27 3/4"	29 3/4"	31 3/4"	33 3/4"
ROUGH OPENING	12"	18"	20"	22"	24"	26"	28"	30"	32"
FRAME SIZE	11 1/2"	17 1/2"	19 1/2"	21 1/2"	23 1/2"	25 1/2"	27 1/2"	29 1/2"	31 1/2"
DAYLIGHT OPENING	7 7/8"	13 7/8"	15 7/8"	17 7/8"	19 7/8"	21 7/8"	23 7/8"	25 7/8"	27 7/8"
85 3/4" 84" 83 1/2" 79 7/8"	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**
	MPC1284	MPC1884	MPC2084	MPC2284	MPC2484	MPC2684	MPC2884	MPC3084	MPC3284
	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**
	MPC1290	MPC1890	MPC2090	MPC2290	MPC2490	MPC2690	MPC2890	MPC3090	MPC3290
91 3/4" 90" 89 1/2" 85 7/8"	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**
	MPC1296	MPC1896	MPC2096	MPC2296	MPC2496	MPC2696	MPC2896	MPC3096	MPC3296
	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**
	MPC1296	MPC1896	MPC2096	MPC2296	MPC2496	MPC2696	MPC2896	MPC3096	MPC3296





























































#### ELEVATION SYMBOL LEGEND:

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 \*\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'



### PICTURE UNITS

UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	35 3/4" 34" 33 1/2" 29 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	39 3/4" 38" 37 1/2" 33 7/8"	41 3/4" 40" 39 1/2" 35 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	47 3/4" 46" 45 1/2" 41 7/8"
13 3/4" 12" 11 1/2" 7 7/8"	 MPC3412	 MPC3612	 MPC3812	 MPC4012	 MPC4212	 MPC4612
19 3/4" 18" 17 1/2" 13 7/8"	 MPC3418	 MPC3618	 MPC3818	 MPC4018	 MPC4218	 MPC4618
23 3/4" 22" 21 1/2" 17 7/8"	 MPC3422	 MPC3622	 MPC3822	 MPC4022	 MPC4222	 MPC4622
25 3/4" 24" 23 1/2" 19 7/8"	 MPC34124	 MPC3624	 MPC3824	 MPC4024	 MPC4224	 MPC4624
27 3/4" 26" 25 1/2" 21 7/8"	 MPC3426	 MPC3626	 MPC3826	 MPC4026	 MPC4226	 MPC4626
31 3/4" 30" 29 1/2" 25 7/8"	 MPC3430	 MPC3630	 MPC3830	 MPC4030	 MPC4230	 MPC4630
33 3/4" 32" 31 1/2" 27 7/8"	 MPC3432	 MPC3632	 MPC3832	 MPC4032	 MPC4232	 MPC4632
35 3/4" 34" 33 1/2" 29 7/8"	 MPC3434	 MPC3634	 MPC3834	 MPC4034	 MPC4234	 MPC4634
37 3/4" 36" 35 1/2" 31 7/8"	 MPC3436	 MPC3636	 MPC3836	 MPC4036	 MPC4236	 MPC4636
38 3/4" 37" 36 1/2" 32 7/8"	 MPC3437	 MPC3637	 MPC3837	 MPC4037	 MPC4237	 MPC4637











































#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 ###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

	35 3/4" 34" 33 1/2" 29 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	39 3/4" 38" 37 1/2" 33 7/8"	41 3/4" 40" 39 1/2" 35 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	47 3/4" 46" 45 1/2" 41 7/8"
39 3/4" 38" 37 1/2" 33 7/8"	 MPC3438	 MPC3638	 MPC3838	 MPC4038	 MPC4238	 MPC4638
42 3/4" 41" 40 1/2" 36 7/8"	 MPC3441	 MPC3641	 MPC3841	 MPC4041	 MPC4241	 MPC4641
43 3/4" 42" 41 1/2" 37 7/8"	 MPC3442	 MPC3642	 MPC3842	 MPC4042	 MPC4242	 MPC4642
49 3/4" 48" 47 1/2" 43 7/8"	 MPC3448	 MPC3648	 MPC3848	 MPC4048	 MPC4248	 MPC4648
50 3/4" 49" 48 1/2" 44 7/8"	 MPC3449	 MPC3649	 MPC3849	 MPC4049	 MPC4249	 MPC4649
54 3/4" 53" 52 1/2" 48 7/8"	 MPC3453	 MPC3653	 MPC3853	 MPC4053	 MPC4253	 MPC4653
55 3/4" 54" 53 1/2" 49 7/8"	 MPC3454	 MPC3654	 MPC3854	 MPC4054	 MPC4254	 MPC4654































**ELEVATION SYMBOL LEGEND:**

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
#### NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING































	35 3/4" 34" 33 1/2" 29 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	39 3/4" 38" 37 1/2" 33 7/8"	41 3/4" 40" 39 1/2" 35 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	47 3/4" 46" 45 1/2" 41 7/8"
58 3/4" 57" 56 1/2" 52 7/8"	 20* 50** MPC3457	 20* 50** MPC3657	 20* 50** MPC3857	 20* 50** MPC4057	 20* 50** MPC4257	 20* 50** MPC4657
61 3/4" 60" 59 1/2" 55 7/8"	 20* 50** MPC3460	 20* 50** MPC3660	 20* 50** MPC3860	 20* 50** MPC4060	 20* 50** MPC4260	 20* 50** MPC4660
63 3/4" 62" 61 1/2" 57 7/8"	 20* 50** MPC3462	 20* 50** MPC3662	 20* 50** MPC3862	 20* 50** MPC4062	 20* 50** MPC4262	 20* 50** MPC4662
66 3/4" 65" 64 1/2" 60 7/8"	 20* 50** MPC3465	 20* 50** MPC3665	 20* 50** MPC3865	 20* 50** MPC4065	 20* 50** MPC4265	 20* 50** MPC4665
67 3/4" 66" 65 1/2" 61 7/8"	 20* 50** MPC3466	 20* 50** MPC3666	 20* 50** MPC3866	 20* 50** MPC4066	 20* 50** MPC4266	 20* 50** MPC4666

**ELEVATION SYMBOL LEGEND:**

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
#### NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS

UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	35 3/4" 34" 33 1/2" 29 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	39 3/4" 38" 37 1/2" 33 7/8"	41 3/4" 40" 39 1/2" 35 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	47 3/4" 46" 45 1/2" 41 7/8"
70 3/4" 69" 68 1/2" 64 7/8"	 MPC3469	 MPC3669	 MPC3869	 MPC4069	 MPC4269	 MPC4669
73 3/4" 72" 71 1/2" 67 7/8"	 MPC3472	 MPC3672	 MPC3872	 MPC4072	 MPC4272	 MPC4672
75 3/4" 74" 73 1/2" 69 7/8"	 MPC3474	 MPC3674	 MPC3874	 MPC4074	 MPC4274	 MPC4674
78 3/4" 77 1/2" 76 1/2" 72 7/8"	 MPC3477	 MPC3677	 MPC3877	 MPC4077	 MPC4277	 MPC4677
79 3/4" 78" 77 1/2" 73 7/8"	 MPC3478	 MPC3678	 MPC3878	 MPC4078	 MPC4278	 MPC4678



















#### ELEVATION SYMBOL LEGEND:

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 \*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

#### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING









































	35 3/4" 34" 33 1/2" 29 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	39 3/4" 38" 37 1/2" 33 7/8"	41 3/4" 40" 39 1/2" 35 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	47 3/4" 46" 45 1/2" 41 7/8"
85 3/4" 84" 83 1/2" 79 7/8"	 20* 50** MPC3484	 20* 50** MPC3684	 20* 50** MPC3884	 20* 50** MPC4084	 20* 50** MPC4284	 20* 50** MPC4684
91 3/4" 90" 89 1/2" 85 7/8"	 20* 50** MPC3490	 20* 50** MPC3690	 20* 50** MPC3890	 20* 50** MPC4090	 20* 50** MPC4290	 20* 50** MPC4690
97 3/4" 96" 95 1/2" 91 7/8"	 20* 50** MPC3496	 20* 50** MPC3696	 20* 50** MPC3896	 20* 50** MPC4096	 20* 50** MPC4296	 20* 50** MPC4696

#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
##\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS





























UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	49 3/4" 48" 47 1/2" 43 7/8"	51 3/4" 50" 49 1/2" 45 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	61 3/4" 60" 59 1/2" 55 7/8"
13 3/4" 12" 11 1/2" 7 7/8"	 MPC4812	 MPC5012	 MPC5412	 MPC6012
19 3/4" 18" 17 1/2" 13 7/8"	 MPC4818	 MPC5018	 MPC5418	 MPC6018
23 3/4" 22" 21 1/2" 17 7/8"	 MPC4822	 MPC5022	 MPC5422	 MPC6022
25 3/4" 24" 23 1/2" 19 7/8"	 MPC4824	 MPC5024	 MPC5424	 MPC6024
27 3/4" 26" 25 1/2" 21 7/8"	 MPC4826	 MPC5026	 MPC5426	 MPC6026
31 3/4" 30" 29 1/2" 25 7/8"	 MPC4830	 MPC5030	 MPC5430	 MPC6030
33 3/4" 32" 31 1/2" 27 7/8"	 MPC4832	 MPC5032	 MPC5432	 MPC6032
35 3/4" 34" 33 1/2" 29 7/8"	 MPC4834	 MPC5034	 MPC5434	 MPC6034
37 3/4" 36" 35 1/2" 31 7/8"	 MPC4836	 MPC5036	 MPC5436	 MPC6036
38 3/4" 37" 36 1/2" 32 7/8"	 MPC4837	 MPC5037	 MPC5437	 MPC6037

#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 ###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS

UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	49 3/4" 48" 47 1/2" 43 7/8"	51 3/4" 50" 49 1/2" 45 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	61 3/4" 60" 59 1/2" 55 7/8"
39 3/4" 38" 37 1/2" 33 7/8"	 MPC4838	 MPC5038	 MPC5438	 MPC6038
42 3/4" 41" 40 1/2" 36 7/8"	 MPC4841	 MPC5041	 MPC5441	 MPC6041
43 3/4" 42" 41 1/2" 37 7/8"	 MPC4842	 MPC5042	 MPC5442	 MPC6042
49 3/4" 48" 47 1/2" 43 7/8"	 MPC4848	 MPC5048	 MPC5448	 MPC6048
50 3/4" 49" 48 1/2" 44 7/8"	 MPC4849	 MPC5049	 MPC5449	 MPC6049
54 3/4" 53" 52 1/2" 48 7/8"	 MPC4853	 MPC5053	 MPC5453	 MPC6053
55 3/4" 54" 53 1/2" 49 7/8"	 MPC4854	 MPC5054	 MPC5454	 MPC6054





















#### ELEVATION SYMBOL LEGEND:

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 \*\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

58 3/4" 57" 56 1/2" 52 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	51 3/4" 50" 49 1/2" 45 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	61 3/4" 60" 59 1/2" 55 7/8"
				
	MPC4857	MPC5057	MPC5457	MPC6057
61 3/4" 60" 59 1/2" 55 7/8"				
	MPC4860	MPC5060	MPC5460	MPC6060
63 3/4" 62" 61 1/2" 57 7/8"				
	MPC4862	MPC5062	MPC5462	MPC6062
66 3/4" 65" 64 1/2" 60 7/8"				
	MPC4865	MPC5065	MPC5465	MPC6065
67 3/4" 66" 65 1/2" 61 7/8"				
	MPC4866	MPC5066	MPC5466	MPC6066

**ELEVATION SYMBOL LEGEND:**

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
\*\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'



### PICTURE UNITS





















UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

49 3/4"  
48"  
47 1/2"  
43 7/8"

51 3/4"  
50"  
49 1/2"  
45 7/8"

55 3/4"  
54"  
53 1/2"  
49 7/8"

61 3/4"  
60"  
59 1/2"  
55 7/8"













70 3/4" 69" 68 1/2" 64 7/8"	 MPC4869	 MPC5069	 MPC5469	 MPC6069
73 3/4" 72" 71 1/2" 67 7/8"	 MPC4872	 MPC5072	 MPC5472	 MPC6072
75 3/4" 74" 73 1/2" 69 7/8"	 MPC4874	 MPC5074	 MPC5474	 MPC6074
78 3/4" 77" 76 1/2" 72 7/8"	 MPC4877	 MPC5077	 MPC5477	 MPC6077
79 3/4" 78" 77 1/2" 73 7/8"	 MPC4878	 MPC5078	 MPC5478	 MPC6078

**ELEVATION SYMBOL LEGEND:**

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS

UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	49 3/4" 48" 47 1/2" 43 7/8"	51 3/4" 50" 49 1/2" 45 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	61 3/4" 60" 59 1/2" 55 7/8"
85 3/4" 84" 83 1/2" 79 7/8"	 MPC4884	 MPC5084	 MPC5484	 MPC6084
91 3/4" 90" 89 1/2" 85 7/8"	 MPC4890	 MPC5090	 MPC5490	 MPC6090
97 3/4" 96" 95 1/2" 91 7/8"	 MPC4896	 MPC5096	 MPC5496	 MPC6096

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

63 3/4"  
62"  
61 1/2"  
57 7/8"

67 3/4"  
66"  
65 1/2"  
61 7/8"

73 3/4"  
72"  
71 1/2"  
67 7/8"



MPC6212



MPC6612



MPC7212



MPC6218



MPC6618



MPC7218



MPC6222



MPC6622



MPC7222




MPC6224




MPC6624




MPC7224




MPC6226




MPC6626




MPC7226



MPC6230



MPC6630



MPC7230



MPC6232



MPC6632



MPC7232




MPC6234




MPC6634




MPC7234



MPC6236



MPC6636



MPC7236




MPC6238




MPC6638




MPC7238




MPC6240




MPC6640




MPC7240



MPC6242



MPC6642



MPC7242



MPC6244



MPC6644



MPC7244

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
#### NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'






















### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

63 3/4"  
62"  
61 1/2"  
57 7/8"

67 3/4"  
66"  
65 1/2"  
61 7/8"

73 3/4"  
72"  
71 1/2"  
67 7/8"

39 3/4" 38" 37 1/2" 33 7/8"	 MPC6238	 MPC6638	 MPC7238
42 3/4" 41" 40 1/2" 36 7/8"	 MPC6241	 MPC6641	 MPC7241
43 3/4" 42" 41 1/2" 37 7/8"	 MPC6242	 MPC6642	 MPC7242
49 3/4" 48" 47 1/2" 43 7/8"	 MPC6248	 MPC6648	 MPC7248
50 3/4" 49" 48 1/2" 44 7/8"	 MPC6249	 MPC6649	 MPC7249
54 3/4" 53" 52 1/2" 48 7/8"	 MPC6253	 MPC6653	 MPC7253
55 3/4" 54" 53 1/2" 49 7/8"	 MPC6254	 MPC6654	 MPC7254

**ELEVATION SYMBOL LEGEND:**

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'


### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


63 3/4"  
62"  
61 1/2"  
57 7/8"

67 3/4"  
66"  
65 1/2"  
61 7/8"

73 3/4"  
72"  
71 1/2"  
67 7/8"




MPC6257




MPC6657




MPC7257




MPC6260




MPC6660




MPC7260




MPC6262




MPC6662




MPC7262




MPC6265




MPC6665




MPC7265



MPC6266



MPC6666



MPC7266

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'


### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


63 3/4"  
62"  
61 1/2"  
57 7/8"

67 3/4"  
66"  
65 1/2"  
61 7/8"


73 3/4"  
72"  
71 1/2"  
67 7/8"




MPC6269




MPC6669




MPC7269




MPC6272




MPC6672




MPC7272




MPC6274




MPC6674




MPC7274




MPC6277




MPC6677




MPC7277



MPC6278



MPC6678



MPC7278

#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
##\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS


UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

63 3/4"  
62"  
61 1/2"  
57 7/8"


67 3/4"  
66"  
65 1/2"  
61 7/8"

73 3/4"  
72"  
71 1/2"  
67 7/8"


85 3/4"  
84"  
83 1/2"  
79 7/8"



MPC6284




MPC6684




MPC7284


91 3/4"  
90"  
89 1/2"  
85 7/8"



MPC6290




MPC6690




MPC7290


97 3/4"  
96"  
95 1/2"  
91 7/8"



MPC6296



MPC6696



MPC7296

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

75 3/4"  
74"  
73 1/2"  
69 7/8"

79 3/4"  
78"  
77 1/2"  
73 7/8"

85 3/4"  
84"  
83 1/2"  
79 7/8"



MPC7412



MPC7812



MPC8412



MPC7418



MPC7818



MPC8418



MPC7422



MPC7822



MPC8422




MPC7424



MPC7824



MPC8424



MPC7426



MPC7826



MPC8426




MPC7430




MPC7830




MPC8430




MPC7432




MPC7832




MPC8432



MPC7434



MPC7834



MPC8434



MPC7436



MPC7836



MPC8436



MPC7437



MPC7837



MPC8437

#### ELEVATION SYMBOL LEGEND:

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
\*\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'
























### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

75 3/4"  
74"  
73 1/2"  
69 7/8"

79 3/4"  
78"  
77 1/2"  
73 7/8"

85 3/4"  
84"  
83 1/2"  
79 7/8"

39 3/4" 38" 37 1/2" 33 7/8"	 MPC7438	 MPC7838	 MPC8438
43 3/4" 41" 40 1/2" 36 7/8"	 MPC7441	 MPC7841	 MPC8441
43 3/4" 42" 41 1/2" 37 7/8"	 MPC7442	 MPC7842	 MPC8442
49 3/4" 48" 47 1/2" 43 7/8"	 MPC7448	 MPC7848	 MPC8448
50 3/4" 49" 48 1/2" 44 7/8"	 MPC7449	 MPC7849	 MPC8449
54 3/4" 53" 52 1/2" 48 7/8"	 MPC7453	 MPC7853	 MPC8453
55 3/4" 54" 53 1/2" 49 7/8"	 MPC7454	 MPC7854	 MPC8454

#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
##\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'





### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

75 3/4"  
74"  
73 1/2"  
69 7/8"

79 3/4"  
78"  
77 1/2"  
73 7/8"

85 3/4"  
84"  
83 1/2"  
79 7/8"

58 3/4" 57" 56 1/2" 52 7/8"	 MPC7457	 MPC7857	 MPC8457
61 3/4" 60" 59 1/2" 55 7/8"	 MPC7460	 MPC7860	 MPC8460
63 3/4" 62" 61 1/2" 57 7/8"	 MPC7462	 MPC7862	 MPC8462
66 3/4" 65" 64 1/2" 60 7/8"	 MPC7465	 MPC7865	 MPC8465
67 3/4" 66" 65 1/2" 61 7/8"	 MPC7466	 MPC7866	 MPC8466

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'
















### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

75 3/4"  
74"  
73 1/2"  
69 7/8"

79 3/4"  
78"  
77 1/2"  
73 7/8"

85 3/4"  
84"  
83 1/2"  
79 7/8"






70 3/4" 69" 68 1/2" 64 7/8"	 MPC7469	 MPC7869	 MPC8469
73 3/4" 72" 71 1/2" 67 7/8"	 MPC7472	 MPC7872	 MPC8472
75 3/4" 74" 73 1/2" 69 7/8"	 MPC7474	 MPC7874	 MPC8474
78 3/4" 77" 76 1/2" 72 7/8"	 MPC7477	 MPC7877	 MPC8477
79 3/4" 78" 77 1/2" 73 7/8"	 MPC7478	 MPC7878	 MPC8478

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

**PICTURE UNITS**





















UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	75 3/4" 74" 73 1/2" 69 7/8"	79 3/4" 78" 77 1/2" 73 7/8"	85 3/4" 84" 83 1/2" 79 7/8"
85 3/4" 84" 83 1/2" 79 7/8"			
	MPC7484	MPC7884	MPC8484
91 3/4" 90" 89 1/2" 85 7/8"			
	MPC7490	MPC7890	

**ELEVATION SYMBOL LEGEND:**

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
\*\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PICTURE UNITS

UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	91 3/4" 90" 89 1/2" 85 7/8"	97 3/4" 96" 95 1/2" 91 7/8"
13 3/4" 12" 11 1/2" 7 7/8"	 20* 50**	 20* 50**
	MPC9012	MPC9612
19 3/4" 18" 17 1/2" 13 7/8"	 20* 50**	 20* 50**
	MPC9018	MPC9618
23 3/4" 22" 21 1/2" 17 7/8"	 20* 50**	 20* 50**
	MPC9022	MPC9622
25 3/4" 24" 23 1/2" 19 7/8"	 20* 50**	 20* 50**
	MPC9024	MPC9624
27 3/4" 26" 25 1/2" 21 7/8"	 20* 50**	 20* 50**
	MPC9026	MPC9626
31 3/4" 30" 29 1/2" 25 7/8"	 20* 50**	 20* 50**
	MPC9030	MPC9630
33 3/4" 32" 31 1/2" 27 7/8"	 20* 50**	 20* 50**
	MPC9032	MPC9632
35 3/4" 34" 33 1/2" 29 7/8"	 20* 50**	 20* 50**
	MPC9034	MPC9634
37 3/4" 36" 35 1/2" 31 7/8"	 20* 50**	 20* 50**
	MPC9036	MPC9636
38 3/4" 37" 36 1/2" 32 7/8"	 20* 50**	 20* 50**
	MPC9037	MPC9637

#### ELEVATION SYMBOL LEGEND:

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 \*\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.















SCALE: 1/4" = 1'

### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

91 3/4"  
90"  
89 1/2"  
85 7/8"

97 3/4"  
96"  
95 1/2"  
91 7/8"

39 3/4" 38" 37 1/2" 33 7/8"	 MPC9038	 MPC9638
42 3/4" 41" 40 1/2" 36 7/8"	 MPC9041	 MPC9641
43 3/4" 42" 41 1/2" 37 7/8"	 MPC9042	 MPC9642
49 3/4" 48" 47 1/2" 43 7/8"	 MPC9048	 MPC9648
50 3/4" 49" 48 1/2" 44 7/8"	 MPC9049	 MPC9649
54 3/4" 53" 52 1/2" 48 7/8"	 MPC9053	 MPC9653
55 3/4" 54" 53 1/2" 49 7/8"	 MPC9054	 MPC9654

**ELEVATION SYMBOL LEGEND:**

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
\*\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.











SCALE: 1/4" = 1'

### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

91 3/4"  
90"  
89 1/2"  
85 7/8"

97 3/4"  
96"  
95 1/2"  
91 7/8"

58 3/4" 57" 56 1/2" 52 7/8"	 MPC9057	 MPC9657
61 3/4" 60" 59 1/2" 55 7/8"	 MPC9060	 MPC9660
63 3/4" 62" 61 1/2" 57 7/8"	 MPC9062	 MPC9662
66 3/4" 65" 64 1/2" 60 7/8"	 MPC9065	 MPC9665
67 3/4" 66" 65 1/2" 61 7/8"	 MPC9066	 MPC9666

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
#### NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

#### PICTURE UNITS

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


91 3/4"  
90"  
89 1/2"  
85 7/8"

97 3/4"  
96"  
95 1/2"  
91 7/8"

70 3/4"  
69"  
68 1/2"  
64 7/8"




MPC9069




MPC9669

73 3/4"  
72"  
71 1/2"  
67 7/8"




MPC9072



MPC9672

75 3/4"  
74"  
73 1/2"  
69 7/8"




MPC9074




MPC9674

78 3/4"  
77"  
76 1/2"  
72 7/8"



MPC9077

79 3/4"  
78"  
77 1/2"  
73 7/8"



MPC9078

#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
### NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.


SCALE: 1/4" = 1'




#### QUARTER ROUND

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


19 3/4"  
18"  
17 1/2"  
13 7/8"



21 3/4"  
20"  
19 1/2"  
15 7/8"




23 3/4"  
22"  
21 1/2"  
17 7/8"




25 3/4"  
24"  
23 1/2"  
19 7/8"



27 3/4"  
26"  
25 1/2"  
21 7/8"




29 3/4"  
28"  
27 1/2"  
23 7/8"




UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


31 3/4"  
30"  
29 1/2"  
25 7/8"




33 3/4"  
32"  
31 1/2"  
27 7/8"




35 3/4"  
34"  
33 1/2"  
29 7/8"



37 3/4"  
36"  
35 1/2"  
31 7/8"




39 3/4"  
38"  
37 1/2"  
33 7/8"




UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


41 3/4"  
40"  
39 1/2"  
35 7/8"




43 3/4"  
42"  
41 1/2"  
37 7/8"



45 3/4"  
44"  
43 1/2"  
39 7/8"




47 3/4"  
46"  
45 1/2"  
41 7/8"




UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


49 3/4"  
48"  
47 1/2"  
43 7/8"




51 3/4"  
50"  
49 1/2"  
45 7/8"




53 3/4"  
52"  
51 1/2"  
47 7/8"



55 3/4"  
54"  
53 1/2"  
49 7/8"




57 3/4"  
56"  
55 1/2"  
51 7/8"




UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


61 3/4"  
60"  
59 1/2"  
55 7/8"




63 3/4"  
62"  
61 1/2"  
57 7/8"



65 3/4"  
64"  
63 1/2"  
59 7/8"



67 3/4"  
66"  
65 1/2"  
61 7/8"



#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.



SCALE: 1/4" = 1'

**QUARTER ROUND**

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

69 3/4"  
68"  
67 1/2"  
63 7/8"

73 3/4"  
72"  
71 1/2"  
67 7/8"























**ELEVATION SYMBOL LEGEND:**

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
### NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

#### HALF ROUND

<b>UNIT SIZE</b> <b>ROUGH OPENING</b> <b>FRAME SIZE</b> <b>DAYLIGHT OPENING</b>	31 3/4" 30" 29 1/2" 25 7/8"  16 3/4" 15 1/2" 14 1/2" 10 7/8"  MHR3015	33 3/4" 32" 31 1/2" 27 7/8"  17 3/4" 16" 15 1/2" 11 7/8"  MHR3216	35 3/4" 34" 33 1/2" 29 7/8"  18 3/4" 17" 16 1/2" 12 7/8"  MHR3417	37 3/4" 36" 35 1/2" 31 7/8"  19 3/4" 18" 17 1/2" 13 7/8"  MHR3618	39 3/4" 38" 37 1/2" 33 7/8"  20 3/4" 19" 18 1/2" 14 7/8"  MHR3819
<b>UNIT SIZE</b> <b>ROUGH OPENING</b> <b>FRAME SIZE</b> <b>DAYLIGHT OPENING</b>	41 3/4" 40" 39 1/2" 35 7/8"  21 3/4" 20 1/2" 19 1/2" 15 7/8"  MHR4020	43 3/4" 42" 41 1/2" 37 7/8"  22 3/4" 21" 20 1/2" 16 7/8"  MHR4221	45 3/4" 44" 43 1/2" 39 7/8"  23 3/4" 22 1/2" 21 1/2" 17 7/8"  MHR4422	47 3/4" 46" 45 1/2" 41 7/8"  24 3/4" 23" 22 1/2" 18 7/8"  MHR4623	
<b>UNIT SIZE</b> <b>ROUGH OPENING</b> <b>FRAME SIZE</b> <b>DAYLIGHT OPENING</b>	49 3/4" 48" 47 1/2" 43 7/8"  25 3/4" 24 1/2" 23 1/2" 19 7/8"  MHR4824	53 3/4" 52" 51 1/2" 47 7/8"  27 3/4" 26" 25 1/2" 21 7/8"  MHR5226	55 3/4" 54" 53 1/2" 49 7/8"  28 3/4" 27" 26 1/2" 22 7/8"  MHR5427	57 3/4" 56" 55 1/2" 51 7/8"  29 3/4" 28" 27 1/2" 23 7/8"  MHR5628	
<b>UNIT SIZE</b> <b>ROUGH OPENING</b> <b>FRAME SIZE</b> <b>DAYLIGHT OPENING</b>	61 3/4" 60" 59 1/2" 55 7/8"  31 3/4" 30" 29 1/2" 25 7/8"  MHR6030	65 3/4" 64" 63 1/2" 59 7/8"  33 3/4" 32" 31 1/2" 27 7/8"  MHR6432	67 3/4" 66" 65 1/2" 61 7/8"  34 3/4" 33" 32 1/2" 28 7/8"  MHR6633		
<b>UNIT SIZE</b> <b>ROUGH OPENING</b> <b>FRAME SIZE</b> <b>DAYLIGHT OPENING</b>	69 3/4" 68" 67 1/2" 63 7/8"  35 3/4" 34" 33 1/2" 29 7/8"  MHR6834	73 3/4" 72" 71 1/2" 67 7/8"  37 3/4" 36" 35 1/2" 31 7/8"  MHR7236	85 3/4" 84" 83 1/2" 79 7/8"  43 3/4" 42" 41 1/2" 37 7/8"  MHR8442		
<b>UNIT SIZE</b> <b>ROUGH OPENING</b> <b>FRAME SIZE</b> <b>DAYLIGHT OPENING</b>	97 3/4" 96" 95 1/2" 91 7/8"  49 3/4" 48" 47 1/2" 43 7/8"  MHR9648				


#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 ##\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'


#### FULL ROUND

UNIT SIZE 31 3/4"  
ROUGH OPENING 30"  
FRAME SIZE 29 1/2"  
DAYLIGHT OPENING 25 7/8"




MFR30

UNIT SIZE 35 3/4"  
ROUGH OPENING 34"  
FRAME SIZE 33 1/2"  
DAYLIGHT OPENING 29 7/8"




MFR34

UNIT SIZE 37 3/4"  
ROUGH OPENING 36"  
FRAME SIZE 35 1/2"  
DAYLIGHT OPENING 31 7/8"




MFR36

UNIT SIZE 39 3/4"  
ROUGH OPENING 38"  
FRAME SIZE 37 1/2"  
DAYLIGHT OPENING 33 7/8"




MFR38

UNIT SIZE 43 3/4"  
ROUGH OPENING 42"  
FRAME SIZE 41 1/2"  
DAYLIGHT OPENING 37 7/8"




MFR42

UNIT SIZE 49 3/4"  
ROUGH OPENING 48"  
FRAME SIZE 47 1/2"  
DAYLIGHT OPENING 43 7/8"




MFR48

UNIT SIZE 55 3/4"  
ROUGH OPENING 54"  
FRAME SIZE 53 1/2"  
DAYLIGHT OPENING 49 7/8"




MFR54

UNIT SIZE 61 3/4"  
ROUGH OPENING 60"  
FRAME SIZE 59 1/2"  
DAYLIGHT OPENING 55 7/8"




MFR60

UNIT SIZE 67 3/4"  
ROUGH OPENING 66"  
FRAME SIZE 65 1/2"  
DAYLIGHT OPENING 61 7/8"



MFR66

UNIT SIZE 73 3/4"  
ROUGH OPENING 72"  
FRAME SIZE 71 1/2"  
DAYLIGHT OPENING 67 7/8"



MFR72

#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### QUARTER CIRCLE SEGMENT

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

25 3/4"  
24"  
23 1/2"  
19 7/8"


31 3/4"  
30"  
29 1/2"  
25 7/8"

37 3/4"  
36"  
35 1/2"  
31 7/8"

43 3/4"  
42"  
41 1/2"  
37 7/8"


49 3/4"  
48"  
47 1/2"  
43 7/8"

19 3/4"  
18"  
17 1/2"  
13 7/8"




MQE2418

25 3/4"  
24"  
23 1/2"  
19 7/8"




MQE3024

31 3/4"  
30"  
29 1/2"  
25 7/8"




MQE3630

37 3/4"  
36"  
35 1/2"  
31 7/8"



MQE4236

43 3/4"  
42"  
41 1/2"  
37 7/8"




MQE4842

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

55 3/4"  
54"  
53 1/2"  
49 7/8"


49 3/4"  
48"  
47 1/2"  
43 7/8"



MQE5448


61 3/4"  
60"  
59 1/2"  
55 7/8"

55 3/4"  
54"  
53 1/2"  
49 7/8"



MQE6054

61 3/4"  
60"  
59 1/2"  
55 7/8"




MQE6660

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

73 3/4"  
72"  
71 1/2"  
67 7/8"

67 3/4"  
66"  
65 1/2"  
61 7/8"



MQE7266

#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### CIRCLE SEGMENT

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

31 3/4"  
30"  
29 1/2"  
25 7/8"

13 3/4"  
12"  
11 1/2"  
7 7/8"



MEY3012

37 3/4"  
36"  
35 1/2"  
31 7/8"


13 3/4"  
12"  
11 1/2"  
7 7/8"



MEY3612

43 3/4"  
42"  
41 1/2"  
37 7/8"

19 3/4"  
18"  
17 1/2"  
13 7/8"



MEY4218

49 3/4"  
48"  
47 1/2"  
43 7/8"

19 3/4"  
18"  
17 1/2"  
13 7/8"




MEY4818

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

55 3/4"  
54"  
53 1/2"  
49 7/8"


25 3/4"  
24"  
23 1/2"  
19 7/8"



MEY5424

61 3/4"  
60"  
59 1/2"  
55 7/8"


25 3/4"  
24"  
23 1/2"  
19 7/8"



MEY6024

67 3/4"  
66"  
65 1/2"  
61 7/8"

31 3/4"  
30"  
29 1/2"  
25 7/8"




MEY6630

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

73 3/4"  
72"  
71 1/2"  
67 7/8"

31 3/4"  
30"  
29 1/2"  
25 7/8"



MEY7230

#### ELEVATION SYMBOL LEGEND:

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### OVAL

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING






25 3/4"  
24"  
23 1/2"  
19 7/8"

31 3/4"  
30"  
29 1/2"  
25 7/8"

31 3/4"  
30"  
29 1/2"  
25 7/8"


33 3/4"  
32"  
31 1/2"  
27 7/8"

37 3/4"  
36"  
35 1/2"  
31 7/8"























UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

37 3/4"  
36"  
35 1/2"  
31 7/8"



SCALE: 1/4" = 1'

### EXTENDED QUARTER ROUND

UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	19 3/4" 18" 17 1/2" 13 7/8"	25 3/4" 24" 23 1/2" 19 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	37 3/4" 36" 35 1/2" 31 7/8"
49 3/4" 48" 47 1/2" 43 7/8"	 MQT1848	 MQT2448	 MQT3048	 MQT3648
55 3/4" 54" 53 1/2" 49 7/8"	 MQT1854	 MQT2454	 MQT3054	 MQT3654
61 3/4" 60" 59 1/2" 55 7/8"	 MQT1860	 MQT2460	 MQT3060	 MQT3660
67 3/4" 66" 65 1/2" 61 7/8"	 MQT1866	 MQT2466	 MQT3066	 MQT3666
73 3/4" 72" 71 1/2" 67 7/8"	 MQT1872	 MQT2472	 MQT3072	 MQT3672































#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 ###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'



#### EXTENDED HALF ROUND

UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	25 3/4" 24" 23 1/2" 19 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	49 3/4" 48" 47 1/2" 43 7/8"
37 3/4" 36" 35 1/2" 31 7/8"	 MSL2436	 MSL3036	 MSL3636	 MSL4236	 MSL4836
49 3/4" 48" 47 1/2" 43 7/8"	 MSL2448	 MSL3048	 MSL3648	 MSL4248	 MSL4848
55 3/4" 54" 53 1/2" 49 7/8"	 MSL2454	 MSL3054	 MSL3654	 MSL4254	 MSL4854
61 3/4" 60" 59 1/2" 55 7/8"	 MSL2460	 MSL3060	 MSL3660	 MSL4260	 MSL4860
67 3/4" 66" 65 1/2" 61 7/8"	 MSL2466	 MSL3066	 MSL3666	 MSL4266	 MSL4866
73 3/4" 72" 71 1/2" 67 7/8"	 MSL2472	 MSL3072	 MSL3672	 MSL4272	 MSL4872














































































#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 ###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### EXTENDED QUARTER SEGMENT

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING













25 3/4" 24" 23 1/2" 19 7/8"	25 3/4" 24" 23 1/2" 19 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"
											
MQP2424	MQP3024	MQP3624	MQP4224	MQP4824	MQP5424	MQP2424	MQP3024	MQP3624	MQP4224	MQP4824	MQP5424
31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"
											
MQP2430	MQP3030	MQP3630	MQP4230	MQP4830	MQP5430	MQP2430	MQP3030	MQP3630	MQP4230	MQP4830	MQP5430
37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"
											
MQP2436	MQP3036	MQP3636	MQP4236	MQP4836	MQP5436	MQP2436	MQP3036	MQP3636	MQP4236	MQP4836	MQP5436
43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"
											
MQP2442	MQP3042	MQP3642	MQP4242	MQP4842	MQP5442	MQP2442	MQP3042	MQP3642	MQP4242	MQP4842	MQP5442
49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"
											
MQP2448	MQP3048	MQP3648	MQP4248	MQP4848	MQP5448	MQP2448	MQP3048	MQP3648	MQP4248	MQP4848	MQP5448
55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"
											
MQP2454	MQP3054	MQP3654	MQP4254	MQP4854	MQP5454	MQP2454	MQP3054	MQP3654	MQP4254	MQP4854	MQP5454
61 3/4" 60" 59 1/2" 55 7/8"	61 3/4" 60" 59 1/2" 55 7/8"	61 3/4" 60" 59 1/2" 55 7/8"	61 3/4" 60" 59 1/2" 55 7/8"	61 3/4" 60" 59 1/2" 55 7/8"	61 3/4" 60" 59 1/2" 55 7/8"	61 3/4" 60" 59 1/2" 55 7/8"	61 3/4" 60" 59 1/2" 55 7/8"	61 3/4" 60" 59 1/2" 55 7/8"	61 3/4" 60" 59 1/2" 55 7/8"	61 3/4" 60" 59 1/2" 55 7/8"	61 3/4" 60" 59 1/2" 55 7/8"
											
MQP2460	MQP3060	MQP3660	MQP4260	MQP4860	MQP5460	MQP2460	MQP3060	MQP3660	MQP4260	MQP4860	MQP5460

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
#### NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### EXTENDED QUARTER SEGMENT

UNIT SIZE	25 3/4"	31 3/4"	37 3/4"	43 3/4"	49 3/4"	55 3/4"
ROUGH OPENING	24"	30"	36"	42"	48"	54"
FRAME SIZE	23 1/2"	29 1/2"	35 1/2"	41 1/2"	47 1/2"	53 1/2"
DAYLIGHT OPENING	19 7/8"	25 7/8"	31 7/8"	37 7/8"	43 7/8"	49 7/8"
67 3/4" 66" 65 1/2" 61 7/8"						
	MQP2466	MQP3066	MQP3666	MQP4266	MQP4866	MQP5466
						
	MQP2472	MQP3072	MQP3672	MQP4272	MQP4872	MQP5472

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 ###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### EXTENDED QUARTER SEGMENT

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


25 3/4" 24" 23 1/2" 19 7/8"	61 3/4" 60" 59 1/2" 55 7/8"	20* 50**	61 3/4" 60" 59 1/2" 55 7/8"	20* 50**	73 3/4" 72" 71 1/2" 67 7/8"	20* 50**
	MQP6024		MQP6624		MQP7224	
31 3/4" 30" 29 1/2" 25 7/8"		20* 50**		20* 50**		20* 50**
	MQP6030		MQP6630		MQP7230	
37 3/4" 36" 35 1/2" 31 7/8"		20* 50**		20* 50**		20* 50**
	MQP6036		MQP6636		MQP7236	
43 3/4" 42" 41 1/2" 37 7/8"		20* 50**		20* 50**		20* 50**
	MQP6042		MQP6642		MQP7242	
49 3/4" 48" 47 1/2" 43 7/8"		20* 50**		20* 50**		20* 50**
	MQP6048		MQP6648		MQP7248	
55 3/4" 54" 53 1/2" 49 7/8"		20* 50**		20* 50**		20* 50**
	MQP6054		MQP6654		MQP7254	
61 3/4" 60" 59 1/2" 55 7/8"		20* 50**		20* 50**		20* 50**
	MQP6060		MQP6660		MQP7260	

**ELEVATION SYMBOL LEGEND:**

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
\*\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

**EXTENDED QUARTER SEGMENT**













































**ELEVATION SYMBOL LEGEND:**

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### EXTENDED CIRCLE SEGMENT













UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	25 3/4" 24" 23 1/2" 19 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	55 3/4" 54" 53 1/2" 49 7/8"
25 3/4" 24" 23 1/2" 19 7/8"	 MLP2424	 MLP3024	 MLP3624	 MLP4224	 MLP4824	 MLP5424
31 3/4" 30" 29 1/2" 25 7/8"	 MLP2430	 MLP3030	 MLP3630	 MLP4230	 MLP4830	 MLP5430
37 3/4" 36" 35 1/2" 31 7/8"	 MLP2436	 MLP3036	 MLP3636	 MLP4236	 MLP4836	 MLP5436
43 3/4" 42" 41 1/2" 37 7/8"	 MLP2442	 MLP3042	 MLP3642	 MLP4242	 MLP4842	 MLP5442
49 3/4" 48" 47 1/2" 43 7/8"	 MLP2448	 MLP3048	 MLP3648	 MLP4248	 MLP4848	 MLP5448
55 3/4" 54" 53 1/2" 49 7/8"	 MLP2454	 MLP3054	 MLP3654	 MLP4254	 MLP4854	 MLP5454
61 3/4" 60" 59 1/2" 55 7/8"	 MLP2460	 MLP3060	 MLP3660	 MLP4260	 MLP4860	 MLP5460

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### EXTENDED CIRCLE SEGMENT

UNIT SIZE	25 3/4"	31 3/4"	37 3/4"	43 3/4"	49 3/4"	55 3/4"
ROUGH OPENING	24"	30"	36"	42"	48"	54"
FRAME SIZE	23 1/2"	29 1/2"	35 1/2"	41 1/2"	47 1/2"	53 1/2"
DAYLIGHT OPENING	19 7/8"	25 7/8"	31 7/8"	37 7/8"	43 7/8"	49 7/8"
67 3/4" 66" 65 1/2" 61 7/8"						
	MLP2466	MLP3066	MLP3666	MLP4266	MLP4866	MLP5466
						
	MLP2472	MLP3072	MLP3672	MLP4272	MLP4872	MLP5472
	73 3/4" 72" 71 1/2" 67 7/8"					






















#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 ###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### EXTENDED CIRCLE SEGMENT

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

SIZE SIZE OPENING	61 3/4" 60" 59 1/2" 55 7/8"	67 3/4" 66" 65 1/2" 61 7/8"	73 3/4" 72" 71 1/2" 67 7/8"
			
	MLP6024	MLP6624	MLP7224
			
	MLP6030	MLP6630	MLP7230
			
	MLP6036	MLP6636	MLP7236
			
	MLP6042	MLP6642	MLP7242
			
MLP6048	MLP6648	MLP7248	
			
MLP6054	MLP6654	MLP7254	
			
MLP6060	MLP6660	MLP7260	

**ELEVATION SYMBOL LEGEND:**


### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'



**EXTENDED CIRCLE SEGMENT**

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING













































**ELEVATION SYMBOL LEGEND:**

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
##\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### TRAPEZOID

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING













25 3/4" 24" 23 1/2" 19 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	55 3/4" 54" 53 1/2" 49 7/8"
 MPCA2424	 MPCA3024	 MPCA3624	 MPCA4224	 MPCA4824	 MPCA5424
 MPCA2430	 MPCA3030	 MPCA3630	 MPCA4230	 MPCA4830	 MPCA5430
 MPCA2436	 MPCA3036	 MPCA3636	 MPCA4236	 MPCA4836	 MPCA5436
 MPCA2442	 MPCA3042	 MPCA3642	 MPCA4242	 MPCA4842	 MPCA5442
 MPCA2448	 MPCA3048	 MPCA3648	 MPCA4248	 MPCA4848	 MPCA5448
 MPCA2454	 MPCA3054	 MPCA3654	 MPCA4254	 MPCA4854	 MPCA5454
 MPCA2460	 MPCA3060	 MPCA3660	 MPCA4260	 MPCA4860	 MPCA5460

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
#### NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### TRAPEZOID

UNIT SIZE	25 3/4"	31 3/4"	37 3/4"	43 3/4"	49 3/4"	55 3/4"
ROUGH OPENING	24"	30"	36"	42"	48"	54"
FRAME SIZE	23 1/2"	29 1/2"	35 1/2"	41 1/2"	47 1/2"	53 1/2"
DAYLIGHT OPENING	19 7/8"	25 7/8"	31 7/8"	37 7/8"	43 7/8"	49 7/8"
67 3/4" 66" 65 1/2" 61 7/8"						
	MPCA2466	MPCA3066	MPCA3666	MPCA4266	MPCA4866	MPCA5466
						
	MPCA2472	MPCA3072	MPCA3672	MPCA4272	MPCA4872	MPCA5472

#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.

###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'


### TRAPEZOID

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

61 3/4"  
60"  
59 1/2"  
55 7/8"

67 3/4"  
66"  
65 1/2"  
61 7/8"

73 3/4"  
72"  
71 1/2"  
67 7/8"



**ELEVATION SYMBOL LEGEND:**

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
\*\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'


**TRAPEZOID**

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


61 3/4"  
60"  
59 1/2"  
55 7/8"

67 3/4"  
66"  
65 1/2"  
61 7/8"


73 3/4"  
72"  
71 1/2"  
67 7/8"




MPCA6066




MPCA6666




MPCA7266



MPCA6072



MPCA6672



MPCA7272

**ELEVATION SYMBOL LEGEND:**

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
##\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### TRIANGLE

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

25 3/4"  
24"  
23 1/2"  
19 7/8"

31 3/4"  
30"  
29 1/2"  
25 7/8"

37 3/4"  
36"  
35 1/2"  
31 7/8"

43 3/4"  
42"  
41 1/2"  
37 7/8"

49 3/4"  
48"  
47 1/2"  
43 7/8"

55 3/4"  
54"  
53 1/2"  
49 7/8"

 MPCA2424	 MPCA3024	 MPCA3624	 MPCA4224	 MPCA4824	 MPCA5424
 MPCA2430	 MPCA3030	 MPCA3630	 MPCA4230	 MPCA4830	 MPCA5430
 MPCA2436	 MPCA3036	 MPCA3636	 MPCA4236	 MPCA4836	 MPCA5436
 MPCA2442	 MPCA3042	 MPCA3642	 MPCA4242	 MPCA4842	 MPCA5442
 MPCA2448	 MPCA3048	 MPCA3648	 MPCA4248	 MPCA4848	 MPCA5448
 MPCA2454	 MPCA3054	 MPCA3654	 MPCA4254	 MPCA4854	 MPCA5454
 MPCA2460	 MPCA3060	 MPCA3660	 MPCA4260	 MPCA4860	 MPCA5460

#### ELEVATION SYMBOL LEGEND:

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
\*\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### TRIANGLE

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

25 3/4"  
24"  
23 1/2"  
19 7/8"

31 3/4"  
30"  
29 1/2"  
25 7/8"


37 3/4"  
36"  
35 1/2"  
31 7/8"

43 3/4"  
42"  
41 1/2"  
37 7/8"


49 3/4"  
48"  
47 1/2"  
43 7/8"

55 3/4"  
54"  
53 1/2"  
49 7/8"


67 3/4"  
66"  
65 1/2"  
61 7/8"




MPCA2466




MPCA3066




MPCA3666



MPCA4266




MPCA4866




MPCA5466


73 3/4"  
72"  
71 1/2"  
67 7/8"




MPCA2472




MPCA3072




MPCA3672



MPCA4272



MPCA4872



MPCA5472

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### TRIANGLE

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

61 3/4"  
60"  
59 1/2"  
55 7/8"

67 3/4"  
66"  
65 1/2"  
61 7/8"

73 3/4"  
72"  
71 1/2"  
67 7/8"

25 3/4"  
24"  
23 1/2"  
19 7/8"



MPCA6024




MPCA6624




MPCA7224


31 3/4"  
30"  
29 1/2"  
25 7/8"



MPCA6030




MPCA6630




MPCA7230


37 3/4"  
36"  
35 1/2"  
31 7/8"



MPCA6036




MPCA6636




MPCA7236


43 3/4"  
42"  
41 1/2"  
37 7/8"



MPCA6042




MPCA6642




MPCA7242


49 3/4"  
48"  
47 1/2"  
43 7/8"



MPCA6048




MPCA6648




MPCA7248


55 3/4"  
54"  
53 1/2"  
49 7/8"



MPCA6054




MPCA6654




MPCA7254


61 3/4"  
60"  
59 1/2"  
55 7/8"



MPCA6060



MPCA6660



MPCA7260

#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.

##\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'



**TRIANGLE**


UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

61 3/4"  
60"  
59 1/2"  
55 7/8"


67 3/4"  
66"  
65 1/2"  
61 7/8"

73 3/4"  
72"  
71 1/2"  
67 7/8"


67 3/4"  
66"  
65 1/2"  
61 7/8"



MPCA6066




MPCA6666




MPCA7266


73 3/4"  
72"  
71 1/2"  
67 7/8"



MPCA6072



MPCA6672













































MPCA7272

**ELEVATION SYMBOL LEGEND:**

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
#### NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### CLIPPED CORNER

UNIT SIZE ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	25 3/4" 24" 23 1/2" 19 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	55 3/4" 54" 53 1/2" 49 7/8"
25 3/4" 24" 23 1/2" 19 7/8"	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**
	MPCA2424	MPCA3024	MPCA3624	MPCA4224	MPCA4824	MPCA5424
31 3/4" 30" 29 1/2" 25 7/8"	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**
	MPCA2430	MPCA3030	MPCA3630	MPCA4230	MPCA4830	MPCA5430
37 3/4" 36" 35 1/2" 31 7/8"	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**
	MPCA2436	MPCA3036	MPCA3636	MPCA4236	MPCA4836	MPCA5436
43 3/4" 42" 41 1/2" 37 7/8"	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**
	MPCA2442	MPCA3042	MPCA3642	MPCA4242	MPCA4842	MPCA5442
49 3/4" 48" 47 1/2" 43 7/8"	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**
	MPCA2448	MPCA3048	MPCA3648	MPCA4248	MPCA4848	MPCA5448
55 3/4" 54" 53 1/2" 49 7/8"	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**
	MPCA2454	MPCA3054	MPCA3654	MPCA4254	MPCA4854	MPCA5454
61 3/4" 60" 59 1/2" 55 7/8"	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**	 20* 50**
	MPCA2460	MPCA3060	MPCA3660	MPCA4260	MPCA4860	MPCA5460

#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
 ##\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### CLIPPED CORNER

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

25 3/4"  
24"  
23 1/2"  
19 7/8"


31 3/4"  
30"  
29 1/2"  
25 7/8"

37 3/4"  
36"  
35 1/2"  
31 7/8"


43 3/4"  
42"  
41 1/2"  
37 7/8"

49 3/4"  
48"  
47 1/2"  
43 7/8"


55 3/4"  
54"  
53 1/2"  
49 7/8"




MPCA2466




MPCA3066




MPCA3666




MPCA4266




MPCA4866




MPCA5466




MPCA2472




MPCA3072




MPCA3672



MPCA4272



MPCA4872



MPCA5472

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
#### NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'






















### CLIPPED CORNER

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

61 3/4"  
60"  
59 1/2"  
55 7/8"

67 3/4"  
66"  
65 1/2"  
61 7/8"

73 3/4"  
72"  
71 1/2"  
67 7/8"

25 3/4" 24" 23 1/2" 19 7/8"	 MPCA6024	 MPCA6624	 MPCA7224
31 3/4" 30" 29 1/2" 25 7/8"	 MPCA6030	 MPCA6630	 MPCA7230
37 3/4" 36" 35 1/2" 31 7/8"	 MPCA6036	 MPCA6636	 MPCA7236
43 3/4" 42" 41 1/2" 37 7/8"	 MPCA6042	 MPCA6642	 MPCA7242
49 3/4" 48" 47 1/2" 43 7/8"	 MPCA6048	 MPCA6648	 MPCA7248
55 3/4" 54" 53 1/2" 49 7/8"	 MPCA6054	 MPCA6654	 MPCA7254
61 3/4" 60" 59 1/2" 55 7/8"	 MPCA6060	 MPCA6660	 MPCA7260

**ELEVATION SYMBOL LEGEND:**

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.

###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.


SCALE: 1/4" = 1'

**CLIPPED CORNER**

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


61 3/4"  
60"  
59 1/2"  
55 7/8"

67 3/4"  
66"  
65 1/2"  
61 7/8"




MPCA6066

67 3/4"  
66"  
65 1/2"  
61 7/8"




MPCA6666

73 3/4"  
72"  
71 1/2"  
67 7/8"




MPCA7266


73 3/4"  
72"  
71 1/2"  
67 7/8"



MPCA6072



MPCA6672



MPCA7272

**ELEVATION SYMBOL LEGEND:**

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
\*\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PENTAGON

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

25 3/4" 24" 23 1/2" 19 7/8"	25 3/4" 24" 23 1/2" 19 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	31 3/4" 30" 29 1/2" 25 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	37 3/4" 36" 35 1/2" 31 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	43 3/4" 42" 41 1/2" 37 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	49 3/4" 48" 47 1/2" 43 7/8"	55 3/4" 54" 53 1/2" 49 7/8"	55 3/4" 54" 53 1/2" 49 7/8"
MPCA2424	MPCA3024	MPCA3624	MPCA3624	MPCA4224	MPCA4224	MPCA4824	MPCA4824	MPCA5424	MPCA5424	MPCA5424	MPCA5424
MPCA2430	MPCA3030	MPCA3630	MPCA3630	MPCA4230	MPCA4230	MPCA4830	MPCA4830	MPCA5430	MPCA5430	MPCA5430	MPCA5430
MPCA2436	MPCA3036	MPCA3636	MPCA3636	MPCA4236	MPCA4236	MPCA4836	MPCA4836	MPCA5436	MPCA5436	MPCA5436	MPCA5436
MPCA2442	MPCA3042	MPCA3642	MPCA3642	MPCA4242	MPCA4242	MPCA4842	MPCA4842	MPCA5442	MPCA5442	MPCA5442	MPCA5442
MPCA2448	MPCA3048	MPCA3648	MPCA3648	MPCA4248	MPCA4248	MPCA4848	MPCA4848	MPCA5448	MPCA5448	MPCA5448	MPCA5448
MPCA2454	MPCA3054	MPCA3654	MPCA3654	MPCA4254	MPCA4254	MPCA4854	MPCA4854	MPCA5454	MPCA5454	MPCA5454	MPCA5454
MPCA2460	MPCA3060	MPCA3660	MPCA3660	MPCA4260	MPCA4260	MPCA4860	MPCA4860	MPCA5460	MPCA5460	MPCA5460	MPCA5460


#### ELEVATION SYMBOL LEGEND:

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
###\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PENTAGON

UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING



#### ELEVATION SYMBOL LEGEND:

\*\*\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.

\*\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.

SCALE: 1/4" = 1'

### PENTAGON


UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

61 3/4"  
60"  
59 1/2"  
55 7/8"


67 3/4"  
66"  
65 1/2"  
61 7/8"

73 3/4"  
72"  
71 1/2"  
67 7/8"


25 3/4"  
24"  
23 1/2"  
19 7/8"



MPCA6024




MPCA6624




MPCA7224


31 3/4"  
30"  
29 1/2"  
25 7/8"



MPCA6030




MPCA6630




MPCA7230


37 3/4"  
36"  
35 1/2"  
31 7/8"



MPCA6036




MPCA6636




MPCA7236


43 3/4"  
42"  
41 1/2"  
37 7/8"



MPCA6042




MPCA6642




MPCA7242


49 3/4"  
48"  
47 1/2"  
43 7/8"



MPCA6048




MPCA6648




MPCA7248


55 3/4"  
54"  
53 1/2"  
49 7/8"



MPCA6054




MPCA6654




MPCA7254


61 3/4"  
60"  
59 1/2"  
55 7/8"



MPCA6060



MPCA6660



MPCA7260

#### ELEVATION SYMBOL LEGEND:

### NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
#### NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.


SCALE: 1/4" = 1'



**PENTAGON**


UNIT SIZE  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

61 3/4"  
60"  
59 1/2"  
55 7/8"  
67 3/4"  
66"  
65 1/2"  
61 7/8"




MPCA6066

67 3/4"  
66"  
65 1/2"  
61 7/8"




MPCA6666

73 3/4"  
72"  
71 1/2"  
67 7/8"




MPCA7266


73 3/4"  
72"  
71 1/2"  
67 7/8"



MPCA6072



MPCA6672



MPCA7272

**ELEVATION SYMBOL LEGEND:**

##\* NUMBER INDICATES DESIGN PRESSURE (DP) RATING WITH STANDARD GLAZING.  
##\*\* NUMBER INDICATES OPTIONAL DESIGN PRESSURE (DP) RATING.


SCALE: 1/4" = 1'

---


GRILLE PATTERNS

---


PICTURE UNITS



STANDARD




PRAIRIE




COLONIAL TOP 1/2

**GRILLE PATTERNS**


**QUARTER ROUND**



**HALF ROUND**




**FULL ROUND**




**GRILLE PATTERNS**

**EXTENDED QUARTER ROUND**




QT1




QT2


**EXTENDED HALF ROUND**




RT1



RT2




RT3




RT4


**EXTENDED CIRCLE SEGMENT**




LP1




LP2




LP3




LP4




LP5




LP7




LP8



LP14




LP16



LP18


PICTURE UNIT



VERTICAL SECTION

SCALE: 6" = 1'

**PICTURE UNIT**



**HORIZONTAL SECTION**

SCALE: 6" = 1'